A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Laksham, Comilla.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 21.0m	R. L.: Rail line Level.
CLIENT : Grameen Phone Ltd.	DATE OF BORING : 16-07-2005	G. W. T : 3.96m below from E.G.L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Remarks
3.0m	Light gray 10YR (7/1), loose, cohesionless silt, SM.			D-1 D-2 D-3	3, 5, 10		
1.0m	Light brownish gray 10YR (6/2), medium dense, cohesionless silt, SM.			D-4	20		
1.0m	Light gray 10YR (7/2), dense, fine sand, SM.			D-5	23		
2.5m	Gray 10YR (7/1), dense, fine sand, SM.			D-6 D-7	24, 20		
1.5m	Very pale brown 10YR (7/3), dense, cohesionless silt, SM.			D-8	26		
1.5m	Light gray 10YR (7/2), dense, fine sand, SM.			D-9	32		
10.95m	Gray 10YR (6/1), very dense, fine sand, SM.			D-10 D-11 D-12 D-13 D-14 D-15 D-16	32, 34, 50, 50, 50, 50, 50		Over, Over, Over, Over, Over

0 10 20 30 40 50 60 70 80 | 0 20 40 60 80 100

ID FOR BOREHOLE A RAIN SIZE DISTRIBU

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

UNDISTURBED SAMPLE

ORGANIC

DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED