A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Vill: Bari Ura, Mozlish Pur, Sarail, B.Baria.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 0.91m below from Road Level.
CLIENT : Grameenphone Ltd.		DATE OF BORING: 17-03-2015.	B. W. T : 3.04m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Brown 7.5YR (5/3), medium dense, silty Sand, SM.			D-1 to D-3	7, 8, 10		
4.5m	Gray 7.5YR (5/1), medium dense to dense, silty Sand, SM.			D-4 to D-6	11, 12, 14		
13.95m	Light Gray 10YR (7/1), dense to very dense, fine Sand, SM.			D-7 to D-16	18, 23, 26, 30, 34, 39, 41, 43, 45, 47		



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SHALE | SILT | SAND

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED