| A2 | PROSOIL | BOREHOLE NO: BH-1 | |
|---|---|---|---|
| | | LOCATION: Moddho Nagar, Moddho Nagar, Debidwar, Comilla. | |
| PROJECT : Telecommunication Tower. | | DEPTH OF BORING: 21.0m | R. L.: 0.90m below from Road Level. |
| CLIENT : AXIATA (Bangladesh) Ltd. | | DATE OF BORING: 13-07-2012. | G. W. T : 0.60m above from E. G. L. |

| THICKNESS | SOIL STRATA | BORELOG | UNDISTURBED SAMPLE | DISTURBED SAMPLE | DEPTH (m) SPT VALUES ( BLOWS / 300mm ) | Grain Size Distribution, % Clay %, Silt %, Sand % | Max$^{m}$ Penetration |
|---|---|---|---|---|---|---|---|
| 3.0m | Grayish Brown 10.5YR (5/3), low plasticity, medium stiff to very stiff, silty Clay, CL. | | UD-1, UD-2, UD-3 | D-1, D-2, D-3 | 6, 12, 19 | | |
| 4.0m | Gray 7.5YR (5/1), dense to very dense, silty Sand, SM. | | | D-4, D-5, D-6 | 15, 18, 15 | | |
| 2.0m | Light Gray 7.5YR (5/4), very dense, silty Sand, SM. | | | D-7, D-8, D-9 | 30, 35, 42 | | |
| 12.45m | Light Gray 7.5YR (5/4), very dense, fine Sand, SM. | | | D-10, D-11, D-12, D-13, D-14, D-15, D-16, D-17 | 41, 41, 43, 44, 47, 50, 50, 50 | | Over, Over, Over |




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SAND | SILT | SHALE

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX$^{m}$ PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED