A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Plot # 533, Khatian: 470, Mouza: Sajjan Kanda, Ward no: 4, Rajbari Pourasava; Post, Thana & Dist: Rajbari.	
PROJECT : Proposed Three Storied Building.		DEPTH OF BORING : 15.0m	R. L.: Road Level.
CLIENT : Md. Abdus Satter Mia.		DATE OF BORING : 26-06-2009.	G. W. T : 5.49m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
2.0m	Pale brown 10YR (6/3), medium dense to loose, cohesionless silt, SM.			D-1	7		
			UD-2	D-2	5		
2.0m	Pale brown 10YR (6/3), medium plastic, soft to stiff, silty Clay, CL.		UD-3	D-3	4		
				D-4	12		
1.0m	Pale brown 10YR (6/3), medium dense to dense, cohesionless silt, SM.			D-5	22		
				D-6	14		
5.5m	Pale brown 10YR (6/3), dense to very dense, fine sand, SM.			D-7	27		
				D-8	32		
				D-9	35		
				D-10	29		
4.95m	Gray 10YR (5/1), very dense, fine sand, SM.			D-11	20		
				D-12	35		



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

ORGANIC

UNDISTURBED SAMPLE

DISTURBED SAMPLE

SHALE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED