A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Ambagan, Nalitabari, Sherpur.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 21.0m	R. L.: 1.21m below from Road Level.
CLIENT : Grameen phone Ltd.	DATE OF BORING : 01-06-2005	G. W. T : 0.91m above from E.G.L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Remarks
3.0m	Reddish brown colour 5YR (5/3), medium dense, silty Sand, SM.			D-1 D-2 D-3	8 9 13		
2.0m	Light brownish gray colour 10YR (6/2), medium dense, silty Sand, SM.			D-4 D-5	18 33		
2.5m	Light gray colour 10YR (7/1), dense to very dense, fine sand, SM.			D-6 D-7	23 6		
6.0m	Brown colour 10YR (5/3), medium plastic, medium stiff to very stiff, silty Clay, CL.			D-8 D-9 D-10	16 16 18		
4.5m	Gray colour 10YR (6/1), medium plastic, medium stiff to very stiff, silty Clay, CL.			D-11 D-12 D-13	16 8 9		
1.5m	Grayish brown colour 10YR (5/2), medium dense, silty Sand, SM.			D-14	13		
1.95m	Very pale brown colour 10YR (7/3), very dense, fine sand, SM.			D-15 D-16	50 50		over over

0 10 20 30 40 50 60 70 80 | 0 20 40 60 80 100

ID FOR BOREOLOG A RAIN SIZE DISTRIBU

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

UNDISTURBED SAMPLE

ORGANIC

DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED