A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION: Khedabagh, Rajar Hat, Kurigram.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING: 16.5m	R. L.: 0.61m below from Road Level.
CLIENT : Grameenphone Ltd.	DATE OF BORING: 13-12-2010.	G. W. T : 3.05m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
16.95m	Bluish Gray Gley2 (6/1), loose to very dense, fine Sand, SM.			D-1 to D-12	5, 8, 10, 11, 14, 12, 12, 16, 26, 34, 38, 39		
4.5m	Boring was not possible due to very dense fine Sand.			D-13	44		



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SHALE	SILT	SAND
PEAT/HIGHLY ORGANIC SOIL	MICACEOUS FINE SAND/SILT	UNDISTURBED SAMPLE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED