A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Kalibari Bazar, Sherpur.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 19.95m	R. L.: 1.07m below from Road Level.
CLIENT : Grameen Phone Ltd.	DATE OF BORING : 25-03-2005	G. W. T : 3.96m below from E.G.L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Remarks
3.0m	Brown 10YR(5/3), loose to medium dense, fine sand, SM.			D-1 D-2 D-3	5, 15, 9		
1.0m	Grayish brown color 10YR(5/2), medium dense, fine sand, SM.			D-4	3		
1.0m	Gray color 10YR(5/1), non plastic, loose, sandy Silt, SM.			D-5	23		
1.0m	Gray color 10YR(6/1), dense, fine sand, SM.			D-6	6		
1.5m	Gray color 10YR(5/1), non plastic, loose, sandy Silt, SM.			D-7	15		
6.0m	Gray color 10YR(6/1), dense, fine sand, SM.			D-8 D-9 D-10	22, 21, 20		
4.5m	Dark gray color 10YR(4/1), dense, fine sand, SM.			D-11 D-12 D-13	23, 22, 27		
1.95m	Gray color 10YR(5/1), dense, fine sand, SM.			D-14 D-15	28, 30		

0 10 20 30 40 50 60 70 80 | 0 20 40 60 80 100

ID FOR BORELOG A RAIN SIZE DISTRIBU

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

UNDISTURBED SAMPLE

ORGANIC

DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED