A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Pirujali Uttar Para, Pirujali, 1 No Pirujali Union, Gazipur Sadar, Gazipur.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 0.61m below from Road Level.
CLIENT : Grameenphone Ltd.		DATE OF BORING: 05-05-2013.	G. W. T : 4.57m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
7.5m	Red 10YR (5/6), medium dense, clayey Silt, ML.			D-1 to D-6	13, 15, 15, 11, 12, 14		
1.5m	Red 10YR (5/6), medium dense to dense, fine Sand with Mica, SM.			D-7 to D-8	10, 20		
12.45m	Red 10YR (5/6), dense, fine Sand, SM.			D-9 to D-16	20, 22, 21, 22, 23, 25, 28, 30		



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SHALE | SILT | SAND

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED