A2	Tarique Hasan & Associates Ltd.	BOREHOLE NO: 30	Easting: 690767	Northing: 2851078
		LOCATION : Saidpur Airport, Saidpur, Nilphamari.		
PROJECT : Consultancy Services for Development of Saidpur, Barisal and Osmani International Airport Projects (Design Phase)		DEPTH OF BORING : 39.5m		R. L. : m
CLIENT : Civil Aviation Authority of Bangladesh.		DATE OF BORING : 17-10-2018 to 19-10-2018		B. W. T : 2.1m below from E. G. L.



FROM (m)	TO (m)	N1=150 (mm)	N2=300 (mm)	N3=450 (mm)	N=N2+N3	DISTURBED SAMPLE	SPT VALUES
1	1.45	1	2	2	4	D-1	4
1.5	1.95	1	2	3	5	D-2	5
2.5	2.95	2	3	4	7	D-3	7
3.5	3.95	2	3	5	8	D-4	8
5	5.45	2	3	3	6	D-5	6
6.5	6.95	2	3	4	7	D-6	7
8	8.45	3	4	5	9	D-7	9
9.5	9.95	3	4	6	10	D-8	10
11	11.45	3	5	7	12	D-9	12
12.5	12.95	4	6	7	13	D-10	13
14	14.45	4	5	6	11	D-11	11
15.5	15.95	3	4	5	9	D-12	9
17	17.45	3	3	4	7	D-13	7
18.5	18.95	5	5	6	11	D-14	11
20	20.45	7	8	13	21	D-15	21
21.5	21.95	9	15	17	32	D-16	32
23	23.45	10	18	20	38	D-17	38
24.5	24.95	12	21	23	44	D-18	44
26	26.45	9	16	19	35	D-19	35
27.5	27.95	10	15	18	33	D-20	33
29	29.45	11	17	20	37	D-21	37
30.5	30.95	14	16	17	33	D-22	33

LEGEND FOR BOREHOLE AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SILT | PEAT/HIGHLY ORGANIC SOIL | UNDISTURBED SAMPLE

MICACEOUS FINE SAND/SILT | SAND | SHALE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^m PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	Tarique Hasan & Associates Ltd.	BOREHOLE NO: 30	Easting: 690767	Northing: 2851078
		LOCATION : Saidpur Airport, Saidpur, Nilphamari.		
PROJECT : Consultancy Services for Development of Saidpur, Barisal and Osmani International Airport Projects (Design Phase)		DEPTH OF BORING : 39.5m		R. L. : m.
CLIENT : Civil Aviation Authority of Bangladesh.		DATE OF BORING : 17-10-2018 to 19-10-2018		B. W. T : 2.1m below from E. G. L.



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SILT | PEAT/HIGHLY ORGANIC SOIL | UNDISTURBED SAMPLE

MICACEOUS FINE SAND/SILT | SAND | SHALE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^m PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED