
A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Aktermiar Hat, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING : 15-06-2010.	G. W. T : 0.91m below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Bashur Hat-3, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: 0.10m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.	DATE OF BORING : 16-05-2010.	G. W. T : 3.96m below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Dhanshalik Bazar, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 1.52m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING : 16-05-2010.	G. W. T : 3.66m below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Bariker Hat, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 1.22m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING : 23-04-2010.	G. W. T : 3.05m below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Halim Bazar, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 0.91m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING : 21-04-2010.	G. W. T : 3.66m below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Jahajmara, Hatia, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 0.30m below from Road Level.
CLIENT : TM International, Bangladesh Ltd.		DATE OF BORING : 29-06-2008	G. W. T : 0.07m above from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Korihati Bazar, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 1.22m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING : 21-04-2010.	G. W. T : 3.05m below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Krishanpur, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: 1.07m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.	DATE OF BORING : 20-04-2010.	G. W. T : 2.13m below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Mohabbatpur, Begumgonj, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: 1.3m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.	DATE OF BORING : 19-08-2010.	G. W. T : 0.76m above from E. G. L.



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')


PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Muhurigonj-2, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 1.37m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING : 14-05-2010.	G. W. T : 3.35m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Brown 10YR (5/3), medium dense, silty Sand, SM.		D-1 to D-3	7, 11, 13		
1.5m	Gray 10YR (5/1), medium dense, Silt, ML.		D-3 to D-4	13, 16		
3.0m	Bluish Gray Gley2 (5/1), medium dense to dense, silty Sand, SM.		D-5 to D-8	14, 16, 18		
43.95m	Grayish brown 10YR (5/2), medium dense to dense, silty Sand, SM.		D-9 to D-35	19, 21, 20, 25, 24, 26, 33, 35, 36, 33, 30, 30, 34, 31, 30, 35, 33, 34, 36, 38, 39, 36, 35, 37, 40, 49		




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Noahat, Sonaimuri, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: 1.37m below from Road Level.
CLIENT : Grameenphone Ltd.	DATE OF BORING : 02-05-2007.	G. W. T : Rain water.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Oderhat 2, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 1.22m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING : 09-07-2010.	G. W. T : 0.46m above from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Rafiqpur (khalil Miar Hut), Begumgonj, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: 1.37m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.	DATE OF BORING : 10-08-2010.	G. W. T : 0.46m below from E. G. L.



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^m PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Shantirhat, Sadar, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: 1.21m below from Road Level.
CLIENT : TM International, Bangladesh Ltd.	DATE OF BORING : 16-03-2008	G. W. T : Remarks.

THICKNESS	SOIL STRATA	BORELOG	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
4.5m	Gray 7.5YR (5/1), loose, cohesionless silt, ML.		D-1 to D-3	3, 4, 4		
3.0m	Gray 7.5YR (5/1), loose to medium dense, silty sand, SM.		D-4 to D-5	11, 7		
1.5m	Gray 7.5YR (5/1), medium dense, silty Sand, SM.		D-6 to D-8	13, 15, 11		
42.45m	Gray 7.5YR (5/1), medium dense to very dense, silty sand, SM.		D-9 to D-35	14, 16, 18, 19, 17, 18, 21, 22, 21, 20, 26, 31, 33, 30, 32, 35, 37, 38, 35, 36, 40, 41, 48, 49, 50, 50		Over, Over

marks: Water Table was not possible to measure due to paddy field.

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Banbaria, Begumgonj , Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 1.06m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING : 24-06-2010.	G. W. T : 0.20m above from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Very pale Brown 10YR (8/3), loose, Silt, ML.		D-1 to D-35	3, 4, 4, 11, 7, 13, 15, 11, 14, 16, 18, 19, 17, 18, 21, 22, 21, 20, 26, 31, 33, 30, 32, 35, 37, 38, 35, 36, 40, 41, 48, 49, 50, 50		Over, Over
3.0m	Gray 10YR (5/1), loose to medium dense, silty Sand, SM.					
45.45m	Gray 10YR (5/1), medium dense to very dense, silty Sand, SM.					


LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Boxganj-2 (Senbagh), Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: 0.15m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.	DATE OF BORING : 21-10-2010.	G. W. T : 0.60m below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Chad Kashimpur/ Kalikapur 2, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: 0.30m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.	DATE OF BORING : 15-06-2010.	G. W. T : 0.15m above from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Chuani Market, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 1.52m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING : 06-06-2010.	G. W. T : 0.61m above from E. G. L.



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')


XB

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Dalal Dighirjan/ Doalia, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 1.22m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING : 17-06-2010.	G. W. T : 0.31m above from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Fakirer Takia, Peshkarhat, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: 0.45m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.	DATE OF BORING : 15-06-2010.	G. W. T : E. G. L. (Rain Water).




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Kalirhat, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 2.13m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING : 25-12-2010.	G. W. T : 0.61m above from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Khalilmiarhat, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: On Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING : 13-12-2010.	G. W. T : 2.44m below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Nazir Nagar, Senbagh, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 1.06m above from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING : 25-06-2010.	G. W. T : 0.45m above from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Nobir Dokan/ Bashurhat 4, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 0.61m below Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING : 15-06-2010.	G. W. T : 0.20m below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Panditbazar, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 0.91m below Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING : 07-06-2010.	G. W. T : 1.52m below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Senbagh-3, Uttar Mohammadpur, Senbagh, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: 0.91m below Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.	DATE OF BORING : 15-01-2011.	G. W. T : 2.44m below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Shishutola /Chaprashir Hat 2, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 1.07m below Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING : 15-06-2010.	G. W. T : 0.30m above from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Sagaria Bazar, Hatia, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: 0.91m below Road Level.
CLIENT : TM International, Bangladesh Ltd.	DATE OF BORING : 11-05-2008	G. W. T : 3.66m below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Sagaria Bazar, Hatia, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 0.69m below from Road Level.
CLIENT : TM International, Bangladesh Ltd.		DATE OF BORING : 30-10-2008	G. W. T : 0.45m below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Chawlakhali, Subarnachar.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: 0.61m below from Road Level.
CLIENT : TM International, Bangladesh Ltd.	DATE OF BORING : 30-10-2008	G. W. T : 0.23m above from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Char Kalmi, Companigonj, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: 0.41m below from Road Level.
CLIENT : Grameenphone Ltd.	DATE OF BORING : 11-04-2008.	G. W. T : 2.44m above from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Sonaimuri, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: 1.52m below from Road Level.
CLIENT : Grameenphone Ltd.	DATE OF BORING : 03-11-2008.	G. W. T : 0.45m above from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Char Algi, Shudaram, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 1.06m below from Road Level.
CLIENT : TM International, Bangladesh Ltd.		DATE OF BORING : 30-12-2007	G. W. T : 1.52m below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : West Char Jubli, Char Jabbar, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 0.20m below from Road Level.
CLIENT : Sheba Telecom (PVT.) Ltd.		DATE OF BORING : 29-11-2006	G. W. T : 2.74m below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
CLAYEY SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Jahajmara, Hatia, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: 0.76m below from Road Level.
CLIENT : TM International, Bangladesh Ltd.	DATE OF BORING : 05-06-2006	G. W. T : Rain water.



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Foraji Bazar, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 0.15m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING : 23-03-2010.	G. W. T : 3.96m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
4.5m	Gray 10YR (6/1), loose to medium dense, cohesionless silt, ML.		D-1 D-2 D-3	5 7 5		
1.5m	Gray 10YR (6/1), medium plastic, very soft, silty Clay, CL.		D-4	2		
1.5m	Gray 10YR (6/1), very loose, cohesionless silt, ML.		D-5	1		
4.5m	Gray 10YR (6/1), medium dense, silty Sand, SM.		D-6 D-7 D-8	9 10 11		
1.5m	Gray 10YR (6/1), medium dense, cohesionless silt, ML.		D-9	15		
4.5m	Gray 10YR (6/1), dense, silty Sand, SM.		D-10	16		
4.5m	Gray 10YR (6/1), dense, cohesionless silt, ML.		D-11 D-12 D-13	18 19 21		
31.95m	Gray 10YR (6/1), medium dense to dense, silty Sand, SM.		D-14 D-15 D-16 D-17 D-18 D-19 D-20 D-21 D-22 D-23 D-24 D-26 D-27 D-28 D-29 D-30 D-31 D-32 D-33 D-34 D-35	25 24 26 29 30 31 34 36 38 39 40 45 46 49 48 45 47 50 50 50 50		Over Over Over Over

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')


PLASTIC CLAY | SILT | PEAT/HIGHLY ORGANIC SOIL | UNDISTURBED SAMPLE

MICACEOUS FINE SAND/SILT | SAND | SHALE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Kalitara, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 0.91m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING : 15-07-2010.	G. W. T : 0.45m **above** from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Kanchan Bazar, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: 0.61m below from Road Level.
CLIENT : TM International, Bangladesh Ltd.	DATE OF BORING : 23-03-2010	G. W. T : 3.05m below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Mohabbat pur/ Siddikpur (Jirtoli 2), Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 1.52m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING : 15-06-2010.	G. W. T : 0.30m above from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Birahimpur, Sen Bag, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 1.52m below from Road Level.
CLIENT : Warid Telecom International Ltd.		DATE OF BORING : 05-11-2010.	G. W. T : 0.08m above from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Satbari, Senbag, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: 1.06m below from Road Level.
CLIENT : Warid Telecom International Ltd.	DATE OF BORING : 01-11-2010.	G. W. T : 0.61m above from E. G. L.



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')


PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Amshipara, Sonaimuri, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 0.61m below from Road Level.
CLIENT : Grameenphone Ltd.		DATE OF BORING : 04-05-2007.	G. W. T : 1.67m below from E.G.L.

THICKNESS	SOIL STRATA	BORELOG	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
4.5m	Very pale brown 10YR (7/3), medium plastic, very soft to soft, silty Clay, CL.		UD-1, UD-2, D-1 to D-35	3, 2, 1, 8, 9, 10, 7, 11, 14, 16, 18, 19, 17, 21, 25, 28, 29, 31, 34, 35, 38, 36, 37, 39, 40, 41, 46, 48, 40, 39, 42, 47, 50, 50		Over
1.5m	Light gray 10YR (7/2), very loose, cohesionless Silt, ML.					
45.45m	Light gray 10YR (7/2), medium dense to very dense, silty Sand, SM.					




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Beezbagh, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 0.76m below from Road Level.
CLIENT : TM International, Bangladesh Ltd.		DATE OF BORING : 06-08-2008	G. W. T : 0.30m below from E. G. L.



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Senbagh, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: Road Level.
CLIENT : Sheba Telecom (PVT.) Ltd.		DATE OF BORING : 07-08-2008.	G. W. T : 1.21m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
4.5m	Very pale brown 10YR (7/3), loose to medium dense, cohesionless silt, ML.		D-1 to D-5	7, 5, 5, 7, 8		
3.0m	Gray 10YR (6/1), loose to medium dense, cohesionless silt, ML.		D-6 to D-10	10, 12, 14, 16, 17		
43.95m	Light gray 10YR (7/2), medium dense to very dense, silty Sand, SM.		D-11 to D-35	19, 18, 22, 24, 26, 24, 35, 35, 38, 39, 40, 41, 44, 46, 45, 42, 45, 47, 48, 49, 50, 50, 50, 50		Over, Over, Over, Over

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

XB


PLASTIC CLAY | SILT | PEAT/HIGHLY ORGANIC SOIL | UNDISTURBED SAMPLE

MICACEOUS FINE SAND/SILT | SAND | SHALE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Chatkhil, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: Road Level.
CLIENT : Orascom Telecom Bangladesh Limited.	DATE OF BORING : 10-07-2008.	G. W. T : 0.61m below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Companiganj, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: 0.91m above from Road Level.
CLIENT : Orascom Telecom Bangladesh Limited.	DATE OF BORING : 11-07-2008.	G. W. T : 0.15m above (Rain water) from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Rajgonj, Begumgonj, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 1.07m below from Road Level
CLIENT : Orascom Telecom Bangladesh Limited.		DATE OF BORING : 23-08-2008.	G. W. T : 0.61m above from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Char Motua, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 1.52m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING : 15-05-2010.	G. W. T : 4.57m below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Uskhali Bazar, Hatia, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 0.91m below from Road Level.
CLIENT : TM International, Bangladesh Ltd.		DATE OF BORING : 03-06-2006	G. W. T : Rain water.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Char Bata, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 2.44m below from Road Level.
CLIENT : TM International, Bangladesh Ltd.		DATE OF BORING : 19-09-2006	G. W. T : Rain water.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Charelahi, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: 1.37m below from Road Level.
CLIENT : TM International, Bangladesh Ltd.	DATE OF BORING : 19-09-2006	G. W. T : 0.15m above from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Senbagh, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: 0.81m below from Road Level.
CLIENT : Sheba Telecom (PVT.) Ltd.	DATE OF BORING : 30-05-2008.	G. W. T : 0.07m above from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Chatarpaia Bazar, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 1.21m below from Road Level.
CLIENT : Sheba Telecom (PVT.) Ltd.		DATE OF BORING : 09-08-2007.	G. W. T : 1.06m above from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Oshkhali, Hatia, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: 0.91m below from Road Level
CLIENT : Sheba Telecom (PVT.) Ltd.	DATE OF BORING : 29-03-2008.	G. W. T : 0.38m below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Motirhat, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 1.07m below from Road Level
CLIENT : TM International, Bangladesh Ltd.		DATE OF BORING : 17-02-2007	G. W. T : 3.05m below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Wapa Bazar, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 2.43m below from Road Level
CLIENT : TM International, Bangladesh Ltd.		DATE OF BORING : 08-05-2007	G. W. T : 3.65m below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Zirtoli, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 1.21m below from Road Level
CLIENT : TM International, Bangladesh Ltd.		DATE OF BORING : 01-03-2007	G. W. T : 0.45m below from E. G. L.



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Aphazia, Hatia, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 0.30m below from Road Level
CLIENT : Sheba Telecom (PVT.) Ltd.		DATE OF BORING : 28-03-2008.	G. W. T : 2.43m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
4.5m	Light gray 10YR (7/2), medium dense, cohesionless silt, ML.		D-1 to D-5	8, 10, 7, 12, 13		
3.0m	Gray 10YR (6/1), medium dense, silty Sand, SM.		D-6 to D-8	16, 23, 16		
1.5m	Gray 10YR (6/1), dense, fine sand, SM.		D-9	8		
7.5m	Gray 10YR (6/1), medium dense to dense, cohesionless silt, ML.		D-10 to D-14	9, 13, 16, 23, 16		
1.5m	Gray 10YR (6/1), medium plastic, stiff, silty Clay, CL.		D-15 to D-18	8, 9, 13, 11		
33.45m	Gray 10YR (6/1), medium dense to very dense, cohesionless silt, SM.		D-19 to D-35	12, 15, 10, 14, 20, 25, 24, 26, 28, 29, 33, 38, 44, 45, 50, 50		


LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Nabogram, Begumgonj, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 0.61m below from Road Level.
CLIENT : Warid Telecom International Ltd.		DATE OF BORING : 21-12-2010.	G. W. T : 1.83m below from E.G.L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Rayerhat, Begumgonj, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 1.83m below from Road Level.
CLIENT : Warid Telecom International Ltd.		DATE OF BORING : 20-12-2010.	G. W. T : 1.52m below from E.G.L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : 8 no. Noakhali Yasin Hazari Bazar, Chatkhil, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: 1.37m below from Road Level.
CLIENT : Warid Telecom International Ltd.	DATE OF BORING : 02-01-2011.	G. W. T : 0.30m above from E.G.L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Companygonj, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 1.22m below from Road Level.
CLIENT : Warid Telecom International Ltd.		DATE OF BORING : 22-12-2010.	G. W. T : 1.83m below from E.G.L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Bijoybag, Senbag, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 51.0m	R. L.: 0.30m below from Road Level.
CLIENT : Warid Telecom International Ltd.		DATE OF BORING : 04-11-2010.	G. W. T : 1.83m below from E.G.L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Dhompur, Noakhali Sadar, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: 0.61m below from Road Level.
CLIENT : Warid Telecom International Ltd.	DATE OF BORING : 20-12-2010.	G. W. T : 2.44m below from E.G.L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Gopalpur, Bishbag, Senbag, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 51.0m	R. L.: 0.91m below from Road Level.
CLIENT : Warid Telecom International Ltd.	DATE OF BORING : 20-12-2010.	G. W. T : 1.83m below from E.G.L.



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED