A2	PROSOIL	BOREHOLE NO: 09	Latitude: N 23°32'11.0"	Longitude: E 90°17'12.8"
		Name of Project: Engineering Soil Mapping of Meghna as per Soil Classification of road master plan (Dhaka, Comilla, Narayangonj, Munshigonj).		
CLIENT : BRRL.		Type of Drill Rig: Manual Rotary	Borehole Depth: 51.0m	RL: 0.0 m
Location: Bejgaon jamemasjid, Sreenagar.		Commencement Date: 16-05-2015	Completed Date: 18-05-2015	G. W. T : -5.0 m

THICKNESS	SOIL STRATA	BORE LOG	SAMPLING From (m)	SAMPLING To (m)	SPT-N Value Blow/300mm N1=150 (mm)	N2=300 (mm)	N3=450 (mm)	N=N2+N3	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	% Sand	% Passing 200	% LL	% PI	SP Gravity	% W_n
3.0m	Casing pipe		3	3.45	12	2	2	4	D-2							
1.5m	Gray 7.5YR (5/1), medium plastic, soft to medium, silty clay, CL.		4.5	4.95	2	4	4	8	D-3	UD-1			51.7	25.2		
3.0m	Gray 7.5YR (5/1), medium dense, silty sand with clay, SM.		6	6.45	3	4	5	9	D-4		60.7	39.3			2.663	
			7.5	7.95	4	5	5	10	D-5						2.654	
7.5m	Light gray 7.5YR (7/1), medium to very dense, silty sand, SM.		9	9.45	3	7	10	17	D-6		71.4	28.6				
			10.5	10.95	7	12	12	24	D-7							
			12	12.45	6	14	15	29	D-8		89.2	10.8			2.652	
			13.5	13.95	7	16	17	33	D-9						2.651	
			15	15.45	5	5	7	12	D-10		96.8	3.2				
6.0m	Gray 7.5YR (5/1), medium dense, silty sand, SM.		16.5	16.95	2	4	5	9	D-11						20.49	
			18	18.45	3	4	4	8	D-12		95.2	4.8			2.654	20.5
			19.5	19.95	3	4	6	10	D-13						2.666	18.23
			21	21.45	4	6	9	15	D-14		77.9	22.1			2.675	18.28
4.5m	Light gray 7.5YR (7/1), medium dense to dense, silty sand, SM.		22.5	22.95	7	10	10	20	D-15							18.83
			24	24.45	6	7	10	17	D-16		74.2	25.8			2.668	18.35
			25.5	25.95	10	16	20	36	D-17						2.66	17.42
25.5m	Light gray 7.5YR (7/1), very dense, fine sand, SM.		27	27.45	14	22	26	48	D-18		55	45				11.4
			28.5	28.95	17	27	23	50	D-19						2.668	14.27

RL WITH REPECT TO SUB.

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SILT | PEAT/HIGHLY ORGANIC SOIL | UNDISTURBED SAMPLE

MICACEOUS FINE SAND/SILT | SAND | SHALE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED 50/X = BLOWS 50, "X" MM PENETRATION left of 300 mm