A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Jamea Islamia Darul Ulum Khademul Islam Principle Mufti Ruhul Amin, Gohordanga Madrasha, Tungipara, Gopalgonj.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 0.90m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING: 15-04-2012.	G. W. T : 1.83m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
9.0m	Dark Gray 7.5YR (3/1), medium plasticity, very soft to soft, silty Clay, CL.		UD-1, UD-2, UD-3, UD-4	D-1 to D-9	2, 1, 2, 2, 2, 3, 3, 4, 12		
4.5m	Gray 7.5YR (5/1), medium dense to dense, fine Sand, SM.			D-10 to D-12	10, 9, 17		
7.95m	Light Gray 10YR (7/1), dense to very dense, fine Sand, SM.			D-13 to D-17	27, 33, 35, 47, 50		Over



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SAND | SILT | SHALE

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED