A2.P2.1

Project Name: Basurhat-Moulvibazar-Kazirhat-Sonagazi Road (Z-1441)

Location: Ch: 7+035 km

Type of Drilling Rig: Percussion Rotary

Drilling Log

Client Name: ROADS & HIGHWAYS DEPARTMENT

Coordinate: Northing: 2531962 Easting: 330344

Start Date: 3-10-2023

Finish Date: 5-10-2023

BH NO: P-2


BH Depth: 60.0m

Elevation: 0.68m

Water Table: GL +4.0m

Remarks:

Scale in m	Elevation in m	Thickness in m	Legend	Type of Soil	Color	Relative Density /Consistensy	General Remarks	Sampling: Depth in m From	To	Center	Sample No.	Standard Penetration Test: Blows per each 15 cm 1st	2nd	3rd	N-value blows/ 30cm
0															
1.5		4.5		Silt, ML (AS1)	Gray	Very Loose		1.5	1.95	1.725	D-1	1	1	1	2
3	-3.8							3	3.45	3.225	D-2	1	1	2	3
4.5		10.5		Sandy Silt, ML (AS2)	Gray	Loose		4.5	4.95	4.725	D-3	2	2	3	5
6								6	6.45	6.225	D-4	2	2	2	4
7.5								7.5	7.95	7.725	D-5	2	3	2	5
9								9	9.45	9.225	D-6	3	4	4	8
10.5								10.5	10.95	10.725	D-7	3	3	3	6
12								12	12.45	12.225	D-8	4	5	5	10
13.5	-14.3							13.5	13.95	13.725	D-9	3	4	5	9
15		16.5		Silty Sand, SM (AS3)	Gray	Medium Dense		15	15.45	15.225	D-10	3	4	6	10
16.5								16.5	16.95	16.725	D-11	4	5	6	11
18								18	18.45	18.225	D-12	4	7	10	17
19.5								19.5	19.95	19.725	D-13	5	8	12	20
21								21	21.45	21.225	D-14	6	10	13	23
22.5								22.5	22.95	22.725	D-15	5	9	11	20
24								24	24.45	24.225	D-16	6	11	14	25
25.5								25.5	25.95	25.725	D-17	7	13	16	29
27								27	27.45	27.225	D-18	7	15	15	30
28.5								28.5	28.95	28.725	D-19	8	12	13	25



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

FILL, AC-1, AC-2, AC-3, AC-4, AC-5, AC-6, AC-7, AS-1, AS-2, AS-3, AS-4, AS-5, Organic, UNDISTURBED SAMPLE, DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX PENETRATION= 100 BLOWS. AFTER 100 BLOWS PENETRATION DEPTH WERE MEASURED

A2.P2.1

Project Name: Basurhat-Moulvibazar-Kazirhat-Sonagazi Road (Z-1441)

Location: Ch: 7+035 km

Type of Drilling Rig: Percussion Rotary

Drilling Log

Client Name: ROADS & HIGHWAYS DEPARTMENT

Coordinate: Northing: 2531962 Easting: 330344

Start Date: 3-10-2023

Finish Date: 5-10-2023

BH NO: P-2


BH Depth: 60.0m

Elevation: 0.68m

Water Table: GL +4.0m

Remarks:

Scale in m	Elevation in m	Thickness in m	Legend	Type of Soil	Color	Relative Density /Consistensy	General Remarks	Sampling: Depth in m From	To	Center	Sample No.	Standard Penetration Test: Blows per each 15 cm 1st	2nd	3rd	N-value blows/ 30cm
30	-30.8	16.5		Silty Sand, SM (AS3)	Gray	Medium Dense		28.5	28.95	28.725	D-19	8	12	13	25
								30	30.45	30.225	D-20	9	14	15	29
31.5								31.5	31.95	31.725	D-21	7	10	12	22
33	-33.8	3.0		Silt, ML (AS3)	Gray	Medium Dense		33	33.45	33.225	D-22	5	6	9	15
34.5	-35.3	1.5		Silt, ML (AS2)	Gray	Loose		34.5	34.95	34.725	D-23	3	4	4	8
36		9.0		Sandy Silt, ML (AS3)	Gray	Medium Dense		36	36.45	36.225	D-24	4	5	6	11
37.5								37.5	37.95	37.725	D-25	4	5	5	10
39								39	39.45	39.225	D-26	5	5	6	11
40.5								40.5	40.95	40.725	D-27	4	5	7	12
42								42	42.45	42.225	D-28	5	6	4	10
43.5	-44.3							43.5	43.95	43.725	D-29	6	7	10	17
45		6.0		Silty Sand, SM (AS3)	Gray	Medium Dense		45	45.45	45.225	D-30	7	10	12	22
46.5								46.5	46.95	46.725	D-31	8	11	15	26
48								48	48.45	48.225	D-32	10	13	17	30
49.5	-50.3							49.5	49.95	49.725	D-33	11	14	15	29
51		9.45		Silty Sand, SM (AS4)	Gray	Dense		51	51.45	51.225	D-34	13	16	20	36
52.5								52.5	52.95	52.725	D-35	14	20	27	47
54								54	54.45	54.225	D-36	16	28	22	50
55.5								55.5	55.95	55.725	D-37	19	33	17	50
57								57	57.45	57.225	D-38	22	36	14	50
58.5								58.5	58.95	58.725	D-39	25	44	6	50



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

FILL, AC-1, AC-2, AC-3, AC-4, AC-5, AC-6, AC-7, AS-1, AS-2, AS-3, AS-4, AS-5, Organic, UNDISTURBED SAMPLE, DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX PENETRATION= 100 BLOWS. AFTER 100 BLOWS PENETRATION DEPTH WERE MEASURED

A2.P2.1

Project Name: Basurhat-Moulvibazar-Kazirhat-Sonagazi Road (Z-1441)

Location: Ch: 7+035 km

Type of Drilling Rig: Percussion Rotary

Drilling Log

Client Name: ROADS & HIGHWAYS DEPARTMENT

Coordinate: Northing: 2531962 Easting: 330344

Start Date: 3-10-2023

Finish Date: 5-10-2023

BH NO: P-2

BH Depth: 60.0m

Elevation: 0.68m

Water Table: GL +4.0m

Remarks:

Scale in m	Elevation in m	Thickness in m	Legend	Type of Soil	Color	Relative Density /Consistensy	General Remarks	Sampling: Depth in m From	To	Center	Sample No.	Standard Penetration Test: Blows per each 15 cm 1st	2nd	3rd	N-value blows/ 30cm
58.5		9.45		Silty Sand, SM (AS4)	Gray	Dense		58.5	58.95	58.725	D-39	25	44	6	50
60	-59.8							60	60.45	60.225	D-40	30	50		50

N-value: 50, 50

LEGEND FOR BOREHOLE AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

FILL, AC-1, AC-2, AC-3, AC-4, AC-5, AC-6, AC-7, AS-1, AS-2, AS-3, AS-4, AS-5, Organic, UNDISTURBED SAMPLE, DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX PENETRATION= 100 BLOWS. AFTER 100 BLOWS PENETRATION DEPTH WERE MEASURED