A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Lalchadpur Bazar, Comilla.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 1.22m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING: 18-03-2010.	G. W. T : 3.05m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Light Brown 7.5YR (6/4), medium plasticity, soft Clay, CL.		UD-1, UD-2	D-1 to D-3	3, 5, 5		
2.0m	Light bluish Gray Gley2 (7/1), loose to dense Silt, ML.			D-4 to D-5	16, 12		
3.0m	Light bluish Gray Gley2 (7/1), medium dense to dense, silty Sand, SM.			D-6 to D-8	14, 17, 23		
13.45m	Light bluish Gray Gley2 (7/1), dense to very dense, fine Sand, SW.			D-9 to D-17	29, 28, 36, 37, 45, 47, 48, 48, 50		Over



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

- PLASTIC CLAY
- SAND
- SILT
- SHALE
- PEAT/HIGHLY ORGANIC SOIL
- MICACEOUS FINE SAND/SILT
- UNDISTURBED SAMPLE
- DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED