A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Mobarakdi, Faridpur.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 0.76m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING: 03-03-2011.	G. W. T : 1.52m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
2.0m	Grayish Brown 7.5YR (5/2), medium plasticity, soft, silty Clay, CL.		UD-1	D-1	4		
4.0m	Gray 10YR (6/1), loose to medium dense, fine Sand, SM.			D-2 to D-5	3, 9, 10, 8		
15.45m	Light Gray 10YR (7/1), medium dense to very dense, fine Sand, SM.			D-6 to D-17	11, 12, 14, 18, 22, 33, 29, 38, 44, 50, Over, 50, Over, 50, Over		



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SAND | SILT | SHALE

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED