A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Chowhali, Sirajganj.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 20.0m	R. L.: 2.38m below from Road Level.
CLIENT : Grameen Phone Ltd.	DATE OF BORING : 02-03-2005	G. W. T : 0.05m above from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Light brownish gray colour 10YR (6/2), non plastic, very loose, sandy Silt, SM.			D-1, D-2, D-3	1, 2, 3		
2.0m	Gray colour 10YR (5/1), non plastic, loose, sandy Silt, SM.			D-4, D-5	5, 6		
2.5m	Grayish brown colour 10YR (5/2), loose to medium dense, fine sand, SM.			D-6, D-7	8, 11		
6.0m	Gray colour 10YR (5/1), medium dense, fine sand, SM.			D-8, D-9, D-10	11, 9, 12		
6.45m	Gray colour 10YR (5/1), dense to very dense, fine sand, SM.			D-11, D-12, D-13, D-14, D-15	24, 29, 36, 38, 41		



ID FOR BOREHOLOG A RAIN SIZE DISTRIBU

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

UNDISTURBED SAMPLE

ORGANIC

DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED