A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Alamin Bazar, Char Wapda, Thanarhat, Subarnachar, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 1.59m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING: 25-03-2012.	G. W. T : 3.35m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
2.0m	Brown 7.5YR (5/4), medium plasticity, soft, silty Clay, CL.		UD-1	D-1	3		
1.0m	Very dark Brown 7.5YR (2.5/3), loose, fine Sand, SM.			D-2	5		
3.0m	Reddish Gray 10YR (5/2), loose to medium dense, fine Sand, SM.			D-3, D-4, D-5	7, 6, 8		
3.0m	Brown 7.5YR (5/3), medium dense to dense, medium to coarse Sand, SP.			D-6, D-7, D-8, D-9	7, 10, 17, 15		
12.45m	Very dark Gray 10YR (3/1), medium dense to very dense, medium to coarse Sand, SP.			D-10, D-11, D-12, D-13, D-14, D-15, D-16, D-17	13, 17, 18, 22, 29, 31, 33, 36		

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SAND | SILT | SHALE

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-2	
		LOCATION: Alamin Bazar, Char Wapda, Thanarhat, Subarnachar, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 1.59m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING: 25-03-2012.	G. W. T : 3.35m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
2.0m	Brown 7.5YR (5/4), medium plasticity, soft, silty Clay, CL.		UD-1	D-1, D-2	4, 4		
1.0m	Very dark Brown 7.5YR (2.5/3), loose, fine Sand, SM.			D-3	6		
3.0m	Reddish Gray 10YR (5/2), loose to medium dense, fine Sand, SM.			D-4, D-5, D-6	7, 9, 8		
3.0m	Brown 7.5YR (5/3), medium dense to dense, medium to coarse Sand, SP.			D-7, D-8, D-9	9, 20, 14		
12.45m	Very dark Gray 10YR (3/1), medium dense to very dense, medium to coarse Sand, SP.			D-10, D-11, D-12, D-13, D-14, D-15, D-16, D-17	15, 18, 20, 20, 30, 31, 32, 36		

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SAND	SILT	SHALE
PEAT/HIGHLY ORGANIC SOIL	MICACEOUS FINE SAND/SILT	UNDISTURBED SAMPLE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-3	
		LOCATION: Alamin Bazar, Char Wapda, Thanarhat, Subarnachar, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 1.59m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING: 26-03-2012.	G. W. T : 3.35m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
2.0m	Brown 7.5YR (5/4), medium plasticity, soft, silty Clay, CL.		UD-1	D-1	4		
1.0m	Very dark Brown 7.5YR (2.5/3), loose, fine Sand, SM.			D-2	3		
3.0m	Reddish Gray 10YR (5/2), loose to medium dense, fine Sand, SM.			D-3, D-4, D-5	5, 8, 8		
3.0m	Brown 7.5YR (5/3), medium dense to dense, medium to coarse Sand, SP.			D-6, D-7, D-8, D-9	10, 7, 20, 13		
12.45m	Very dark Gray 10YR (3/1), medium dense to very dense, medium to coarse Sand, SP.			D-10, D-11, D-12, D-13, D-14, D-15, D-16, D-17	14, 20, 19, 21, 28, 29, 34, 34		

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SAND | SILT | SHALE

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED