A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Kaligonj, Gazipur.	
PROJECT : Proposed Steeping Vats.	DEPTH OF BORING : 21.0m	R. L.: Road Level.
CLIENT : Varosha Agro Chemical.	DATE OF BORING : 30-06-2007.	G. W. T : 1.52m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Very pale brown 10YR (7/3), very loose to loose, cohesionless Silt, SM.			D-1 to D-3	2, 2, 3		
4.5m	Light gray 10YR (7/1), loose to medium dense, cohesionless silt, SM.			D-4 to D-6	9, 5, 2		
3.0m	Gray 10YR (5/1), medium dense, cohesionless silt, SM.			D-7 to D-9	8, 10, 12		
10.95m	Gray 10YR (5/1), medium dense to very dense, fine sand, SM.			D-10 to D-16	17, 26, 31, 35, 37, 40, 42		



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

ORGANIC

UNDISTURBED SAMPLE

DISTURBED SAMPLE

SHALE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED