A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Haat Khalgram, 10 No. Auzpara Union Parishad, Bagmara, Rajshahi.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 0.61m below from Road Level.
CLIENT : Grameenphone Ltd.		DATE OF BORING: 28-06-2013.	G. W. T : 4.88m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
5.0m	Grayish Brown 10YR (5/2), very loose to medium dense, Silt, ML.			D-1 to D-5	5, 5, 7, 3, 2		
2.5m	Grayish Brown 10YR (5/2), medium plasticity, very soft to stiff, silty Clay, CL.			D-6 to D-7	3, 13		
3.0m	Brown 7.5YR (5/3), loose to medium dense, Silt, ML.			D-8 to D-9	13, 6		
6.0m	Light Gray 10YR (7/1), medium plasticity, medium stiff to stiff, silty Clay, CL.			D-10 to D-12	12, 9, 6		
4.95m	Grayish Brown 10YR (5/2), medium plasticity, medium stiff to very stiff, silty Clay, CL.			D-13 to D-16	8, 10, 15, 17		



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SHALE | SILT | SAND

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED