| A2 PROSOIL | BOREHOLE NO: BH-1 | |
|---|---|---|
| | LOCATION : Birtara Bazar, Munsigonj. | |
| PROJECT : Telecommunication Tower. | DEPTH OF BORING : 21.0m | R. L.: 2.13m below from Road Level. |
| CLIENT : Grameenphone Ltd. | DATE OF BORING : 02-04-2008. | G. W. T : 2.43m below from E. G. L. |

| THICKNESS | SOIL STRATA | BORELOG | UNDISTURBED SAMPLE | DISTURBED SAMPLE | DEPTH (m) SPT VALUES ( BLOWS / 300mm ) | Grain Size Distribution, % Clay %, Silt %, Sand % | Max$^{m}$ Penetration |
|---|---|---|---|---|---|---|---|
| 3.0m | Very pale brown 10YR (6/1), loose to medium dense, silty Sand, SM. | | | D-1 to D-3 | 5, 6, 7 | | |
| 1.0m | Gray 10YR (6/1), medium dense to loose, fine sand, SM. | | | D-4 | 5 | | |
| 1.0m | Gray 10YR (5/1), loose to medium dense, silty Sand, SM. | | | D-5 | 7 | | |
| 5.5m | Gray 10YR (6/1), medium dense to loose, fine sand, SM. | | | D-6 to D-9 | 8, 5, 10, 10 | | |
| 10.95m | Gray 10YR (6/1), medium dense to very dense, silty Sand, SM. | | | D-10 to D-16 | 11, 16, 20, 32, 42, 50, 50 | | Over, Over |




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

ORGANIC

UNDISTURBED SAMPLE

DISTURBED SAMPLE

SHALE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX$^{m}$ PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED