
A2	PROSOIL	BOREHOLE NO: BH_BRRL_N-13	Longitude: E 91°6'16.45"	Latitude: N 22°56'34.37"
		Name of Project: Engineering Soil mapping of Noakhali & Duptila as per soil classification of Road Master Plan Noakhali, Feni, Bhola, Chittagong, Dohazari & Cox's Bazar.		
CLIENT : BRRL.		Type of Drill Rig: Mechanical Rotary	Borehole Depth: 51.0m	RL: 3.5m below from Road level.
Location: Laxminagar Pur, Sotuvanga, Begumgonj, Noakhali.		Commencement Date: 06-06-2016	Completed Date: 10-06-2016	G. W. T : 2.39m Below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED 50/X = BLOWS 50, "X" MM PENETRATION left of 300 mm

01	BRRL PROSOIL	BOREHOLE NO: BH_BRRL_N-13	Longitude: E 91°58'42.17"	Latitude: N 22°56'34.37"
		Name of Project: Engineering Soil mapping of Noakhali & Duptila as per soil classification of Road Master Plan Noakhali, Feni, Bhola, Chittagong, Dohazari & Cox's Bazar.		
CLIENT : BRRL.		Type of Drill Rig: Mechanical Rotary	Borehole Depth: 51.0m	RL: 3.5m below from Road level.
Location: Laxminagar Pur, Sotuvanga, Begumgonj, Noakhali.		Commencement Date: 06-06-2016	Completed Date: 10-06-2016	G. W. T : 2.39m Below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED 50/X = BLOWS 50, "X" MM PENETRATION left of 300 mm

A2	PROSOIL	BOREHOLE NO: BH_BRRL_N_14	Longitude: E 91°6'31.47	Latitude: N 23°3'7.42
		Name of Project: Engineering Soil mapping of Noakhali & Duptila as per soil classification of Road Master Plan Noakhali, Feni, Bhola, Chittagong, Dohazari & Cox's Bazar		
CLIENT : BRRL.		Type of Drill Rig: Mechanical Rotary	Borehole Depth: 51.0m	RL: 2.12m below from Road Level.
Location: Vodogaon, Amisha para, Sonaimuri, Noakhali.		Commencement Date: 06-06-2016	Completed Date: 10-06-2016	G. W. T : 1.83m Below from E. G. L.



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SILT | PEAT/HIGHLY ORGANIC SOIL | UNDISTURBED SAMPLE

MICACEOUS FINE SAND/SILT | SAND | SHALE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED 50/X = BLOWS 50, "X" MM PENETRATION left of 300 mm

01	BRRL PROSOIL	BOREHOLE NO: BH_BRRL_N_14	Longitude: E 91°6'31.47	Latitude: N 23°3'7.42
		Name of Project: Engineering Soil Mapping of Meghna as per Soil Classification of road master plan (Dhaka, Comilla, Narayangonj, Munshigonj).		
CLIENT : BRRL.		Type of Drill Rig: Mechanical Rotary	Borehole Depth: 51.0m	RL: 2.12m below from Road Level.
Location: Vodogaon, Amisha para, Sonaimuri, Noakhali.		Commencement Date: 06-06-2016	Completed Date: 10-06-2016	G. W. T : 1.83m Below from E. G. L.

THICKNESS	SOIL STRATA	BORE LOG	SAMPLING From (m)	SAMPLING To (m)	SPT-N Value Blow/300mm N1=150 (mm)	N2=300 (mm)	N3=450 (mm)	N=N2+N3	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	% Sand	% Passing 200	% LL	% PI	SP Gravity	% W_n
21.0m	Gray 7.5YR (5/1), dense to very dense, Low Plasticity Silt with Sand, ML		28.5	28.95	5	4	21	25	D-19	25						
			30	30.45	4	4	31	35	D-20	35						
			31.5	31.95	1	10	17	27	UD-14	27						
									D-21							
			33	33.45	4	5	28	33	UD-15	33						
									D-22							
			34.5	34.95	5	12	22	34	D-23	34						
			36	36.45	0	11	25	36	UD-16	36						
									D-24							
			37.5	37.95	6	5	32	37	D-25	37						
			39	39.45	7	6	34	40	UD-17	40						
									D-26							
			40.5	40.95	8	16	26	42	D-27	42						
16.95m	Gray 7.5YR (5/1), very dense, Silty sand, SM.		42	42.45	8	7	37	44	D-28	44						
			43.5	43.95	9	9	38	47	UD-18	47						
									D-29							
			45	45.45	11	11	39	50	D-30	50						
			46.5	46.95	8	8	42	50	D-31	50						
			48	48.45	3	3	47	50	UD-19	50						
									D-32							
			49.5	49.95	12	12	38	50	D-33	50						
			51	51.45	14	14	36	50	D-34	50						

RL WITH REPECT TO SUB.

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')


PLASTIC CLAY | SILT | PEAT/HIGHLY ORGANIC SOIL | UNDISTURBED SAMPLE

MICACEOUS FINE SAND/SILT | SAND | SHALE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED 50/X = BLOWS 50, "X" MM PENETRATION left of 300 mm

A2	PROSOIL	BOREHOLE NO: BH_BRRL_N-15	Longitude: E 90°58'34.01"	Latitude: N 23°3'41.01"
		Name of Project: Engineering Soil mapping of Noakhali & Duptila as per soil classification of Road Master Plan Noakhali, Feni, Bhola, Chittagong, Dohazari & Cox's Bazar.		
CLIENT : BRRL.		Type of Drill Rig: Mechanical Rotary	Borehole Depth: 51.0m	RL: 3.9m below from Road Level.
Location: Sibpur, Abirpara, Chatkhali, Noakhali.		Commencement Date: 06-06-2016	Completed Date: 10-06-2016	G. W. T : 2.13m Below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED 50/X = BLOWS 50, "X" MM PENETRATION left of 300 mm

01	BRRL PROSOIL	BOREHOLE NO: BH_BRRL_N-15	Longitude: E 90°58'34.01"	Latitude: N 23°3'41.01"
		Name of Project: Engineering Soil mapping of Noakhali & Duptila as per soil classification of Road Master Plan Noakhali, Feni, Bhola, Chittagong, Dohazari & Cox's Bazar.		
CLIENT : BRRL.		Type of Drill Rig: Mechanical Rotary	Borehole Depth: 51.0m	RL: 3.9m below from Road Level.
Location: Sibpur, Abirpara, Chatkhali, Noakhali.		Commencement Date: 06-06-2016	Completed Date: 10-06-2016	G. W. T : 2.13m Below from E. G. L.



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED 50/X = BLOWS 50, "X" MM PENETRATION left of 300 mm