A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Koddogarpuker, Hat Jhikra, Charghat, Rajshahi.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 1.10m below from Road Level.
CLIENT : Grameenphone Ltd.		DATE OF BORING: 20-07-2013.	G. W. T : 4.57m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
7.5m	Gray 10YR (6/1), very loose to medium dense, clayey Silt, ML.			D-1 to D-6	1, 3, 4, 4, 5, 5		
6.0m	Gray 10YR (6/1), medium dense to dense, fine Sand, SM.			D-7 to D-11	9, 9, 18, 16, 9		
6.0m	Gray 10YR (6/1), medium plasticity, medium stiff to very stiff, silty Clay, CL.			D-12 to D-14	10, 10, 11		
1.95m	Brown 7.5YR (5/4), dense, fine Sand, SM.			D-15 to D-16	25, 30		

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SHALE | SILT | SAND

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED