A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Dulhazr3 41M Land, Chakoria, Cox's Bazar.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 0.90m above from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING: 21-04-2012.	G. W. T : 1.52m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Reddish Yellow 7.5YR (6/8), dense, Silt, ML.			D-1 to D-3	17, 22, 23		
2.0m	Red 2.5YR (4/8), dense to very dense, Silt, ML.			D-3 to D-5	23, 27, 32		
1.0m	Reddish Yellow 10YR (7/8), mesium dense to very dense, fine Sand, SM.			D-5 to D-6	32, 10		
3.0m	Gray 7.5YR (5/1), dense, fine Sand, SM.			D-6 to D-8	10, 14, 21		
12.45m	Very dark Gray 10YR (3/1), very dense, Silt, ML.			D-8 to D-17	21, 27, 33, 37, 34, 38, 38, 39, 40, 38		



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SAND	SILT	SHALE
PEAT/HIGHLY ORGANIC SOIL	MICACEOUS FINE SAND/SILT	UNDISTURBED SAMPLE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED