A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : House #02, Bypas Road, East Laksam, Comilla.	
PROJECT : Proposed Six (6) Storied Building.		DEPTH OF BORING : 15.0m	R. L.: 0.31m below from Road Level.
CLIENT : Rofiqul Islam.		DATE OF BORING: 31-01-2011.	G. W. T : 3.05m below from E.G.L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	SAND	UNDISTURBED SAMPLE
PEAT/HIGHLY ORGANIC SOIL	MICACEOUS FINE SAND/SILT	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED