A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Mirzapur, Rangpur.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 25.95m	R. L.: 0.0 from Road Level.
CLIENT : Grameen Phone Ltd.	DATE OF BORING : 20-02-2005	G. W. T : 6.7m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Pinkish gray colour 5YR (6/2), loose, fine sand, SM.			D-1 D-2 D-3	3 4 6		
1.0m	Pinkish gray colour 5YR (6/2), medium plastic, medium stiff, silty Clay, CL.			D-4	7		
3.5m	Light reddish brown colour 5YR (6/3), medium dense, fine sand, SM.			D-5 D-6 D-7	9 10 11		
4.5m	Gray colour 5YR (5/1), medium dense, fine sand, SM.			D-8 D-9	11 11		
4.5m	Gray colour 5YR (6/1), medium dense to dense, fine sand, SM.			D-10 D-11 D-12 D-13	18 16 17 15		
3.0m	Gray colour 10YR (5/1), medium dense, fine sand, SM.			D-14 D-15	12 7		
1.5m	Gray colour 5YR (5/1), non plastic, medium dense, sandy Silt, SM.			D-16	22		
4.95m	Gray colour 10YR (5/1), dense, fine sand, SM.			D-17 D-18 D-19	24 24 26		

ID FOR BOREHOLE A RAIN SIZE DISTRIBU

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

UNDISTURBED SAMPLE

ORGANIC

DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED