A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Dhainakhola, Saratnagor, Sadar, Comilla.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 0.76m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING: 02-09-2012.	G. W. T : 1.52m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Light yellowish Brown 10YR (6/4), loose to medium dense, Silt, ML.			D-1 to D-3	4, 5, 12		
2.0m	Light yellowish Brown 10YR (6/4), medium dense to dense, fine Sand, SM.			D-4 to D-5	16, 19		
16.45m	Gray 10YR (5/1), dense to very dense, fine Sand, SM.			D-6 to D-17	24, 29, 28, 34, 39, 29, 34, 38, 36, 39, 41, 44		



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SAND	SILT	SHALE
PEAT/HIGHLY ORGANIC SOIL	MICACEOUS FINE SAND/SILT	UNDISTURBED SAMPLE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED