A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Janata Bazar, Soroshpur, Monohargonj, Laksham, Comilla.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 1.52m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING: 25-03-2012.	G. W. T : 3.05m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Brown 10YR (5/3), very loose to loose, Silt, ML.			D-1 to D-3	2, 5, 6		
2.0m	Very dark Gray 5YR (3/1), loose to medium dense, Silt, ML.			D-4 to D-5	7, 7		
16.45m	Gray 7.5YR (5/1), medium dense to dense, fine Sand, SM.			D-6 to D-17	11, 13, 10, 8, 11, 24, 25, 10, 10, 11, 13, 13		



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SAND	SILT	SHALE
PEAT/HIGHLY ORGANIC SOIL	MICACEOUS FINE SAND/SILT	UNDISTURBED SAMPLE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED