A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Noye kanta , Courpai, Burichang, Comilla.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 1.29m below from Road Level.
CLIENT : Grameenphone Ltd.		DATE OF BORING: 18-07-2012.	G. W. T : 0.15m above from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Brown 7.5YR (5/4), medium dense, Silt, ML.			D-1 to D-2	7, 8		
3.0m	Gray 10YR (6/1), medium dense, silty Sand, SM.			D-3 to D-5	9, 10, 10		
3.0m	Gray 10YR (6/1), medium dense to dense, fine Sand, SM.			D-6 to D-8	14, 15, 21		
12.45m	Gray 10YR (6/1), medium dense to very dense, silty Sand, SM.			D-9 to D-16	22, 26, 30, 35, 18, 18, 22, 28		

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SHALE | SILT | SAND

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED