

Cucumber Report

08-Dec-2024, 3:03:10 pm

Start : Dec 08, 3:02:15.926 pm

End : Dec 08, 3:03:08.738 pm

Duration : 52.812 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 5
FAILED - 3
SKIPPED - 16




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>As a tester I want to validate the BestSeller</u>	24.274 s	1	0	1	0	11	1	1	9
<u>As a tester I want to validate the Amazon Application</u>	52.801 s	2	0	2	0	13	4	2	7

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@BestSeller	1	0	1	0	1	0	1	0
@Regression	3	0	3	0	2	0	2	0
@ShoppingToCart	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>As a tester I want to validate the BestSeller</u>	1	0	1	0	24.274 s
2	<u>As a tester I want to validate the Amazon Application</u>	2	0	2	0	52.801 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>As a tester I want to validate the BestSeller</u>	<u>Validate the BestSeller page</u>	11	1	1	9	24.270 s
2	<u>As a tester I want to validate the Amazon Application</u>	<u>Validate zoom in of search product</u>	5	3	1	1	52.801 s
3	<u>As a tester I want to validate the Amazon Application</u>	<u>Validate the add to cart of the product</u>	8	1	1	6	3.478 s

As a tester I want to validate the BestSeller

FAILED	DURATION - 24.274 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 11 Pass - 1 Fail - 1 Skip - 9	
/ 3:02:15.926 pm // 3:02:40.200 pm /					

Validate the BestSeller page



<div>FAILED</div> <div>DURATION - 24.270 s</div>		<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 9</div>	<div></div>
<div>/ 3:02:15.930 pm // 3:02:40.200 pm /</div>				
<div>As a tester I want to validate the BestSeller</div>				
<div>@BestSeller @Regression</div>				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Amazon Application	PASSED	0.704 s
2	And Navigate to best seller org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.cssSelector: #nav-hamburger-menu For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1(EventFiringWebDriver.java:107) at jdk.proxy2/jdk.proxy2.\$Proxy27.findElement(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.findElement(EventFiringWebDriver.java:194) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)	FAILED	19.147 s



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.click(Unknown Source) at com.Utilities.ReusableUtils.clickElement(ReusableUtils.java:49) at com.Pages.AmazonHomePage.clkOnHomebtn(AmazonHomePage.java:20) at com.StepDefinitions.BestSellerPageDefs.navigate_to_best_seller(BestSellerPageDefs.java:22) at ?.Navigate to best seller(file:///D:/GitCloneRepo/CICDPipeLineProjectCucumber/src/test/resources/Features/BestSeller.feature:7) * Not displayable characters are replaced by '?'. </pre>		
3	And validate "Amazon Bestsellers" page is displayed	SKIPPED	0.002 s
4	When Click on the Electronics	SKIPPED	0.000 s
5	And validate the "Bestsellers in Electronics" page is displayed	SKIPPED	0.000 s
6	And Select any product in the electronics page	SKIPPED	0.001 s
7	And Click on the add to cart button	SKIPPED	0.000 s
8	And Click on the cart button	SKIPPED	0.001 s
9	And Click on the cart page button	SKIPPED	0.001 s
10	Then Validate price of the product	SKIPPED	0.000 s
11	And Click on delete button from shopping cart page	SKIPPED	0.001 s
	<p>AFTER - com.StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.109) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a01f4ab02643bdacb56ab53109c5d620, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.109, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873..., userDataDir: C:\Users\moham\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51414}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51414/devtoo..., se:cdpVersion: 131.0.6778.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a01f4ab02643bdacb56ab53109c5d620 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) </pre>	FAILED	0.033 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:410) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1(EventFiringWebDriver.java:107) atjdk.proxy2/jdk.proxy2.\$Proxy27.close(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.close(EventFiringWebDriver.java:206) at com.DriverManagers.DriverManager.closeDriver(DriverManager.java:104) at com.StepDefinitions.Hooks.tearDown(Hooks.java:53) </pre>		

As a tester I want to validate the Amazon Application

FAILED	DURATION - 52.801 s	Scenarios		Steps	
/ 3:02:15.937 pm // 3:03:08.738 pm /		Total - 2	2	Total - 13	13
		Pass - 0		Pass - 4	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 7	

Validate zoom in of search product

FAILED	DURATION - 52.801 s		Steps	
/ 3:02:15.937 pm // 3:03:08.738 pm /				
As a tester I want to validate the Amazon Application				
@ShoppingToCart @Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Amazon Application	PASSED	1.558 s
2	And Search for "Samsung S22 Mobiles" from the search field	PASSED	3.109 s
3	When Click on the searched product	PASSED	43.924 s

#	Step / Hook Details	Status	Duration
4	<p>And Mouse hover the mouse to the product to zoom in</p> <pre> org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [b0d63c2a1bc2286bbb3bb7fab0410e26, actions {actions=[org.openqa.selenium.interactions. Sequence@2629415d]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.109, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873..., userDataDir: C:\Users\moahm\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51405}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:51405/devtoo..., se.cdpVersion: 131.0.6778.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b0d63c2a1bc2286bbb3bb7fab0410e26 at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:520) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:182) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:204) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:204) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:222) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:217) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400) at org.openqa.selenium.json.Json.toJson(Json.java:133) at org.openqa.selenium.json.Json.toJson(Json.java:119) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:280) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:130) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:609) </pre>	FAILED	0.031 s

#	Step / Hook Details	Status	Duration
	<p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1(EventFiringWebDriver.java:107) at jdk.proxy2/jdk.proxy2.\$Proxy27.perform(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.perform(EventFiringWebDriver.java:332) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:598) at com.Utilities.ReusableUtils.actionMovetoElement(ReusableUtils.java:220) at com.Pages.AmazonLoginPage.movetoElement(AmazonLoginPage.java:46) at com.StepDefinitions.AmazonLoginPageDefs.mouse_hover_the_mouse_to_the_product_to_zoom_in(AmazonLoginPageDefs.java:39) at ?.Mouse hover the mouse to the product to zoom in(file:///D:/GitCloneRepo/CICDPipeLineProjectCucumber/src/test/resources/Features/ShoppingProduct.feature:9)</p> <p>Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:431) at org.openqa.selenium.json.Json.toJson(Json.java:131) at org.openqa.selenium.json.Json.toJson(Json.java:119) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:280) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:130) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:609) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1(EventFiringWebDriver.java:107) at jdk.proxy2/jdk.proxy2.\$Proxy27.perform(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.perform(EventFiringWebDriver.java:332) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:598) at com.Utilities.ReusableUtils.actionMovetoElement(ReusableUtils.java:220) at com.Pages.AmazonLoginPage.movetoElement(AmazonLoginPage.java:46) at com.StepDefinitions.AmazonLoginPageDefs.mouse_hover_the_mouse_to_the_product_to_zoom_in(AmazonLoginPageDefs.java:39) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.</p>		

#	Step / Hook Details	Status	Duration
	<p>runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner. runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests. runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect. DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method. java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng. internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker. invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker. call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker. call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask. run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java. base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread. java:842) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:516) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:182) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:204) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:204) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:222) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:217) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400) at org.openqa.selenium.json.Json.toJson(Json.java:133) at org.openqa.selenium.json.Json.toJson(Json.java:119) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:280)</p>		



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:130) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:609) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1(EventFiringWebDriver.java:107) at jdk.proxy2/jdk.proxy2.\$Proxy27.perform(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.perform(EventFiringWebDriver.java:332) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:598) at com.Utilities.ReusableUtils.actionMovetoElement(ReusableUtils.java:220) at com.Pages.AmazonLoginPage.movetoElement(AmazonLoginPage.java:46) at com.StepDefinitions.AmazonLoginPageDefs.mouse_hover_the_mouse_to_the_product_to_zoom_in(AmazonLoginPageDefs.java:39) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:842) </pre> <p>Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.109) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b0d63c2a1bc2286bbb3bb7fab0410e26, findElement {using=css selector, value=#imgTagWrapperId}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.109, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873..., userDataDir: C:\Users\moahm\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51405}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdpVersion: 131.0.6778.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b0d63c2a1bc2286bbb3bb7fab0410e26</p> <pre> at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) </pre>		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1(EventFiringWebDriver.java:107) at jdk.proxy2/jdk.proxy2.\$Proxy27.findElement(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.findElement(EventFiringWebDriver.java:194) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:259) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:208) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:81) * Not displayable characters are replaced by '?'.		
5	Then Validate the selected product is zoom	SKIPPED	0.001 s
	AFTER - com.StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.109) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b0d63c2a1bc2286bbb3bb7fab0410e26, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.109, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873..., userDataDir: C:\Users\moham\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51405}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51405/devtoo..., se:cdpVersion: 131.0.6778.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b0d63c2a1bc2286bbb3bb7fab0410e26 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:410) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)	FAILED	0.014 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1(EventFiringWebDriver.java:107) at jdk.proxy2/jdk.proxy2.\$Proxy2.close(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.close(EventFiringWebDriver.java:206) at com.DriverManagers.DriverManager.closeDriver(DriverManager.java:104) at com.StepDefinitions.Hooks.tearDown(Hooks.java:53) </pre>		

Validate the add to cart of the product

<div>FAILED</div> <div>DURATION - 3.478 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
/ 3:02:40.231 pm // 3:02:43.709 pm /				
As a tester I want to validate the Amazon Application				
@ShoppingToCart @Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Amazon Application	PASSED	1.552 s
2	And Search for "Samsung S22 Mobiles" from the search field <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.109) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e8cd8272bc27c04f08910eccf9b6c58c, findElement {using=css selector, value=#nav-search-submit-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.109, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873..., userDataDir: C:\Users\moham\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51534}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:51534/devtoo..., se.cdpVersion: 131.0.6778.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e8cd8272bc27c04f08910eccf9b6c58c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) </pre>	FAILED	0.803 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1(EventFiringWebDriver.java:107) at jdk.proxy2/jdk.proxy2.\$Proxy27.findElement(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.findElement(EventFiringWebDriver.java:194) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.toString(Unknown Source) at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:453) at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:407) at com.Utilities.ReusableUtils.clickElement(ReusableUtils.java:50) at com.Pages.AmazonLoginPage.searchItembar(AmazonLoginPage.java:26) at com.StepDefinitions.AmazonLoginPageDefs.search_for_from_the_search_field(AmazonLoginPageDefs.java:27) at ?.Search for "Samsung S22 Mobiles" from the search field(file:///D:/GitCloneRepo/CICDPipeLineProjectCucumber/src/test/resources/Features/ShoppingProduct.feature:14) * Not displayable characters are replaced by '?'. </pre>		
3	When Click on the searched product	SKIPPED	0.000 s
4	And Click on the add to cart button	SKIPPED	0.002 s
5	And Click on the cart button	SKIPPED	0.000 s
6	Then Validate "Samsung Galaxy S22 Plus 5G (Green, 8GB, 256GB Storage) with No Cost EMI/Additional Exchange Offers" is added to shopping cart page	SKIPPED	0.001 s
7	And Click on delete button from shopping cart page	SKIPPED	0.001 s
8	And Validate "Your Amazon Cart is empty." page is displayed	SKIPPED	0.000 s
	AFTER - com.StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.023 s
	org.openqa.selenium.WebDriverException: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.109) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver		

#	Step / Hook Details	Status	Duration
	<p>Command: [e8cd8272bc27c04f08910eccf9b6c58c, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.109, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873..., userDataDir: C:\Users\moham\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51534}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51534/devtoo..., se:cdpVersion: 131.0.6778.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e8cd8272bc27c04f08910eccf9b6c58c</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:410) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1(EventFiringWebDriver.java:107) at jdk.proxy2/jdk.proxy2.\$Proxy27.close(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.close(EventFiringWebDriver.java:206) at com.DriverManagers.DriverManager.closeDriver(DriverManager.java:104) at com.StepDefinitions.Hooks.tearDown(Hooks.java:53)</p>		