Complete Xray in Jira Practical Training

Student Login Project

Let's do this like a real software testing project in a company. This guide explains what to enter, where to enter it, why we enter it, how the different Xray Work Types connect, and what happens after testing.

You have already opened Xray Settings in Jira. Your screenshot shows that all six important Xray Work Types are enabled. We will use those exact six Work Types.

Our practical project

Item	Detail
Testing type	Manual testing
Project	Student Management System
Module	Student Login
Application	A web application where students log in to see their attendance, marks, fees and timetable
Testing environment	QA
Release	Version 1.0
Testing tool	Jira + Xray
Your role	Manual Software Tester

1. First understand how a real company uses Xray

Imagine a company is developing a Student Management System. The company has received a requirement from its customer:

> "The student should be able to log in using their registered email and password."

The developer writes the code and creates the login page. But how do we know the login page works correctly? A tester must check different possibilities:

- What happens with the correct email and password?
- What happens with the wrong password?
- What happens if the email is empty?
- What happens if both fields are empty?
- What happens if the password is visible instead of masked?
- What happens after successful login?

We need to document all these checks, execute them and record the results. This is where Xray comes in.

The six Xray Work Types in your screenshot

#	Work Type	Purpose	Example
1	Xray Test	Used to write individual test cases, including test steps, test data and expected results.	Verify login with valid credentials.
2	Precondition	Defines what must be ready before executing a test.	Student account must already exist.
3	Test Set	Groups related test cases.	Student Login Test Suite.
4	Test Plan	Defines the testing scope for a particular release or testing campaign.	Student Management Release 1.0 Testing.
5	Test Execution	Records actual testing activity and results.	QA Execution Cycle 1.
6	Sub Test Execution	Used to organize execution work under a parent execution.	Separate execution for login testing.

> Important distinction: A test scenario is a description of what functionality to test. An Xray Test is where we document how to test it. Xray does not require a separate Test Scenario Work Type.

Part 1 - Create the requirement in Jira

2. Understand the requirement before writing test cases

In a company, the Business Analyst (BA) generally communicates the requirement to the development and testing teams. For our project, the BA gives this requirement:

Business requirement: Student Login Functionality

As a student, I want to log in to the Student Management System using my registered email and password so that I can access my personal dashboard.

Acceptance Criteria

1. A student with valid credentials must be able to log in.
2. An unregistered email must not be allowed.
3. An incorrect password must not be allowed.

4. Email is a mandatory field.
5. Password is a mandatory field.
6. Both fields cannot be empty.
7. Password must be masked.
8. After successful login, the student must be redirected to the dashboard.

What is an acceptance criterion?

Acceptance criteria are the conditions that the application must satisfy for the requirement to be considered complete.

For example: Requirement: Student should log in. Acceptance criterion: If the student enters the correct email and password, the application should display the dashboard. The tester uses these acceptance criteria to identify what needs to be tested.

3. Create a Story in Jira

Go to your Jira project. At the top of your screen, click the blue Create button. Fill in the following:

Jira field	What to enter
Project	Your existing project
Issue Type	Story
Summary	Student Login Functionality
Description	As a student, I want to log in using my registered email and password.
Priority	High
Assignee	Leave unassigned or assign as required

For the description, use:

```
User Story: Student Login Functionality

Description:
As a student, I want to log in to the Student Management System
using my registered email and password so that I can access my dashboard.

Acceptance Criteria:
1. Login should succeed with valid credentials.
2. Login should fail with an unregistered email.
3. Login should fail with an incorrect password.
4. Email should be mandatory.
5. Password should be mandatory.
6. Both fields should be mandatory.
7. Password should be masked.
8. Successful login should redirect to the student dashboard.

Priority: High
Module: Student Login
```

Click Create. Jira generates an issue ID, for example SEQ-1. Your actual project key and issue number will be different. Use the ID Jira generates.

Why did we create this Story?

Because this is the original requirement from the customer. Every test we create should ideally be linked to this requirement. That way, when a manager opens the Story, they can see whether it has been tested.

Part 2 - Understand scenarios and create a test design

4. Write the test scenarios first

Before creating Xray Tests, prepare a list of testing scenarios. Imagine you are given a student login page. You should think like a tester: "What are all the possible ways a student might use this login page?" Let's identify the scenarios.

Scenario ID	Test scenario	Testing type
TS01	Verify login with valid credentials	Positive
TS02	Verify login with unregistered email	Negative
TS03	Verify login with incorrect password	Negative
TS04	Verify login with empty email	Negative
TS05	Verify login with empty password	Negative
TS06	Verify login with both fields empty	Negative
TS07	Verify password masking	UI/Security
TS08	Verify dashboard redirection	Functional
TS09	Verify email format validation	Negative
TS10	Verify login with inactive account	Negative

Understand the difference between a scenario and a test case

Suppose our scenario is: TS01: Verify login with valid credentials. We can write multiple test cases under that scenario:

- TC01: Login using a valid registered email and password.
- TC02: Login using a valid email with a password containing special characters.
- TC03: Verify successful login redirects to the correct student account.

One scenario can have multiple test cases. For our first exercise, we'll keep one primary test case for each scenario, making ten tests in total.

Part 3 - Create a Precondition in Xray

5. What exactly is a Precondition?

Before testing the login functionality, we need some things to be ready. For example:

- Student account must exist.
- Student account must be active.
- Login application must be running.
- Tester must have access to the QA environment.

These are called preconditions. Think of it this way: You cannot test whether a registered student can log in if you don't have a registered student account.

Practical: Create the Precondition

Go to the blue Create button. Fill in the following details:

Field	Value
Xray Work Type	Precondition
Summary	PRE01 - Student account must be registered

Field	Value
Environment	QA

Description:

```
Before executing student login test cases, the following conditions
must be satisfied:

1. Student must have an account in the application.
2. Student account must be active.
3. Student email must be registered.
4. Tester must know the valid test credentials.
5. Student login application must be accessible in QA.

Test data:
- Email: student@gmail.com
- Password: Student@123

Environment: QA
```

Select your project and Work Type Precondition. Click Create. You will receive an issue ID, for example SEQ-2.

How do we connect this Precondition to our Test?

Now open the Xray Test that you will create for TC01. Look for the Preconditions section.

1. Click Add Precondition.
2. Search for PRE01 - Student account must be registered.
3. Select it.
4. Save.

Now TC01 is associated with PRE01. You can associate the same Precondition with other tests that require an existing registered account.

> Important: Not all tests need the same precondition. For example, a test for empty email validation does not necessarily need a registered account.

Part 4 - Create Xray Test Cases practically

6. Understand the fields inside an Xray Test

Field	Meaning
Summary	Name of the test case
Description	What functionality you are verifying
Test Type	Manual, Cucumber or other supported type
Preconditions	What must be ready before execution
Test Details	Actual test steps
Action	What action the tester performs
Data	What input the tester uses
Expected Result	What should happen after the action

For our project, choose Manual as the Test Type.

Important difference between Action, Data and Expected Result

Suppose we are testing a login page.

- Action: Enter the registered email.
- Data: student@gmail.com.
- Expected Result: The email should be accepted as input.

These three fields have different purposes. Do not write the complete test case in one field.

7. Create TC01 - Valid Login

Go to: Create -> Xray Test. Fill in:

Field	Value
Summary	Verify student login with valid credentials.
Description	Verify whether a registered student can successfully log in using the correct email and password.
Test Type	Manual
Precondition	PRE01 - Student account must be registered.

Click Create. Now open the created Test issue. Find Test Details / Manual Test Steps. Enter the following:

Manual Test Steps - TC01

Step	Action	Data	Expected Result
1	Open the Student Management System login page.	QA application URL.	Login page should be displayed.
2	Enter the registered student email.	student@gmail.com	Email should be accepted.
3	Enter the correct password.	Student@123	Password should be accepted and masked.
4	Click the Login button.	None.	Student should successfully log in and the dashboard should open.

Save the Test Details. TC01 is now created.

8. Create TC02 - Invalid Email

Summary: Verify login with an unregistered email.

Description: Verify that the application does not allow login using an email that is not registered.

Test Type: Manual

Precondition: Login application should be available.

Action	Data	Expected result
Open login page	QA URL	Login page opens
Enter email	unknown@gmail.com	Email entered
Enter password	Student@123	Password entered
Click Login	-	Invalid credentials message appears

Save.

9. Create TC03 - Incorrect Password

Summary: Verify login with an incorrect password.

Description: Verify that a registered student cannot log in using an incorrect password.

Test Type: Manual

Action	Data	Expected result
Open login page	QA URL	Login page opens
Enter registered email	student@gmail.com	Email entered
Enter wrong password	Wrong@123	Password entered
Click Login	-	Invalid credentials message appears

Save.

10. Create TC04 - Empty Email

Summary: Verify login with an empty email field.

Description: Verify that the application displays validation when email is not entered.

Test Type: Manual

Action	Data	Expected result
Open login page	QA URL	Login page opens
Leave email empty	Blank	Email remains empty
Enter password	Student@123	Password entered
Click Login	-	Email required message appears

Save.

11. Create TC05 - Empty Password

Summary: Verify login with an empty password field.

Description: Verify that the application displays validation when password is not entered.

Test Type: Manual

Action	Data	Expected result
Open login page	QA URL	Login page opens
Enter registered email	student@gmail.com	Email entered
Leave password empty	Blank	Password remains empty
Click Login	-	Password required message appears

Save.

12. Create TC06 - Both Fields Empty

Summary: Verify login when both email and password are empty.

Description: Verify that the application does not allow login when both mandatory fields are empty.

Test Type: Manual

Action	Data	Expected result
Open login page	QA URL	Login page opens

Action	Data	Expected result
Leave email empty	Blank	Email remains empty
Leave password empty	Blank	Password remains empty
Click Login	-	Mandatory field validation appears for both fields

Save.

13. Create TC07 - Password Masking

Summary: Verify password is displayed in masked format.

Description: Verify that the password entered by the student is not displayed as plain text by default.

Test Type: Manual

Action	Data	Expected result
Open login page	QA URL	Login page opens
Enter password	Student@123	Password entered
Observe password field	-	Password appears as dots or bullets

Save.

14. Create TC08 - Dashboard Redirection

Summary: Verify successful login redirects to the student dashboard.

Description: Verify that the student is redirected to the correct dashboard after successful authentication.

Test Type: Manual

Action	Data	Expected result
Open login page	QA URL	Login page opens
Enter registered email	student@gmail.com	Email entered
Enter valid password	Student@123	Password entered
Click Login	-	Login successful
Observe the page	-	Student dashboard appears

Save.

15. Create two additional test cases

For a more complete login module, create:

TC09 - Invalid email format

- Enter studentgmail.com without the @ symbol.
- Enter a password.
- Click Login.
- Expected: Email format validation appears.

TC10 - Inactive student account

- Use a test account that has been deactivated.
- Enter its correct email and password.

- Click Login.
- Expected: Login is rejected with an appropriate account status message.

For TC10, you need an inactive test account configured in the QA environment.

Your test case inventory

Test ID	Scenario	Type
TC01	Valid credentials	Positive
TC02	Unregistered email	Negative
TC03	Incorrect password	Negative
TC04	Empty email	Negative
TC05	Empty password	Negative
TC06	Both fields empty	Negative
TC07	Password masking	UI
TC08	Dashboard redirection	Functional
TC09	Invalid email format	Negative
TC10	Inactive student	Negative

You have now converted the business requirement into ten individual test cases.

Part 5 - Connect the Test Cases to the Requirement

16. Why should we link tests to a Story?

Imagine your manager asks: "How do we know that the Student Login requirement has been completely tested?" You should be able to open the requirement and see all related test cases. This is called Requirement Traceability.

Practical steps

1. Open your Student Login Story.
2. Find the Xray section called Test Coverage.
3. Click Add Tests.
4. Search for TC01.
5. Select TC01.
6. Repeat for TC02 to TC10.
7. Save.

Your Story should now have ten associated tests.

What happens now?

Suppose the Business Analyst changes the login requirement. For example: "Now the application must lock the account after five consecutive failed login attempts." The tester can identify which existing tests need updating and create a new test case for account lockout. This is why requirement traceability is important.

Part 6 - Create a Test Set

17. What problem does a Test Set solve?

Imagine your company develops a large application with these modules: Student Login, Student Registration, Attendance, Fee Payment, Examination and Results. Each module might have 50 test cases. If you have 300 test cases, finding the login tests individually becomes difficult. We use Test Sets to group related tests. A Test Set is like a folder containing test cases.

Practical steps

Click: Create -> Test Set. Fill in:

Field	Value
Work Type	Xray Test Set
Summary	Student Login Test Suite

Description:

```
This Test Set contains all manual test cases related to the
Student Login module.

Module: Student Login
Scope: Functional, negative, validation and UI testing.
Included test cases: TC01 to TC10.
```

Click Create. You will get a Test Set issue ID.

Add tests to the Test Set

1. Open the newly created Test Set.
2. Find the Tests section.
3. Click Add Tests.
4. Search for TC01.
5. Select TC01 to TC10.
6. Save.

Now all ten test cases belong to the Student Login Test Suite.

Create more Test Sets later

Test Set	Included tests
Student Login Test Suite	TC01-TC10
Student Registration Test Suite	Registration test cases
Attendance Test Suite	Attendance test cases
Fee Payment Test Suite	Payment test cases

> Remember: A Test Set is a collection of tests. It does not mean the tests have been executed.

Part 7 - Create a Test Plan

18. What exactly is a Test Plan?

A Test Plan is used to define the testing scope for a release or testing campaign. Imagine the company plans to release the Student Management System version 1.0. The testing manager wants to define:

- Which modules must be tested?
- Which test cases are included?
- Which test sets are included?

- What release are we validating?
- What is the overall testing progress?

The manager creates a Test Plan.

Practical example

Click: Create -> Test Plan. Enter:

Field	Value
Work Type	Xray Test Plan
Summary	Student Management System - Release 1.0 Testing
Target environment	QA
Release	1.0

Description:

```
This Test Plan defines the testing activities required before
releasing version 1.0 of the Student Management System.

Testing scope:
1. Student Login
2. Student Registration
3. Attendance Management
4. Fee Payment

Target environment: QA
Release: 1.0
```

Click Create.

Add tests to your Test Plan

Open the Test Plan. Find its Tests section. You can add individual Tests, or Test Sets where supported by your Xray version and workflow. For our initial exercise, add the Student Login Test Suite's ten tests. Now the Test Plan knows which tests are in scope for Release 1.0.

Test Set vs Test Plan

This is an important interview question.

Test Set	Test Plan
Groups related tests	Defines testing scope
Usually organized by module	Usually organized by release or campaign
Example: Login Test Suite	Example: Release 1.0 Testing
Can be reused in different plans	Tracks testing progress across its scope

For example, the same Login Test Set can be used in Release 1.0 and Release 1.1.

Part 8 - Create a Test Execution

19. What is Test Execution?

Until now, we have only created test cases and planned the testing. We haven't actually tested the application. Now imagine the developer says: "The Student Login page is developed. It is deployed to the QA server. Please start testing." You are the tester. You need to execute the test cases against the actual application. This activity is called Test Execution.

Create Test Execution

Click: Create -> Test Execution. Fill in:

Field	Value
Work Type	Xray Test Execution
Summary	Student Login - QA Execution Cycle 1
Description	Execute all student login test cases in the QA environment and record actual results.
Environment	QA
Assignee	Your Jira account
Testing cycle	Cycle 1

Click Create.

Add tests to the execution

1. Open your Test Execution.
2. Find the Tests section.
3. Click Add Tests.
4. Select TC01 to TC10.
5. Save.

Now Xray creates Test Runs for the selected tests.

What is a Test Run?

This is very important. Suppose TC01 says: "Verify student login with valid credentials." You execute it today. It passes. Tomorrow, the developer changes the login code and you execute the same test again. The test case is still TC01, but you have two different execution records.

Test case	Execution	Result
TC01	Cycle 1	PASS
TC01	Cycle 2	PASS

A Test Run represents a particular execution of a test. This allows Xray to maintain testing history.

Part 9 - Execute tests and record actual results

20. Let's perform the first execution

Before starting, you need:

- A running Student Management application.
- QA URL.
- A registered test account.
- An inactive test account for TC10.
- Access to the login page.

For illustration, suppose the QA URL is https://qa.example.com/login. This is a placeholder. Use your actual application's QA URL.

Field	Value
Registered email	student@gmail.com

Field	Value
Password	Student@123

Execute TC01

1. Open the Test Execution.
2. Open the TC01 Test Run.
3. You will see the manual steps.
4. Open your application in another browser tab.
5. Perform each action.
6. Compare actual result with expected result.
7. Mark each step PASS or FAIL.
8. Save the execution.

Step	Expected result	Actual result	Status
Open login page	Page opens	Page opened	PASS
Enter email	Email accepted	Email accepted	PASS
Enter password	Password masked	Password masked	PASS
Click Login	Dashboard opens	Dashboard opened	PASS

TC01 is now PASS.

Execute TC02

Enter an unregistered email and a password. Click Login. Suppose the application displays: Invalid email or password. The expected result is achieved. Mark TC02 as PASS.

Execute TC03

Enter a valid email and an incorrect password. Suppose the application displays an invalid credentials message. Mark TC03 as PASS.

Execute TC04

Leave the email empty and enter the correct password. Click Login. Suppose the application allows the login attempt instead of displaying an email-required validation. Now you have discovered a defect. Mark the failed step as FAIL and enter the actual result.

Execute the remaining tests

Continue with TC05 to TC10 in the same way. For the demonstration, assume these are the results:

Test	Actual result	Status
TC01	Login successful	PASS
TC02	Invalid email rejected	PASS
TC03	Invalid password rejected	PASS
TC04	Empty email accepted	FAIL
TC05	Empty password rejected	PASS
TC06	Both empty rejected	PASS
TC07	Password masked	PASS
TC08	Dashboard opened	PASS

Test	Actual result	Status
TC09	Invalid email format rejected	PASS
TC10	Inactive account rejected	PASS

These are simulated results for learning. Your actual results depend on the application you test.

Part 10 - Create a Bug for the failed Test Case

21. What happens when a test fails?

Let's understand the real company workflow. You tested TC04. Expected result: Email is required. Actual result: The application allows the user to continue without entering an email. This is a software defect. As a tester, you should not simply tell the developer verbally. You should create a Bug in Jira.

Step 1: Create a Bug

Click the blue Create button. Select Project: your Student Management project, and Issue Type: Bug. Enter the following:

Field	Value
Summary	Student Login accepts empty email.
Priority	High
Severity	Major (example; based on your company's severity definitions)
Module	Student Login
Environment	QA

Description:

```
Module: Student Login
Environment: QA
Precondition: Student login page is accessible.

Steps to reproduce:
1. Open the student login page.
2. Leave the email field empty.
3. Enter a valid password.
4. Click the Login button.

Expected Result:
Application should display an email-required validation message.

Actual Result:
Application accepts the login attempt without an email.

Priority: High
Severity: Major
```

Click Create. Jira generates a Bug ID, for example SEQ-15.

Step 2: Link the Bug to the failed Test

Now open the failed TC04 Test Run. Look for the Create Defect or Defects option. Depending on the Xray screen, you can:

1. Select Create Defect.
2. Choose the Bug issue type.
3. Enter the defect details.

4. Save.

If you already created the Bug separately, use the defect association option to link the existing Bug.

Why link the Bug?

Because the developer can see exactly which test failed and what happened. The relationship becomes:

```
TC04 -> Failed Test Run -> Bug SEQ-15
```

This is one of the biggest advantages of using Xray instead of maintaining only an Excel sheet.

Part 11 - Developer fixes the Bug and Tester retests

22. Understand the developer's responsibility

The developer receives the Bug. The developer investigates the issue and fixes the code. For example, the developer implements a validation check:

```
if (email == null || email.trim().isEmpty()) {
    System.out.println("Email is required");
    return;
}
```

The developer deploys the updated code to the QA environment. The Bug might move through these Jira statuses (illustrative workflow; your Jira administrator configures the actual statuses):

Open -> In Progress -> Resolved -> Ready for Retesting -> Closed

23. Retest TC04

The developer says: "The empty email issue has been fixed. Please verify." Now your job is to test it again. Do not create an entirely new test case. The original TC04 still represents the same requirement. Instead, create a new Test Execution for the retest.

Create -> Test Execution. Enter:

Field	Value
Summary	Student Login - QA Execution Cycle 2
Description	Retesting previously failed student login test cases after defect fixes.
Environment	QA
Test	TC04 - Verify login with empty email.

Add TC04 to the new Test Execution. Execute the steps again:

Step	Action	Expected result
1	Open login page	Login page opens
2	Leave email empty	Email remains empty
3	Enter password	Password entered
4	Click Login	Email-required message appears

Suppose the application now displays: Email is required. Mark the new Test Run as PASS. Now update the Bug's status according to the team's workflow and close it after successful verification.

Why do we create a second Test Execution?

Because we want to maintain the history.

Test	Cycle 1	Cycle 2
TC01	PASS	-
TC02	PASS	-
TC03	PASS	-
TC04	FAIL	PASS
TC05	PASS	-
TC06	PASS	-
TC07	PASS	-
TC08	PASS	-
TC09	PASS	-
TC10	PASS	-

We can now show the manager that TC04 failed initially but passed after the developer's fix.

Part 12 - Generate Test Reports

24. What does a testing manager want to know?

At the end of testing, the manager doesn't want to open ten individual Test issues. The manager wants answers to questions such as:

- How many tests were executed?
- How many passed?
- How many failed?
- How many are still pending?
- Which requirements are covered?
- Are there any open defects?
- Is the release ready?

Xray provides reports for these activities.

Important reports

Report	Purpose
Test Execution Report	Results of an execution
Test Plan Report	Testing progress across a plan
Requirement Coverage Report	Tests linked to requirements
Traceability Report	Relationships between requirements, tests, executions and defects

Example of the final testing summary

Student Login - QA Testing Summary (simulated results after retesting)

Metric	Value
Total test cases	10
Latest result: passed	10
Latest result: failed	0

Metric	Value
Defects discovered	1
Defects fixed and retested	1

Note that the original execution history still contains one failure. The later execution contains the successful retest. This is important when explaining the results to management.

Part 13 - Understand Sub Test Execution

25. Why do we need Sub Test Execution?

Imagine your company is developing a large application with 5 modules. The testing manager creates one parent Test Execution: Student Management - Full QA Testing. But five different testers are working on different modules.

Tester	Responsibility
Tester 1	Student Login
Tester 2	Student Registration
Tester 3	Attendance
Tester 4	Fee Payment
Tester 5	Examination

The manager can organize execution work into smaller Sub Test Executions under the parent execution. For example:

Level	Name
Parent Test Execution	Student Management - Full QA Testing
Sub Execution 1	Login Testing
Sub Execution 2	Registration Testing
Sub Execution 3	Attendance Testing
Sub Execution 4	Fee Testing

For your initial Student Login project, you don't need Sub Test Execution. Learn it after completing the normal execution workflow.

Part 14 - Understand the complete Xray workflow

Now let's connect everything you have learned.

Stage	What happens
1. Jira Story	What does the customer want?
2. Test Scenarios	What should we test?
3. Precondition + Xray Tests	What must be ready? How do we test?
Test Set	Group tests
Test Plan	Plan testing

Stage	What happens
4. Test Execution	Execute test cases and record results. PASS = working correctly. FAIL = create Bug.
5. Retesting and Reports	Verify fixes and measure testing progress

Part 15 - Practical interview questions

These are important questions you should be able to answer after completing this project.

1. What is Xray?

Xray is a test management application integrated with Jira. It helps us create test cases, organize test suites, plan testing, execute tests and track defects.

2. What is the difference between a test scenario and a test case?

A scenario tells us what functionality to test. A test case contains the detailed steps, test data and expected results used to verify that functionality.

3. What is a Precondition?

A condition that must be satisfied before executing a test case.

4. What is a Test Set?

A collection of related test cases.

5. What is a Test Plan?

A document or Xray issue that defines the scope of testing for a release or campaign and tracks the associated testing progress.

6. What is Test Execution?

The activity of executing test cases and recording their actual results.

7. What is a Test Run?

An individual execution instance of a test case within a Test Execution.

8. What happens when a test fails?

We record the failure, capture actual results, create or associate a Jira Bug, and notify the developer.

9. What is retesting?

Testing a previously failed test case again after the developer fixes the defect.

10. What is regression testing?

Testing previously working functionality again after code changes to ensure that the changes have not broken existing features.

Part 16 - Your actual Jira practical exercise

Complete this in your existing Jira project. Use this checklist to track your progress (0/12 completed).

#	Task	Description	Done
1	Create Student Login Story	Create a Jira Story with acceptance criteria.	[ ]
2	Create Precondition	Create the registered student account condition.	[ ]

#	Task	Description	Done
3	Create 10 Xray Tests	Create Manual Tests and enter Action, Data and Expected Result.	[ ]
4	Associate Precondition	Link the appropriate precondition to the tests.	[ ]
5	Link Tests to Story	Complete requirement coverage.	[ ]
6	Create Test Set	Group all 10 login tests.	[ ]
7	Create Test Plan	Plan the Release 1.0 testing.	[ ]
8	Create Test Execution	Add all 10 tests to the QA execution.	[ ]
9	Execute Test Cases	Perform the tests in an actual QA application.	[ ]
10	Create and Link Bug	Report the failed test to the developer.	[ ]
11	Retest	Verify the developer's fix in a new execution.	[ ]
12	Generate Reports	Check execution results and requirement coverage.	[ ]

Let's continue on your actual Jira screen

Since you have already opened the Xray Settings page, do not jump to all 12 activities at once. Start with creating the Story. Once you create it, send a screenshot of the Story page. Each field on your actual screen will be explained, then you can continue with creating the Precondition and the first Xray Test, including exactly what to type in every field.

This way, you will learn how to use Xray in a real company project rather than just memorizing its definitions.