Power BI Relationships, Cardinality & Cross-Filter Directions

Power BI is widely used for building data models that support analytical reporting and decision-making dashboards. When creating reports, the underlying data often comes from various sources and exists in multiple tables. To enable correct data analysis, Power BI requires relationships between these tables—relationships that help the model understand how data in one table relates to data in another.

This document explains **relationship types, cardinality, cross-filter directions, active/inactive relationships, star schema concepts, and practical behavior** using a sales & returns example.

---

1. Introduction to Relationships in Power BI

In Power BI, relationships define how two or more tables connect with each other. Without relationships, Power BI would not be able to filter, aggregate, or calculate measure values correctly when multiple tables are used together in visuals.

YATICORP
EMPOWERING EDUCATION

Why Are Relationships Needed?

- To ensure Power BI knows how tables are related through common fields.
- To enable filtering between tables.
- To avoid data duplication and performance issues caused by merging tables unnecessarily.
- To create scalable data models that support real-world scenarios involving multiple connected datasets.

Relationships in Power BI are defined based on:

1. **Cardinality** – the nature of the relationship based on uniqueness of values.
2. **Cross-filter direction** – how filters flow between tables.
3. **Active or inactive status** – which relationship is used by Power BI by default.

---

2. Understanding Cardinality Types

Power BI allows four cardinality types. These define how many unique or repeated values exist in the relationship columns across tables.

The available cardinality options are:

- **Many to One (⋆:1) – Most Common**
- **One to One (1:1)**
- **One to Many (1:⋆)**
- **Many to Many (⋆:⋆)**

Let us understand each one.

2.1 Many to One (⋆:1) – *Most Common Relationship*


YATICORP
EMPOWERING EDUCATION

In this cardinality:

- The **source table** contains **multiple instances** of a value.
- The **related table (lookup table)** contains **a single instance** of that value.

Example:

- **Products table** → product IDs are unique.
- **Sales table** → product IDs appear many times (each transaction repeats a product ID).



Interpretation:
Every product can have many sales; each sale relates to one product.

Microsoft's Definition (as you paraphrased)

A *many-to-one* relationship means:

The column in one table can have multiple repeated values, while the associated lookup table has only one instance of the same value.

This is the **default and recommended** cardinality in most Power BI models.

2.2 One to One (1:1)

In this relationship:

- Each table has **unique values** in the connecting column.
- One table's row directly matches one row in the other table.

Example:

- A table of **employee personal data**.
- A table of **employee official data**.

Both may share a unique Employee ID.

This relationship type is less common and requires both tables to have **distinct, unique** values on join columns.

YATICORP
EMPOWERING EDUCATION

2.3 One to Many (1:⋆)

This is essentially the reverse of many-to-one:

- The main table contains **a unique value**.
- The related table contains **multiple repetition** of that value.

Example:

- **Categories table** – one category per row.
- **Products table** – many products per category.

Interpretation:

Each category may contain many products, but each product belongs to one category.

This relationship is widely used in building **star schema models**.

2.4 Many to Many (⋆:⋆)

Power BI introduced this to support **composite models**.
In this case:

- Both tables have **duplicate values**.
- Neither table has unique keys on the relationship column.

Example:

- A **Sales table** listing product IDs repeatedly.
- A **Returns table** listing product IDs repeatedly.

YATICORP
EMPOWERING EDUCATION

A many-to-many relationship avoids the need for:

- Intermediate bridge tables,
- Unique constraint workarounds.

Power BI handles the ambiguity using internal logic, but it often requires **bidirectional filtering** to resolve aggregations.

---

3. Direct vs. Indirect Relationships

Power BI automatically detects relationship paths between tables.

3.1 Direct Relationship

A direct relationship is explicitly created between two tables.

Example:

- Categories → Products
- Products → Sales

Both are direct because you explicitly created them.

3.2 Indirect Relationship

When two tables are not directly connected but can be joined through an intermediate table.

Example:

- **Categories → Products → Sales**

YATICORP
EMPOWERING EDUCATION

Here, **Categories** and **Sales** are indirectly connected through **Products**.

Power BI can automatically use this indirect pathway to propagate filters—if the cross-filter direction allows it.

---

4. Cross-Filter Direction

When editing a relationship, Power BI gives two options for cross-filter direction:


1. **Single**
2. **Both (Bidirectional)**

This determines how filters move between tables.

4.1 Single Direction

Filters flow only in one direction:

- Usually from **dimension (lookup table)** to **fact table**.
- Recommended for one-to-many models and star schemas.



Example (your case):

Categories (1) → Products (⋆)

The arrow shows:

- Filters flow from Category to Products.
- NOT from Products back to Category.

Effects:

- If a user selects a Category (say Electronics), Products and Sales will be filtered.
- If the user filters by a Product, the Category will NOT automatically filter.

YATICORP
EMPOWERING EDUCATION

This prevents ambiguity and circular filtering loops.

4.2 Both Direction (Bidirectional Filtering)

Filters pass in both directions across tables.

Useful when:

- A many-to-many relationship exists.
- You need filtering to flow both ways for analytical purposes.
- A bridge table connects two fact tables.

Example:

If relationship between **Sales** and **Returns** is many-to-many:

- Selecting an item in Sales filters Returns.
- Selecting a returned item filters Sales.

Microsoft's guidance:

- Use bidirectional filtering only when necessary.
- Overuse can cause incorrect totals, ambiguous paths, and performance issues.

---

5. When to Use Single vs. Both?

Scenario	Recommended Filter Direction
Star schema (Dimensions → Facts)	**Single**
One-to-many relationship	**Single**
Many-to-many relationship	**Both**
Complex visuals requiring reverse filtering	**Both**
When multiple fact tables connect to shared lookup tables	**Single**
When intermediate tables connect multiple tables	**Both**

YATICORP
EMPOWERING EDUCATION

---

6. Active vs. Inactive Relationships

In the model view:

- **Solid line** → Active relationship
- **Dotted line** → Inactive relationship

Only **one active relationship** is allowed between the same two tables.

Inactive relationships can be activated using DAX with USERELATIONSHIP() inside measures.

---

7. Managing Relationships

You can:

- Drag and drop fields to create relationships.
- Use **Manage Relationships** under the **Home** tab.
- Let Power BI **Auto-Detect** relationships.
- Manually set:
    - Cardinality
    - Cross filter direction
    - Active/inactive state

Auto-detect works well but should be reviewed every time.

YATICORP
EMPOWERING EDUCATION

8. Why Not Merge Tables Instead of Using Relationships?

Power BI recommends relationships instead of merging tables because:

- Merging creates **duplicate data**.
- Increases **file size**.
- Reduces **performance**.
- Makes maintenance harder.
- Reduces flexibility in modeling.

Relationships avoid these issues and provide cleaner, optimal models.

---

9. Demonstration with Sales Data & Product Returns

You connected two CSV files:

- **Sales Data (29,000 rows)**
- **Product Returns (1,828 rows)**

After cleaning data types, you created a relationship using **Item Key**.

Cardinality Suggested: Many-to-Many

Because:

- Item Key repeats multiple times in Sales.
- Item Key repeats multiple times in Returns.

Power BI also warns that:

> Use many-to-many only when there are no unique values in either table.

This is correct for your dataset.

YATICORP
EMPOWERING EDUCATION

10. Behavior with Single Cross-Filter Direction

When you set filter direction as:

✔ **FROM Product Returns → Sales**
✘ Not vice-versa

Problem Observed:

When you tried to create a visual showing:

- Item Key (from Sales)
- Quantity Returned (from Returns)

The visual displayed:

- The **total number of return rows (1828)** for every item.

Why?

Because:

- The filter flows from Returns to Sales.
- But your visual selects fields from Sales first.
- Sales is not allowed to filter Returns using single-direction logic.

Thus, the model cannot match item-wise data properly.

---

11. Correct Behavior with Both Cross-Filter Direction

After changing cross-filter direction to **Both**:

✔ Sales can now filter Returns
✔ Returns can filter Sales

The visual correctly displays:

- **Item-wise quantity returned**
- Meaningful insights

YATICORP
EMPOWERING EDUCATION

Thus, bidirectional filtering was necessary due to the many-to-many nature and your visual's requirements.

---

12. Summary of Key Concepts

Cardinality

- Many-to-one → most common (default)
- One-to-one → rare, requires unique fields
- One-to-many → reversed many-to-one
- Many-to-many → for composite models and repeating keys in both tables

Cross-filter Direction

- Single → recommended for performance, star schema, one-directional filtering
- Both → needed for complex cases, many-to-many, and reverse-filtering requirements

Relationship Behavior

- Direct relationships connect tables explicitly
- Indirect relationships flow through another table
- Active relationships control default filtering
- Inactive relationships can be used through DAX

Modeling Best Practices

- Use star schema when possible
- Avoid merging tables unless required
- Use Auto-Detect cautiously
- Use bidirectional filtering only when necessary

YATICORP
EMPOWERING EDUCATION

---

13. Final Conclusion

Power BI modeling is built around the concept of relationships.
Understanding cardinality, relationship directions, and active/inactive behavior is crucial for building optimized and accurate analytical models.

In your practical example:

- Sales and Returns required a **many-to-many** relationship.
- Single-direction filtering led to incorrect aggregations.
- Changing to **bidirectional** made filtering behave correctly.

This demonstrates how cardinality and cross-filter settings directly influence visuals and analytical results.