



Select a definition

TodoApp.API v1

TodoApp.API 1.0 OAS3

https://localhost:7092/swagger/v1/swagger.json

Auth



POST

/api/Auth/register

Parameters

Try it out

No parameters

Request body

application/json

Example Value

Schema

```
{
  "email": "user@example.com",
  "password": "string",
  "role": "string"
}
```

Responses

Code	Description	Links
200	Success	No links

POST

/api/Auth/login

Parameters

Try it out

No parameters

Request body

application/json

Example Value

Schema

```
{  "email": "user@example.com",  "password": "string"}  
```

Responses

Code	Description	Links
200	<div>Success</div> <div>Media type<div>text/plain</div>Controls Accept header.</div> <div><div>Example Value</div><div>Schema</div><div><pre>{ "userId": "string", "token": "string", "email": "string"} </pre></div></div>	No links

Todoes



GET /api/Todoes

Try it out

Parameters

No parameters

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<div>Success</div> <div>Media type<div>text/plain</div><div>Controls Accept header.</div></div> <div><div>Example Value</div><div>Schema</div><div>[{ "id": 0, "name": "string", "description": "string" }]</div></div>	No links

POST

/api/Todoes

Parameters

Try it out

No parameters

Request body

application/json

Example Value

Schema

{
 "name": "string",
 "description": "string"
}

Responses

Code	Description	Links
------	-------------	-------

Code

Description

Links

200

Success

No links

Media type

text/plain

Controls Accept header.

Example Value

Schema

{
 "id": 0,
 "name": "string",
 "description": "string"
}

GET

/api/Todoes/{id}

Parameters

Try it out

Name

Description

id * required

integer(\$int32)

(path)

id

Responses

Code

Description

Links

200

Success

No links

Media type

text/plain

Controls Accept header.

Example Value

Schema

{
 "id": 0,
 "name": "string",
 "description": "string"
}

PUT

/api/Todoes/{id}

⌵

Parameters

Try it out

Name	Description
id * required integer(\$int32) (path)	<div>id</div>

Request body

application/json

Example Value

Schema

```
{  
  "name": "string",  
  "description": "string"  
}
```

Responses

Code	Description	Links
200	Success	No links

DELETE

/api/Todoes/{id}

⌵

Parameters

Try it out

Name	Description
id * required integer(\$int32) (path)	<div>id</div>

Responses

Code	Description	Links
200	Success	No links

POST

/api/Todoes/search

Parameters

Try it out

No parameters

Request body

application/json

Example Value

Schema

```
{  "searchString": "string"}
```

Responses

Code	Description	Links
200	Success	No links

Media type

text/plain

Controls Accept header.

Example Value

Schema

```
{  "id": 0,  "name": "string",  "description": "string"}
```

Schemas



```
AuthResponse  {  
  userId      string  
              nullable: true  
  token       string  
              nullable: true  
  email       string  
              nullable: true  
}
```

```
LoginUserDto  {  
  email*      string($email)  
  password*   string  
}
```

```
SearchParameters {  
  searchString string  
              nullable: true  
}
```

```
TodoReadDto    {  
  id          integer($int32)  
  name        string  
              nullable: true  
  description string  
              nullable: true  
}
```

```
TodoWriteDto   {  
  name*       string  
              maxLength: 50  
              minLength: 0  
  description string  
              maxLength: 500  
              minLength: 0  
              nullable: true  
}
```

```
UserDto        {  
  email*      string($email)  
  password*   string  
  role*       string  
}
```