Postman invite link:
https://app.getpostman.com/join-team?invite_code=385e22e358cfd529cddcd99ca50e0e1e64862f53e6730af0b0434098b311b23b&target_code=2eb953996f0bf9f01d4adece51266efa

Since I'm on the free version and it heavily limits how many collection tests I run, I set the tests up to cycle when you hit the button, but I'm not sure if it works with collections.

Github: https://github.com/Mdodson06/CIS325-FinalProject

Run with "npm run start:server" (runs on localhost:8080)

Example screenshots:







- Name doesn’t exist in the database





- Making sure fields aren’t blank


CIS325-Final / Creation / Update Row
Save
Share
PUT
{{baseURL}} api/creation/:tableName/:id
Send
Params
Authorization
Headers (9)
Body
Scripts
Settings
Cookies
Key
Value
Description
Bulk Edit
Path Variables
tableName
character
id
1
Body
Cookies
Headers (8)
Test Results
200 OK
50 ms
310 B
Save Response
JSON
Preview
Visualize
"message": "character saved successfully!"


CIS325-Final / Creation / Delete Row
Save
Share
DELETE
{{baseURL}} api/creation/:tableName/:id
Send
Params
Authorization
Headers (7)
Body
Scripts
Settings
Cookies
Key
Value
Description
Bulk Edit
Path Variables
tableName
character
id
2
Body
Cookies
Headers (8)
Test Results
200 OK
7 ms
308 B
Save Response
JSON
Preview
Visualize
"message": "Record deleted successfully"


CIS325-Final / Login / Verify
Save
Share
GET
{{baseURL}} api/login/verify
Send
Params
Authorization
Headers (9)
Body
Scripts
Settings
Cookies
Pre-request
Post-response
const username = pm.collectionVariables.get("username");
const email = pm.collectionVariables.get("email");
const password = pm.collectionVariables.get("password");
pm.test("Prevent blank fields ", function () {
if((username == "" && email == "") || password=="") {
pm.response.to.have.status(500);
} else {
pm.response.to.have.status(200);
}
});
Packages
Snippets
Body
Cookies
Headers (8)
Test Results (2/2)
200 OK
192 ms
287 B
Save Response
JSON
Preview
Visualize
[
{
"message": "pass"
}
]


CIS325-Final / Login / Log in
Save
Share
GET
{{baseURL}} api/login/loginAttempt
Send
Params
Authorization
Headers (9)
Body
Scripts
Settings
Cookies
Pre-request
Post-response
const username = pm.collectionVariables.get("username");
const email = pm.collectionVariables.get("email");
const password = pm.collectionVariables.get("password");
const validUser = ["admin"];
const validEmail = ["example@email.com"];
const invalidUser = ["invalid", "user-PassWrong", "invalidUser"];
const invalidEmail = ["email-PassWrong", "invalidEmail"];
pm.test("Prevent blank fields ", function () {
if((username == "" && email == "") || password=="") {
pm.response.to.have.status(500);
Packages
Snippets
Body
Cookies
Headers (8)
Test Results (2/2)
200 OK
17 ms
310 B
Save Response
JSON
Preview
Visualize
{
"entry": "pass",
"message": "Welcome admin!"
}


PUT Update user
POST Logout
GET Verify
GET Log in
No environment
CIS325-Final / Login / Logout
Save
Share
POST
{{baseURL}} api/login/logout/
Send
Params
Authorization
Headers (8)
Body
Scripts
Settings
Cookies
Query Params
Key
Value
Description
Bulk Edit
Key
Value
Description
Body
Cookies
Headers (8)
Test Results
200 OK
10 ms
291 B
Save Response
{} JSON
Preview
Visualize
1 {
2 "message": "logged out"
3 }


PUT Update user
POST Logout
GET Verify
GET Log in
No environment
CIS325-Final / Login / Logout
Save
Share
POST
{{baseURL}} api/login/logout/
Send
Params
Authorization
Headers (8)
Body
Scripts
Settings
Cookies
Query Params
Key
Value
Description
Bulk Edit
Key
Value
Description
Body
Cookies
Headers (8)
Test Results
500 Internal Server Error
7 ms
315 B
Save Response
{} JSON
Preview
Visualize
1 {
2 "error": "No user logged in"
3 }





- Preventing signing up under an existing user/email



- Trying to delete a user that isn’t logged in