
Block Based




Who can call the data? =Only related EC2



Who can call the data? = Anybody with public **internet** and permission

INTELLIGENT TEARING PRECLASS ANALOGY



STORAGE CLASS	ADVANTAGE	CONSIDERATION
STANDARD	FREQUENT ACCESS	NOT COST EFFECTIVE -MOSTLY DATA IS INACTIVE - INFREQUENTLY ACCESSED
INFREQUENT ACCESS	CHEAPER UNTIL IAM PRECLASS BEGIN	NOT COST EFFECTIVE - YOU BREAK COMMITMENT DURING 1-2 WEEK
INTELLIGENT TEARING	COST OPTIMIZED	NOT CHEAPER THAN STANDARD BUT YOU CAN FREQUENTLY ACCESS CHEAPER THAN INFREQUENT ACCESS

Hands on Blueprint










Creating First Bucket

Console tour

Basic Operations

Static Web Hosting















"Make Public" (Shortcut of ACL)

Public

Block all Public Access

Based on: Bucket

Effect :Both Bucket and

Object

Bucket Policy

Based on: Bucket

Effect: Both Bucket and

Object

<u>ACL</u>


Based on: Bucket or Object

Effect: Which you select

What is Static and Dynamic Website Hosting?



Static Website





Dynamic Website











Static Website public access



Uncheck Block all public access

Add Bucket Policy

Set Properties-static Website hosting



You take the blue pill - the story ends, you wake up in your bed and believe whatever you want to believe.

You take the red pill - you stay in Wonderland and I show you how deep the rabbit-hole goes.

Delete in Versioning



REAL PAGE

VERSIONING PAGE

Delete

Permanently Delete

• If you want to empty the bucket before delete, keep in mind this

Delete in Versioning



REAL PAGE

VERSIONING PAGE



INDEX.HTML





INDEX.HTML



CAT.JPG

Delete in Versioning



REAL PAGE





VERSIONING PAGE



INDEX.HTML



CAT.JPG

Delete in Versioning



REAL PAGE



INDEX.HTML

VERSIONING PAGE



INDEX.HTML





CAT.JPG