












































REMOVE INSULATION
AND/OR BLANKET
FURNACE A



CIRCUIT: C-1602-0-1B

PROCESS: LIQUID FURNACE FEED


P&ID(S) 51B-2A

LINE NO.(S)
4"-0-161144A-B1B

AREA	11
MATERIAL(S)	B1B-API 5LB
INSULATED	YES
APPROX. FT.	4,000


lyon
OPER. PRE
OPER. TEM

REMOVE INSULATION AND/OR BLANKET FURNACE A



CIRCUIT: C-1602-0-1B		PROCESS: LIQUID FURNACE FEED				lyon
P&ID(S) 51B-2B 51B-3A	LINE NO.(S) 3 rd -0-161144A-B1B	AREA		11		
		MATERIAL(S)		B1B-API 5LB		
		INSULATED		YES		
		APPROX. FT.		4,000		
				OPER. PR		OPER. TEM

REMOVE INSUATION
AND/OR BLANKET
FURNACE A



CIRCUIT: C-1602-O-1B

PROCESS: LIQUID FURNACE FEED


P&ID(S) 51B-3A

LINE NO.(S)
6"-O-161003A-B1B

AREA	11
MATERIAL(S)	B1B-API 5LB
INSULATED	YES
APPROX. FT.	4,000

lyon
OPER. PRE
OPER. TEM


REMOVE INSULATION
AND/OR BLANKET
FURNACE B



CIRCUIT: C-1602-O-1B		PROCESS: LIQUID FURNACE FEED		
P&ID(S)	51B-2A	LINE NO.(S) 4"-O-161144B-B1B	AREA	11
			MATERIAL(S)	B1B-API 5LB
			INSULATED	YES
			APPROX. FT.	4,000

lyon	OPER. PRE
	OPER. TEM

REMOVE INSULATION
AND/OR BLANKET
FURNACE B



CIRCUIT: C-1602-0-1B


PROCESS: LIQUID FURNACE FEED

P&ID(S) 51B-3B

LINE NO.(S)
6"-0-161003B-B1B


AREA	11
MATERIAL(S)	B1B-API 5LB
INSULATED	YES
APPROX. FT.	4,000

lyon
OPER. PRE
OPER. TEM





CIRCUIT: C-1602-O-1B		PROCESS: LIQUID FURNACE FEED				lyon
P&ID(S)	51B-2A	LINE NO.(S) 4"-0-16144C-B1B	AREA	11		
			MATERIAL(S)	B1B-API 5LB		
			INSULATED	YES	OPER. PRE	
			APPROX. FT.	4,000	OPER. TEM	

REMOVE INSULATION AND/OR BLANKET FURNACE C



CIRCUIT: C-1602-0-1B		PROCESS: LIQUID FURNACE FEED				lyon	
P&ID(S)	51B-2B 51B-3C	LINE NO.(S) 3"-0-161144CA-B1B/B33A	B1B-API 5LB B33A-A106B	AREA	11		
				MATERIAL(S)			
				INSULATED	YES		OPER. PRE
				APPROX. FT.	4,000		OPER. TEM



CIRCUIT: C-1602-0-1B


PROCESS: LIQUID FURNACE FEED

P&ID(S) 51B-3C

LINE NO.(S)
6"-O-161003CA-B33B

AREA	11
MATERIAL(S)	B33B-A3336
INSULATED	YES
APPROX. FT.	4,000


lyon
OPER. PRE
OPER. TEM




CIRCUIT: C-1602-0-1B		PROCESS: LIQUID FURNACE FEED		
P&ID(S)	51B-3C	LINE NO.(S) 3"-0-161144CB-B33A	AREA	11
			MATERIAL(S)	B33B-A106B
			INSULATED	YES
			APPROX. FT.	4,000

OPER. PRE
OPER. TEM


lyon



CIRCUIT: C-1602-O-1B		PROCESS: LIQUID FURNACE FEED			lyon
P&ID(S)	51B-3C	LINE NO.(S) 6"-O-161003CB-B33B	AREA	11	
			MATERIAL(S)	B33B-A3336	
			INSULATED	YES	
			APPROX. FT.	4,000	OPER. TEM




CIRCUIT: C-1602-O-1B		PROCESS: LIQUID FURNACE FEED			lyon
P&ID(S)	51B-2A	LINE NO.(S) 4"-O-161144D-B1B	AREA	11	
			MATERIAL(S)	B1B-API 5LB	
			INSULATED	YES	
			APPROX. FT.	4,000	OPER. TEM



CIRCUIT: C-1602-0-1B		PROCESS: LIQUID FURNACE FEED			
P&ID(S)	51B-2B	LINE NO.(S) 3"-0-161144DA-B1B/B33A	B1B-API 5LB B33A-A106B	AREA	11
	51B-3D			MATERIAL(S)	
				INSULATED	YES
				APPROX. FT.	4,000


REMOVE INSULATION
AND/OR BLANKET
FURNACE D



CIRCUIT: C-1602-0-1B		PROCESS: LIQUID FURNACE FEED		
P&ID(S)	51B-3D	LINE NO.(S) 6"-0-161003DA-B33B	AREA	11
			MATERIAL(S)	B33B-A3336
			INSULATED	YES
			APPROX. FT.	4,000


lyon
OPER. PRE
OPER. TEM

REMOVE INSULATION AND/OR BLANKET FURNACE D




lyond
OPER. PRE
OPER. TEM

REMOVE INSULATION
AND/OR BLANKET
FURNACE D




CIRCUIT: C-1602-0-1B		PROCESS: LIQUID FURNACE FEED			lyon
P&ID(S)	51B-3A	LINE NO.(S) 6"-0-161003DB-B33B	AREA	11	
			MATERIAL(S)	B33A-A106B	
			INSULATED	YES	
			APPROX. FT.	4,000	OPER. TEM

REMOVE INSULATION
AND/OR BLANKET
FURNACE E



CIRCUIT: C-1602-0-1B		PROCESS: LIQUID FURNACE FEED			lyon
P&ID(S)	51B-2A	LINE NO.(S) 4"-0-161144E-B1B	AREA	11	
			MATERIAL(S)	B1B-API 5LB	
			INSULATED	YES	
			APPROX. FT.	4,000	OPER. TEM

REMOVE INSULATION
AND/OR BLANKET
FURNACE E



CIRCUIT: C-1602-0-1B

PROCESS: LIQUID FURNACE FEED



P&ID(S) 51B-2B
51B-3E

LINE NO.(S)
3"-0-161144EA-B1B/B33A

B1B-API 5LB
B33A-A106B

AREA	11	lyon
MATERIAL(S)		
INSULATED	YES	
APPROX. FT.	4,000	OPER. PRE
		OPER. TEM

REMOVE INSULATION
AND/OR BLANKET
FURNACE E



CIRCUIT: C-1602-0-1B

PROCESS: LIQUID FURNACE FEED


P&ID(S) 51B-3E

LINE NO.(S)
6"-0-161003EA-B33B

AREA	11
MATERIAL(S)	B33B-A3336
INSULATED	YES
APPROX. FT.	4,000

lyon
OPER. PRE
OPER. TEM


REMOVE INSULATION AND/OR BLANKET FURNACE E



PIC 12

CIRCUIT: C-1602-0-1B		PROCESS: LIQUID FURNACE FEED				lyon
P&ID(S)	51B-3E	LINE NO.(S) 3 rd -0-161144EB-B33A	AREA	11		
			MATERIAL(S)	B33B-A106B		
			INSULATED	YES	OPER. PRE	
			APPROX. FT.	4,000	OPER. TEM	


REMOVE INSULATION
AND/OR BLANKET
FURNACE E



CIRCUIT: C-1602-O-1B		PROCESS: LIQUID FURNACE FEED			
P&ID(S)	51B-3E	LINE NO.(S) 6"-O-161003EB-B33B	AREA	11	
			MATERIAL(S)	B33B-A3336	
			INSULATED	YES	
			APPROX. FT.	4,000	

lyon

REMOVE INSULATION
AND/OR BLANKET
FURNACE F




AR-12

CIRCUIT: C-1602-O-1B		PROCESS: LIQUID FURNACE FEED		
P&ID(S)	51B-2A	LINE NO.(S) 4"-O-161144F-B1B	AREA	11
			MATERIAL(S)	B1B-API 5LB
			INSULATED	YES
			APPROX. FT.	4,000

OPER. PRE
OPER. TEM

lyon

REMOVE INSUATION
AND/OR BLANKET
FURNACE F



CIRCUIT: C-1602-0-1B

PROCESS: LIQUID FURNACE FEED

P&ID(S)
51B-2B
51B-3F

LINE NO.(S)
3"-0-161144FA-B1B/B33A

B1B-API 5LB
B33A-A106B

AREA

11

MATERIAL(S)

INSULATED


YES

APPROX. FT.

4,000


OPER. PRE

OPER. TEM



CIRCUIT: C-1602-0-1B		PROCESS: LIQUID FURNACE FEED			lyon
P&ID(S)	51B-3F	LINE NO.(S) 6"-0-161003FA-B33B	AREA	11	
			MATERIAL(S)	B33B-A3336	
			INSULATED	YES	
			APPROX. FT.	4,000	OPER. TEM

REMOVE INSULATION
AND/OR BLANKET
FURNACE F



CIRCUIT: C-1602-0-1B

PROCESS: LIQUID FURNACE FEED


P&ID(S) 51B-3F

LINE NO.(S)
3"-0-161144FB-B33A

AREA	11
MATERIAL(S)	B33A-A106B
INSULATED	YES
APPROX. FT.	4,000

OPER. PRE
OPER. TEM

REMOVE INSULATION
AND/OR BLANKET
FURNACE F



CIRCUIT: C-1602-0-1B

PROCESS: LIQUID FURNACE FEED

P&ID(S) 51B-3F


LINE NO.(S)
6"-0-161003FB-B33B

AREA	11
MATERIAL(S)	B33B-A3336
INSULATED	YES
APPROX. FT.	4,000

OPER. PRE
OPER. TEM

lyon

REMOVE INSULATION
AND/OR BLANKET
FURNACE G




CIRCUIT: C-1602-O-1B		PROCESS: LIQUID FURNACE FEED		
P&ID(S)	51B-2A	LINE NO.(S) 4"-O-161144G-B1B	AREA	11
			MATERIAL(S)	B1B-API 5LB
			INSULATED	YES
			APPROX. FT.	4,000

OPER. PRE
OPER. TEM

lyon


REMOVE INSUALTION
AND/OR BLANKET
FURNACE G



CIRCUIT: C-1602-0-1B		PROCESS: LIQUID FURNACE FEED			
P&ID(S)	51B-2B	LINE NO.(S) 3"-0-161144GA-B1B/B33A	B1B-API 5LB B33A-A106B	AREA	11
	51B-3G			MATERIAL(S)	
				INSULATED	YES
				APPROX. FT.	4,000

OPER. PRE
OPER. TEM


REMOVE INSULATION
AND/OR BLANKET
FURNACE G



CIRCUIT: C-1602-0-1B		PROCESS: LIQUID FURNACE FEED			lyon
P&ID(S)	51B-3G	LINE NO.(S) 6"-0-161003GA-B33B	AREA	11	
			MATERIAL(S)	B33B-A3336	
			INSULATED	YES	
			APPROX. FT.	4,000	OPER. TEM

CIRCUIT: C-1602-0-1B		PROCESS: LIQUID FURNACE FEED				lyon
P&ID(S)	51B-3G	LINE NO.(S) 3"-0-161144GB-B33A	AREA	11		
			MATERIAL(S)	B33B-A106B		
			INSULATED	YES	OPER. PRE	
			APPROX. FT.	4,000	OPER. TEM	

REMOVE INSULATION
AND/OR BLANKET
FURNACE G




CIRCUIT: C-1602-0-1B		PROCESS: LIQUID FURNACE FEED		
P&ID(S)	51B-3G	LINE NO.(S) 6"-0-161003GB-B33B	AREA	11
			MATERIAL(S)	B33B-A3336
			INSULATED	YES
			APPROX. FT.	4,000

OPER. PRE
OPER. TEM

lyon

REMOVE INSULATION
AND/OR BLANKET
FURNACE H



CIRCUIT: C-1602-0-1B

PROCESS: LIQUID FURNACE FEED


P&ID(S) 51B-2A

LINE NO.(S)
4"-0-161144H-B1B

AREA	11
MATERIAL(S)	B1B-API 5LB
INSULATED	YES
APPROX. FT.	4,000


lyona
OPER. PRE
OPER. TEM

REMOVE INSULATION AND/OR BLANKET FURNACE H



CIRCUIT: C-1602-0-1B		PROCESS: LIQUID FURNACE FEED				lyon
P&ID(S)	51B-3H	LINE NO.(S) 3"-0-161144HA-B1B/B33A	B1B-API 5LB B33A-A106B	AREA	11	
				MATERIAL(S)		
				INSULATED	YES	
				APPROX. FT.	4,000	
				OPER. PRE	OPER. TEM	


REMOVE INSULATION
AND/OR BLANKET
FURNACE H



CIRCUIT: C-1602-0-1B		PROCESS: LIQUID FURNACE FEED		
P&ID(S)	51B-3H	LINE NO.(S) 6"-0-161003HA-B33B	AREA	11
			MATERIAL(S)	B33B-A3336
			INSULATED	YES
			APPROX. FT.	4,000

lyon
OPER. PRE
OPER. TEM

REMOVE INSULATION
AND/OR BLANKET
FURNACE H



CIRCUIT: C-1602-0-1B

PROCESS: LIQUID FURNACE FEED


P&ID(S) 51B-3H

LINE NO.(S)
3"-0-161144HB-B33A

AREA	11
MATERIAL(S)	B33A-A106B
INSULATED	YES
APPROX. FT.	4,000

OPER. PRE
OPER. TEM

REMOVE INSULATION
AND/OR BLANKET
FURNACE H



CIRCUIT: C-1602-0-1B

PROCESS: LIQUID FURNACE FEED


P&ID(S) 51B-3H

LINE NO.(S)
6"-0-161003HB-B33B

AREA	11
MATERIAL(S)	B33B-A3336
INSULATED	YES
APPROX. FT.	4,000

lyon
OPER. PRE
OPER. TEM

REMOVE INSULATION
AND/OR BLANKET
FURNACE J



CIRCUIT: C-1602-O-1B

PROCESS: LIQUID FURNACE FEED


P&ID(S) 51B-2A

LINE NO.(S)
4"-O-161144J-B1B

AREA	11
MATERIAL(S)	B1B-API 5LB
INSULATED	YES
APPROX. FT.	4,000


lyon
OPER. PRE
OPER. TEM

REMOVE INSULATION AND/OR BLANKET FURNACE J



CIRCUIT: C-1602-0-1B		PROCESS: LIQUID FURNACE FEED				lyon	
P&ID(S)	51B-2B 51B-3J	LINE NO.(S) 3"-0-161144JA-B1B/B33A	B1B-API 5LB B33A-A106B	AREA	11		
				MATERIAL(S)			
				INSULATED	YES		OPER. PRE
				APPROX. FT.	4,000		OPER. TEM

REMOVE INSULATION
AND/OR BLANKET
FURNACE J



CIRCUIT: C-1602-0-1B

PROCESS: LIQUID FURNACE FEED


P&ID(S) 51B-3J

LINE NO.(S)
6"-0-161003JA-B33B

AREA	11
MATERIAL(S)	B33B-A3336
INSULATED	YES
APPROX. FT.	4,000

lyon
OPER. PRE
OPER. TEM

REMOVE INSULATION
AND/OR BLANKET
FURNACE J



CIRCUIT: C-1602-0-1B

PROCESS: LIQUID FURNACE FEED


P&ID(S) 51B-3J

LINE NO.(S)
3"-0-161144JB-B33A

AREA	11
MATERIAL(S)	B33B-A106B
INSULATED	YES
APPROX. FT.	4,000

lyon
OPER. PRE
OPER. TEM


REMOVE INSULATION
AND/OR BLANKET
FURNACE J



CIRCUIT: C-1602-O-1B		PROCESS: LIQUID FURNACE FEED		
P&ID(S)	51B-3J	LINE NO.(S) 6"-O-161003JB-B33B	AREA	11
			MATERIAL(S)	B33B-A3336
			INSULATED	YES
			APPROX. FT.	4,000


OPER. PRE
OPER. TEM

lyon



CIRCUIT: C-1602-O-1B		PROCESS: LIQUID FURNACE FEED			
P&ID(S)	51B-2A	LINE NO.(S) 4"-O-161144K-B1B	AREA	11	lyon OPER. PRE OPER. TEM
			MATERIAL(S)	B1B-API 5LB	
			INSULATED	YES	
			APPROX. FT.	4,000	

REMOVE INSULATION
AND/OR BLANKET
FURNACE K



CIRCUIT: C-1602-0-1B

PROCESS: LIQUID FURNACE FEED


P&ID(S)
51B-2B
51B-3K

LINE NO.(S)
3"-O-161144K-B1B

AREA	11
MATERIAL(S)	B1B-API 5LB
INSULATED	YES
APPROX. FT.	4,000

OPER. PRE
OPER. TEM


REMOVE INSULATION AND/
OR BLANKET
FURNACE K



CIRCUIT: C-1602-0-1B		PROCESS: LIQUID FURNACE FEED		
P&ID(S)	51B-3K	LINE NO.(S) 6"-O-161003K-B1B	AREA	11
			MATERIAL(S)	B1B-API 5LB
			INSULATED	YES
			APPROX. FT.	4,000

OPER. PRE
OPER. TEM

REMOVE INSULATION
AND/OR BLANKET
FURNACE L




CIRCUIT: C-1602-0-1B		PROCESS: LIQUID FURNACE FEED		
P&ID(S)	51B-2A	LINE NO.(S) 4"-0-161144L-B1B	AREA	11
			MATERIAL(S)	B1B-API 5LB
			INSULATED	YES
			APPROX. FT.	4,000

OPER. PRE
OPER. TEM

lyon

REMOVE INSULATION
AND/OR BLANKET
FURNACE L




PROCESS: LIQUID FURNACE FEED

LINE NO.(S)
3"-0-161144L-B1B

OPER. PRE
OPER. TEM

REMOVE INSULATION
AND/OR BLANKET
FURNACE L



CIRCUIT: C-1602-O-1B

PROCESS: LIQUID FURNACE FEED


P&ID(S) 51B-3L

LINE NO.(S)
6"-O-161003L-B1B

AREA	11
MATERIAL(S)	B1B-API 5LB
INSULATED	YES
APPROX. FT.	4,000

lyona
OPER. PRE
OPER. TEM

REMOVE INSULATION
AND/OR BLANKET
FURNACE M



CIRCUIT: C-1602-O-1B

PROCESS: LIQUID FURNACE FEED


P&ID(S) 51B-2A

LINE NO.(S)
4"-O-161144M-B1B

AREA	11
MATERIAL(S)	B1B-API 5LB
INSULATED	YES
APPROX. FT.	4,000

lyon
OPER. PRE
OPER. TEM

REMOVE INSULATION
AND/OR BLANKET
FURNACE M




CIRCUIT: C-1602-0-1B		PROCESS: LIQUID FURNACE FEED		
P&ID(S)	51B-2B	LINE NO.(S) 3"-O-161144M-B1B	AREA	11
	51B-3M		MATERIAL(S)	B1B-API 5LB
			INSULATED	YES
			APPROX. FT.	4,000

lyon


OPER. PRE
OPER. TEM

REMOVE INSULATION
AND/OR BLANKET
FURNACE M



CIRCUIT: C-1602-0-1B		PROCESS: LIQUID FURNACE FEED			lyon
P&ID(S)	51B-3M	LINE NO.(S) 6"-0-161003MA-B1D	AREA	11	
			MATERIAL(S)	B1D-A333-1	
			INSULATED	YES	
			APPROX. FT.	4,000	OPER. TEM

REMOVE INSULATION
AND/OR BLANKET
FURNACE M



CIRCUIT: C-1602-0-1B

PROCESS: LIQUID FURNACE FEED


P&ID(S) 51B-3M

LINE NO.(S)
3"-O-161144MB-B1B

AREA	11
MATERIAL(S)	B1B-API 5LB
INSULATED	YES
APPROX. FT.	4,000

OPER. PRE
OPER. TEM

REMOVE INSULATION/
BLANKET
FURNACE M




CIRCUIT: C-1602-0-1B		PROCESS: LIQUID FURNACE FEED		
P&ID(S)	51B-3M	LINE NO.(S) 6"-0-161003MB-B1D	AREA	11
			MATERIAL(S)	B1D-A333-1
			INSULATED	YES
			APPROX. FT.	4,000


OPER. PRE
OPER. TEM

lyon

REMOVE INSULATION/
BLANKET
FURNACE N



CIRCUIT: C-1602-0-1B		PROCESS: LIQUID FURNACE FEED			lyon
P&ID(S)	51B-2A	LINE NO.(S) 4"-0-161144N-B1B	AREA	11	
			MATERIAL(S)	B1B-API 5LB	
			INSULATED	YES	
			APPROX. FT.	4,000	OPER. TEM



REMOVE INSULATION/
BLANKET
FURNACE N

CIRCUIT: C-1602-0-1B

PROCESS: LIQUID FURNACE FEED


P&ID(S) 51B-2B
51B-3N

LINE NO.(S)
3"-O-161144NA-B1B

AREA	11
MATERIAL(S)	B1B-API 5LB
INSULATED	YES
APPROX. FT.	4,000


lyon
OPER. PRE
OPER. TEM

REMOVE INSULATION/
BLANKET
FURNACE N



CIRCUIT: C-1602-0-1B		PROCESS: LIQUID FURNACE FEED			lyon
P&ID(S)	51B-3N	LINE NO.(S) 6"-0-161003NA-B1D	AREA	11	
			MATERIAL(S)	B1D-A333-1	
			INSULATED	YES	
			APPROX. FT.	4,000	OPER. TEM

REMOVE INSULATION/
BLANKET
FURNACE N



CIRCUIT: C-1602-0-1B

PROCESS: LIQUID FURNACE FEED


P&ID(S) 51B-3N

LINE NO.(S)
3"-0-161144NB-B1B

AREA	11
MATERIAL(S)	B1B-API 5LB
INSULATED	YES
APPROX. FT.	4,000

lyon
OPER. PRE
OPER. TEM

REMOVE INSULATION/ BLANKET FURNACE N



CIRCUIT: C-1602-0-1B		PROCESS: LIQUID FURNACE FEED			lyon
P&ID(S)	51B-3N	LINE NO.(S) 6"-0-161003NB-B1D	AREA	11	
			MATERIAL(S)	B1D-A333-1	
			INSULATED	YES	
			APPROX. FT.	4,000	
					OPER. PRE
					OPER. TEM


PIC 1/REFER TO
ISO 1 & 2 OF 57
"A" FURNACE





PIC 1













PIC 16/ISO 6 OF 57
"B" FURNACE



PIC 17/ISO 6 OF 57
"B" FURNACE






PIC 8/ISO 8 OF 57
"C" FURNACE







PIC 15/ISO 14 OF 57
"D" FURNACE




PIC 10/ISO 17 OF 57
"E" FURNACE








PIC 14/ISO 21 OF 57
"E" FURNACE




REMOVE
INSULATION/
REFER TO ISO 32



REMOVE
INSULATION/REFER
TO ISO 36





REMOVE INSULATION/
BLANKET
ISO 36 FURNACE H




FR-7


REMOVE
INSULATION
ISO 53 FURNACE N




REMOVE
INSULATION/
ISO 53




REMOVE
INSULATION/REFER
TO ISO 53 FURNACE N



REMOVE
INSULATION/REFER
TO ISO 53 FURN N







REMOVE
INSULATION/
REFER TO ISO
53 FURN N





