PARSHWANATH CHARITABLE TRUST'S



# A.P. SHAH INSTITUTE OF TECHNOLOGY

# Department of Computer Science and Engineering Data Science



### Module 1

## Feedforward neural network

Artificial Neural Networks (ANNs) have revolutionized the field of machine learning, offering powerful tools for pattern recognition, classification, and predictive modeling. Among the various types of neural networks, the Feedforward Neural Network (FNN) is one of the most fundamental and widely used. In this article, we will explore the structure, functioning, and applications of Feedforward Neural Networks, providing a comprehensive understanding of this essential machine learning model.

#### What is a Feedforward Neural Network?

A Feedforward Neural Network (FNN) is a type of artificial neural network where connections between the nodes do not form cycles. This characteristic differentiates it from recurrent neural networks (RNNs). The network consists of an input layer, one or more hidden layers, and an output layer. Information flows in one direction—from input to output—hence the name "feedforward."

### Structure of a Feedforward Neural Network

- 1. **Input Layer**: The <u>input layer</u> consists of neurons that receive the input data. Each neuron in the input layer represents a feature of the input data.
- 2. **Hidden Layers**: One or more hidden layers are placed between the input and output layers. These layers are responsible for learning the complex patterns in the data. Each neuron in a hidden layer applies a weighted sum of inputs followed by a non-linear activation function.
- 3. **Output Layer**: The output layer provides the final output of the network. The number of neurons in this layer corresponds to the number of classes in a classification problem or the number of outputs in a regression problem.

Each connection between neurons in these layers has an associated weight that is adjusted during the training process to minimize the error in predictions.


PARSHWANATH CHARITABLE TRUST'S



# A.P. SHAH INSTITUTE OF TECHNOLOGY

### Department of Computer Science and Engineering **Data Science**





Feed Forward Neural Network

#### **Activation Functions**

Activation functions introduce non-linearity into the network, enabling it to learn and model complex data patterns. Common activation functions include:

- **Sigmoid**:  $\sigma(x) = \sigma(x) = 11 + e^{-x}\sigma(x) = 1 + e^{-x}1$
- **Tanh**: tanh(x)=ex-e-xex+e-xtanh(x)=ex+e-xex-e-x
- **ReLU (Rectified Linear Unit)**: ReLU(x)=max(0,x)ReLU(x)=max(0,x)
- **Leaky ReLU**: Leaky ReLU(x)= $max^{(0.01x,x)}$ Leaky ReLU(x)=max(0.01x,x)

Training a Feedforward Neural Network

Training a Feedforward Neural Network involves adjusting the weights of the neurons to minimize the error between the predicted output and the actual output. This process is typically performed using backpropagation and gradient descent.


- 1. **Forward Propagation**: During forward propagation, the input data passes through the network, and the output is calculated.
- 2. **Loss Calculation**: The loss (or error) is calculated using a loss function such as Mean Squared Error (MSE) for regression tasks or Cross-Entropy Loss for classification tasks.
- 3. **Backpropagation**: In backpropagation, the error is propagated back through the network to update the weights. The gradient of the loss function with respect to each weight is calculated, and the weights are adjusted using gradient descent.



# A.P. SHAH INSTITUTE OF TECHNOLOGY

# Department of Computer Science and Engineering Data Science





Forward Propagation

#### **Gradient Descent**

Gradient Descent is an optimization algorithm used to minimize the loss function by iteratively updating the weights in the direction of the negative gradient. Common variants of gradient descent include:

- **Batch Gradient Descent**: Updates weights after computing the gradient over the entire dataset.
- **Stochastic Gradient Descent (SGD)**: Updates weights for each training example individually.
- **Mini-batch Gradient Descent**: Updates weights after computing the gradient over a small batch of training examples.

Evaluation of Feedforward neural network

Evaluating the performance of the trained model involves several metrics:

- **Accuracy**: The proportion of correctly classified instances out of the total instances.
- **Precision**: The ratio of true positive predictions to the total predicted positives.
- **Recall**: The ratio of true positive predictions to the actual positives.
- **F1 Score**: The harmonic mean of precision and recall, providing a balance between the two.

#### PARSHWANATH CHARITABLE TRUST'S



# A.P. SHAH INSTITUTE OF TECHNOLOGY

# Department of Computer Science and Engineering Data Science



## Module 1

• **Confusion Matrix:** A table used to describe the performance of a classification model, showing the true positives, true negatives, false positives, and false negatives.