

Parshvanath Charitable Trust's

A. P. SIVI INSHHUMB OF THEINOLOGY

(Approved by AICTE New Delhi & Govt. of Maharashtra, Affiliated to University of Mumbai)

Subject: Applied Mathematics IV

SEM:IV

Simplex Method

Linear Programming Problem

Any L.P problem has three aspects

(i) Objective function (ii) constraints (iii) non-negative

restrictions.

Consider the LPP in standard form Maximise Z= (171+(87) + ... +(n1)+05, +050+... +05m

subject to anni+ arona + .. tainint Sitosot.. tosm= bi adimit add 72+ . + admint 05, +50+ . . +05m: ba

aminitamanat...tammin tosit ... + sm = bm

N11721. . 711, S1, S21. . . Sm≥0.

Any set of values mino...n which Solution:

satisfies the constraints is called a solution of the

LPP.



Parchyanath Charitable Trust's

A 13 STANTI INSTITUTION OF THEOLOGY

(Approved by AICTE New Delhi & Govt. of Maharashtra, Affiliated to University of Mumbai)

Subject: Applied Mathematics IV

SEM:IV

Faasible Soln:

Any solution which satisfies non-negativity restrictions is called feasible solution of the LPP.

Optimal Solution:-

Any feasible solution which maximines (minimines) the objective function is called optimal enlution.

Basic Variables!

When there are m constraints and man variables, we start with setting any n variables equal to zero and solve the remaining m equations. The n variables which are equated to zero are called non-Dasic variables. The remaining m variables are called basic variables.

Basic solution: -

The solution obtained by putting any nraviables equal to zero and solving the m



Parshvanath Charitable Frust's

A P SHALI INSTITUTION OF THEOLING OF

(Approved by AICTE New Delhi & Govt. of Maharashtra, Affiliated to University of Mumbai) (Religious Jain Minority)

Subject: Applied Mathematics IV

SEM:IV

equations is called a basic solution.

Basic feasible solution:

If a basic solution satisfies the non-negativity restriction it is called basic feasible solution. It a basic solution contains negative values it is called a basic infeasible solution.

Degenerate and Non-degenerate Solutions!

Et all the m-values obtained in a basic Jeasible solution is called the non-degenerate basic feasible solution. If some of the values obtained in a basic feasible solution is called feasible solution are zero the solution is called degenerate basic feasible solution.

optimal solution! The basic feasible solution which optimises the objective function and also satisfying the constraints and non-negativity restrictions is

Prof. Nancy Nimal

Department of Humanities and Applied Sciences



Parshyanath Charitable frust's

A P SINI INSHMUND OF HERITOLOGY

(Approved by AICTE New Delhi & Govt. of Maharashtra, Affiliated to University of Mumbai)
(Religious Jain Minority)

Subject: Applied Mathematics IV

SEM:IV

called the optimal soln.

1) Solve the tollowing LPP by simplex method

Maximbe Z= n1+472

subject to ani +75 =3

37, 45m 59

N1+310 55

M11M2≥0.

Solution: -

Write the LPP in standard torm

Maximise Z= 7,4472 + 08, 408,4083

Z-71-472-051-052-053

Sub. to Dait 72+S, 4052+053=3

3x1 + SM2+0S1+S2+0S3=9

2=E2+ S20+,20+CKE+1K



Parshvanath Charitable Trusts

A P SIMI MANITURE OF THE INOLOGY

(Approved by AICTE New Delhi & Govt. of Maharashtra, Affiliated to University of Mumbai) (Religious Jain Minority)

Subject: Applied Mathematics IV

SEM:IV

							J.	-101.11	* × *
Simplex	table		co-ef	ts to	P	180	RHS	- 1	
Meration	Basic Variables	N t	7/2	2, 2	2 S	3	rloz	Ratio	
0	Z	-1	4-4	0	0	0	0		
Sz leaves	12	2	1.	1	0	0	3	3/1=3	14
us enfors	Sa	3	5	0	ſ	0	9.	915:1.8	
	23	1	3*	0	0	1	5	5/3:1.6	1 ←
			A.			4	13 20	la	9.5
1	Z	1/3			0		-5		
	12	5/3	0	t	0			/3	
Z+UM2	Sa	4/3	0	0	, 1	• •	-5/3	2/3	
S1-712 S2-572	g K	1/3	1	C)	0	113	5/3	· ·
2	ince the	LD- 64	4-45	of '	1 Re	DE	jectiv	e functi	ON .
(z) are	positive	, +1	he of	stima	d s	dut	ion	å	
	ained						(N.)		



Parshvanath Charltable Trust's

A. D. SI:WII INSIMMUND OF THEORY

(Approved by AICTE New Delhi & Govt. of Maharashtra, Affiliated to University of Mumbai) (Religious Jain Minority)

Subject: Applied Mathematics IV

SEM:IV

$$N_1 = 0$$
 $N_0 = 5/3$
 $Imax = 20/3$

2) Solve the following LPP by Simplex method

Maximbe 7= 37,+ 272+573

Subject to $n_1 + 2n_2 + n_3 \le 430$ $3n_1 + 2n_3 \le 460$ $n_1 + 4n_2 \le 420$ $n_1 + n_3 \ge 0$

Solution: - White the LPP in standard form Z-371-570-573+05, +050+053

084 = 620 + 620 + 12 + 68 + 680 + 18 of clus 084 = 620 + 62 + 120 + 680 + 680 + 18084 = 62 + 620 + 120 + 680 + 680 + 18



Parshvanath Charitable Trust's

SI:WI: INSTITUTED OF TESTINOTOGY

(Approved by AICTE New Delhi & Govt. of Maharashtra, Affiliated to University of Mumbai) (Religious Jain Minority)

						J . 1111 2560			
Subje	ct: Applied	Mathemat	ics IV	8 -			SEN	⁄l:IV	
Simplex	table						£		## 35.
1,46,1011	Basic Variable		0-eff 712	l	5, 2	2 S3	RHS	Ra	tio
	Z	-3	-2	- 5	0 7	0 0	0		
Sa leaver	S,	•	2		1 (0 0	430		124.30
M3 enters	S2	3	0	2*	O	1 0] 460	4601	:130/-
	53	1	4	0	0	0 1	426) –	
1 Si leaves	Z	9/2	- 2	1	0	5/2			
as enfers	Si	-1/2	2*	0	1	-1/2	<i>_</i>		001: 100
	713	3/2	0	. 1	0	1/2		230	
	Sz	1	4	0	0	0	0 (420	120195
2	Z	4	0	0	1	0	0	1350	
	Na	-11a	1	0	112	-114	0	100	
	N3	3/2	0	1	6	1/2	0	230	
5 M 5 1 8	s Sg	2	0	0	-2	1	0	20	

Parshvanath Charitable Orust's

A. P. SHAH INSHIMUMD OF INSCRIPTION

(Approved by AICTE New Delhi & Govt. of Maharashtra, Affiliated to University of Mumbai) (Religious Jain Minority)

Subject: Applied Mathematics IV

SEM:IV

Subject to
$$\frac{14}{3}$$
 $\frac{1}{3}$ $\frac{1}{3}$ $\frac{1}{3}$ $\frac{1}{3}$ $\frac{1}{3}$ of the subject to $\frac{14}{3}$ $\frac{1}{3}$ $\frac{1$



Parshvanath Charitable Trust's

A P. STATI INSTITUTE OF TEXT INDICATE

(Approved by AICTE New Delhi & Govt. of Maharashtra, Affiliated to University of Mumbai) (Religious Jain Minority)

	= 8		
Subject: Applied	Mathematics IV	SEM:IV	
Simplex table Theration Basic No Variable	to 2779-00 2 pm sm cr cr	RHS 2 Soln	Ratio
0 %	-107 -1 -2 0	0 0 0	The work
ρK	14/3 1/3 -2 1	0 0 7/3	1/2
Sı	16 1/2 -6 0	1 0 5	5/16
Sa	3 -1 -1 0	0 1 0	0 <
1. Z	0 -110/3 -113/3 0		
рК		0 -14/9 7/3	W
SI		1-16/3 5	
λı	1 -1/3 -1/3	0 1/3 0	∞ .
Flere Ma	is the incoming V	anables. But	all
of soitor on	the ratio column	are negative	Or :
intinite, no	variable can leave	ann is can	TWT
enfer.	. The solution is u	nbounded.	