

We reserve all rights in this document and in the information contained therein.
Reproduction, use or disclosure to third parties without express authority is strictly forbidden.
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

0	1	2	3	4	5	6	7	8	9			
 上海振华重工  振华电气集团 SHANGHAI ZPMC ELECTRIC COMPANY LIMITED												
DIAGRAMS AND CHARTS												
FOR: PROJECT NAME: CIT Abidjan 6 STS LOCATION: CIT Abidjan Côte d'Ivoire												
DOCUMENT NAME: PLANT CIRCUIT DIAGRAM												
=..D/1												
			Mod.Date	2017/10/16	Project: CIT Abidjan 6 STS		 振华电气集团 ZPMC ELECTRIC GROUP	Page description: COVER SHEET SECTION		Resp dep. : EZ Design	Plant Function:=000.A	Page Number: 1
			Designer	Di Ke	Location: CIT Abidjan Côte d'Ivoire			Drawing.NR: 1002000544				
Rev.Ind	Original	ZPMC	Review	Jianyue Zhang				DQ1002000544-YL001A-EN		Object Loc.:	Total Page: 753	
	Language	EN	Check	Zijiang Ge								

We reserve all rights in this document and in the information contained therein.
Reproduction, use or disclosure to third parties without express authority is strictly forbidden.
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribution
=002.M	+01F11.3	1	CRANE ID PLC I/O SECTION
=002.R	+01F11.3	1	AUXILIARY TRANSFORMER HIGH TEMPERATURE CONTROL CIRCUIT
=003.C	+01F11.1	1	LOW VOLTAGE AC POWER DISTRIBUTION
=003.C	+01F11.1	2	LOW VOLTAGE AC POWER DISTRIBUTION
=003.C	+01F11.1	3	LOW VOLTAGE AC POWER DISTRIBUTION
=003.C	+01F11.1	5	LOW VOLTAGE AC POWER DISTRIBUTION
=003.C	+01F11.1	6	LOW VOLTAGE AC POWER DISTRIBUTION
=003.C	+01F11.1	7	LOW VOLTAGE AC POWER DISTRIBUTION
=003.C	+01F11.1	8	LOW VOLTAGE AC POWER DISTRIBUTION
=003.C	+01F11.1	9	LOW VOLTAGE AC POWER DISTRIBUTION
=003.C	+01F11.3	11	CONTROL VOLTAGE AC POWER DISTRIBUTION
=003.C	+01F11.3	12	CONTROL VOLTAGE AC POWER DISTRIBUTION
=003.C	+01F11.3	13	CONTROL VOLTAGE AC POWER DISTRIBUTION
=003.C	+01F11.3	14	CONTROL VOLTAGE AC POWER DISTRIBUTION
=003.C	+01F11.3	15	CONTROL VOLTAGE AC POWER DISTRIBUTION
=003.C	+01F11.3	16	CONTROL VOLTAGE AC POWER DISTRIBUTION
=003.C	+01F11.3	20	CONTROL VOLTAGE AC POWER DISTRIBUTION
=003.C	+10F01	31	LOW VOLTAGE AC POWER DISTRIBUTION
=003.C	+10F01	32	LOW VOLTAGE AC POWER DISTRIBUTION
=003.C	+10F01	34	LOW VOLTAGE AC POWER DISTRIBUTION
=003.C	+10F01	36	LOW VOLTAGE AC POWER DISTRIBUTION
=003.C	+10F01	38	CONTROL VOLTAGE AC POWER DISTRIBUTION
=003.C	+10F01	39	CONTROL VOLTAGE AC POWER DISTRIBUTION
=003.C	+10F01	40	CONTROL VOLTAGE AC POWER DISTRIBUTION
=003.G	+01F11.3	1	CONTROL VOLTAGE DC POWER DISTRIBUTION
=003.G	+10F01	21	CONTROL VOLTAGE DC POWER DISTRIBUTION
=003.M	+01F42	31	LOW VOLTAGE DISTRIBUTION PLC I/O SECTION
=003.M	+01F42	41	EMERGENCY STOP PLC I/O SECTION

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribution
=003.M	+01F42	42	EMERGENCY STOP PLC I/O SECTION
=003.M	+01F42	43	EMERGENCY STOP PLC I/O SECTION
=003.M	+01F42	44	EMERGENCY STOP PLC I/O SECTION
=003.M	+01F42	45	EMERGENCY STOP PLC I/O SECTION
=003.M	+01F42	46	EMERGENCY STOP PLC I/O SECTION
=003.M	+01F42	47	EMERGENCY STOP PLC I/O SECTION
=003.M	+01F42	48	EMERGENCY STOP PLC I/O SECTION
=003.M	+01F42	49	EMERGENCY STOP PLC I/O SECTION
=003.M	+01F42	50	EMERGENCY STOP PLC I/O SECTION
=003.M	+01F42	51	EMERGENCY STOP PLC I/O SECTION
=003.M	+01F42	52	EMERGENCY STOP PLC I/O SECTION
=003.M	+10F01	71	EMERGENCY STOP PLC I/O SECTION
=003.M	+10F01	72	EMERGENCY STOP PLC I/O SECTION
=003.M	+10F01	73	EMERGENCY STOP PLC I/O SECTION
=003.M	+10F01	74	EMERGENCY STOP PLC I/O SECTION
=003.R	+01F42	1	EMERGENCY STOP SAEFTY RELAY CONTROL CIRCUIT SECTION
=003.R	+01F42	3	EMERGENCY STOP SAEFTY RELAY CONTROL CIRCUIT SECTION
=003.R	+01F42	5	EMERGENCY STOP SAEFTY RELAY RESET PERMISSION CONTROL CIRCUIT
=003.R	+01F42	7	UNDER VOLTAGE CONTROL CIRCUIT
=003.R	+01F42	8	CRANE SWITCH CONTROL CIRCUIT
=003.R	+01F42	9	EMERGENCY STOP CONTROL CIRCUIT SECTION
=003.R	+01F42	10	EMERGENCY STOP CONTROL CIRCUIT SECTION
=003.R	+01F42	11	EMERGENCY STOP CONTROL CIRCUIT SECTION
=003.R	+01F42	12	EMERGENCY STOP CONTROL CIRCUIT SECTION
=003.R	+01F42	13	EMERGENCY STOP CONTROL CIRCUIT SECTION
=003.R	+01F42	14	EMERGENCY STOP CONTROL CIRCUIT SECTION
=003.R	+01F42	15	EMERGENCY STOP CONTROL CIRCUIT SECTION
=003.R	+01F42	16	EMERGENCY STOP CONTROL CIRCUIT SECTION

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
Table of contents : =002.M+01F11.3/1 - =003.R+01F42/16

Resp dep. : EZ Design	Plant Function:=000.D	Page Number: 1.a
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753

We reserve all rights in this document and in the information contained therein.
Reproduction, use or disclosure to third parties without express authority is strictly forbidden.
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribution
=003.R	+01F42	21	EMERGENCY STOP CONTROL CIRCUIT SECTION
=003.R	+10F01	31	EMERGENCY STOP CONTROL CIRCUIT SECTION
=004.C	+01F35	1	SIEMENS DRIVER AUXILIARY AC VOLTAGE SUPPLY INFEED
=004.C	+01F35	2	SIEMENS DRIVER AUXILIARY AC VOLTAGE SUPPLY 230VAC
=004.C	+01F35	3	SIEMENS DRIVER AUXILIARY AC VOLTAGE SUPPLY 230VAC
=004.C	+01F35	4	SIEMENS DRIVER AUXILIARY AC VOLTAGE SUPPLY FAN ALM
=004.C	+01F35	5	SIEMENS DRIVER AUXILIARY AC VOLTAGE SUPPLY FAN ALM
=004.C	+01F35	6	SIEMENS DRIVER AUXILIARY AC VOLTAGE SUPPLY FAN MOMO
=004.C	+01F35	9	SIEMENS DRIVER AUXILIARY AC VOLTAGE SUPPLY HEATER
=004.C	+01F35	10	SIEMENS DRIVER AUXILIARY AC VOLTAGE SUPPLY HEATER
=004.C	+01F35	11	SIEMENS DRIVER AUXILIARY AC VOLTAGE SUPPLY HEATER
=004.C	+01F35	12	SIEMENS DRIVER AUXILIARY AC VOLTAGE SUPPLY LIGHT/sockets
=004.C	+01F35	13	SIEMENS DRIVER AUXILIARY AC VOLTAGE SUPPLY LIGHT/sockets
=004.C	+01F35	14	SIEMENS DRIVER AUXILIARY AC VOLTAGE SUPPLY LIGHT/sockets
=004.G	+01F35	1	SIEMENS DRIVER AUXILIARY DC VOLTAGE SUPPLY
=004.G	+01F35	2	SIEMENS DRIVER AUXILIARY DC VOLTAGE SUPPLY
=004.G	+01F35	3	SIEMENS DRIVER AUXILIARY DC VOLTAGE SUPPLY
=004.G	+01F35	5	SIEMENS DRIVER AUXILIARY DC VOLTAGE SUPPLY
=004.M	+01F11.3	1	SIEMENS DRIVER AUXILIARY PLC I/O SECTION
=004.M	+01F11.3	2	SIEMENS DRIVER AUXILIARY PLC I/O SECTION
=004.M	+01F11.3	3	SIEMENS DRIVER AUXILIARY PLC I/O SECTION
=004.M	+01F11.3	4	SIEMENS DRIVER AUXILIARY PLC I/O SECTION
=004.M	+01F11.3	5	SIEMENS DRIVER AUXILIARY PLC I/O SECTION
=004.M	+01F11.3	6	SIEMENS DRIVER AUXILIARY PLC I/O SECTION
=005.C	+02F25.1	1	SIEMENS DRIVER EXTERNAL LINE CONNECTION MODULE 1
=005.C	+02F25.1	2	SIEMENS DRIVER EXTERNAL LINE CONNECTION MODULE 2
=005.C	+02F25.2	3	SIEMENS DRIVER EXTERNAL LINE CONNECTION MODULE 3
=005.M	+01F11.3	1	SIEMENS DRIVER EXTERNAL LINE CONNECTION MODULE PLC I/O SECTION

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribution
=005.M	+01F11.3	2	SIEMENS DRIVER EXTERNAL LINE CONNECTION MODULE PLC I/O SECTION
=005.M	+01F11.3	3	SIEMENS DRIVER EXTERNAL LINE CONNECTION MODULE PLC I/O SECTION
=005.M	+01F11.3	4	SIEMENS DRIVER EXTERNAL LINE CONNECTION MODULE PLC I/O SECTION
=005.M	+01F11.3	5	SIEMENS DRIVER EXTERNAL LINE CONNECTION MODULE PLC I/O SECTION
=005.M	+01F11.3	6	SIEMENS DRIVER EXTERNAL LINE CONNECTION MODULE PLC I/O SECTION
=006.C	+01F26	1	SIEMENS DRVIER SUPPLY UNIT AIM 1
=006.J	+01F27	1	SIEMENS DRVIER SUPPLY UNIT ALM 1
=006.M	+01F11.3	1	SIEMENS DRVIER SUPPLY UNIT 1 PLC I/O SECTION
=007.C	+01F29	1	SIEMENS DRVIER SUPPLY UNIT AIM 2
=007.J	+01F30	1	SIEMENS DRVIER SUPPLY UNIT ALM 2
=007.M	+01F11.3	1	SIEMENS DRVIER SUPPLY UNIT 2 PLC I/O SECTION
=008.C	+01F32	1	SIEMENS DRVIER SUPPLY UNIT AIM 3
=008.J	+01F33	1	SIEMENS DRVIER SUPPLY UNIT ALM 3
=008.M	+01F11.3	1	SIEMENS DRVIER SUPPLY UNIT 3 PLC I/O SECTION
=010.C	+01F13	1	MAIN HOIST CONTROL PANEL MAIN POWER SUPPLY
=010.C	+01F13	2	MAIN HOIST SERVICE BRAKE POWER SUPPLY
=010.C	+01F13	3	MAIN HOIST SERVICE BRAKE POWER SUPPLY
=010.C	+01F13	4	MAIN HOIST SERVICE BRAKE POWER SUPPLY
=010.C	+01F13	5	MAIN HOIST SERVICE BRAKE POWER SUPPLY
=010.C	+01F13	6	MAIN HOIST SERVICE BRAKE POWER SUPPLY
=010.C	+01F13	7	MAIN HOIST MOTOR COOLING FAN POWER SUPPLY
=010.C	+01F13	8	MAIN HOIST MOTOR COOLING FAN POWER SUPPLY
=010.C	+01F13	22	MAIN HOIST CONTROL PANEL CONTROL POWER DISTRIBUTION
=010.G	+01F13	1	MAIN HOIST CONTROL PANEL DC POWER DISTRIBUTION
=010.G	+01F13	2	MAIN HOIST CONTROL PANEL DC POWER DISTRIBUTION
=010.M	+01F13	3	I/O MAIN HOIST
=010.M	+01F13	4	I/O MAIN HOIST
=010.M	+01F13	6	I/O MAIN HOIST

1.a

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
Table of contents : =003.R+01F42/21 -
=010.M+01F13/6

Resp dep. : EZ Design	Plant Function:=000.D	Page Number: 1.b
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753

1.c

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribution
=010.M	+01F13	12	I/O MAIN HOIST
=010.M	+01F13	21	I/O MAIN HOIST
=010.M	+01F13	22	I/O MAIN HOIST
=010.M	+01F13	23	I/O MAIN HOIST
=010.M	+01F13	24	I/O MAIN HOIST
=010.M	+01F13	25	I/O MAIN HOIST
=010.M	+01F13	26	I/O MAIN HOIST
=010.M	+01F13	27	I/O MAIN HOIST
=010.M	+01F13	28	I/O MAIN HOIST
=010.M	+01F13	32	I/O MAIN HOIST
=010.M	+01F13	33	I/O MAIN HOIST
=010.R	+01F13	1	MAIN HOIST OVERSPEED SECTION
=010.R	+01F13	2	MAIN HOIST OVERTRAVEL SECTION
=010.R	+01F13	21	MAIN HOIST UNIT ONE ERC SECTION
=010.R	+01F13	22	MAIN HOIST UNIT ONE ERC SECTION
=010.R	+01F13	23	MAIN HOIST MOTOR COOLING FAN AIR FLOW DETECTOR LIMIT SWITCH SECTION
=010.U	+01F42	15	MAIN HOIST UNIT ONE SECTION
=010.U	+01F42	16	MAIN HOIST UNIT ONE SECTION
=011.J	+01F20	1	MAIN HOIST DRIVE 1 SECTION
=011.J	+01F20	4	MAIN HOIST MOTOR 1 PULSE GENERATOR SECTION
=011.J	+01F20	5	MAIN HOIST MOTOR 1 SECTION
=012.J	+01F21	1	MAIN HOIST DRIVE 2 SECTION
=012.J	+01F21	4	MAIN HOIST MOTOR 2 PULSE GENERATOR SECTION
=012.J	+01F21	5	MAIN HOIST MOTOR 2 SECTION
=015.C	+01F11.2	1	MAIN HOIST EMERGENCY MODE SERVICE BRAKE POWER SECTION
=015.R	+01F11.3	1	MAIN HOIST EMERGENCY MODE CONTROL CIRCUIT SECTION
=015.R	+01F11.3	2	MAIN HOIST EMERGENCY MODE CONTROL CIRCUIT SECTION
=015.R	+01F11.3	3	MAIN HOIST EMERGENCY MODE CONTROL CIRCUIT SECTION

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribution
=015.R	+01F11.3	5	MAIN HOIST EMERGENCY MODE CONTROL CIRCUIT SECTION
=015.R	+01F11.3	6	MAIN HOIST EMERGENCY MODE CONTROL CIRCUIT SECTION
=015.R	+01F11.3	7	MAIN HOIST EMERGENCY MODE CONTROL CIRCUIT SECTION
=019.C	+01F11.2	1	BACKREACH TLS HYDRAULIC STATION PUMP MOTOR SECTION
=019.C	+01F11.2	2	BACKREACH TLS HYDRAULIC STATION PUMP MOTOR SECTION
=019.C	+01F11.2	4	BACKREACH HYDRAULIC STATION COOLING FAN SECTION
=019.G	+01F11.3	11	BACKREACH TLS HYDRAULIC STATION SOLENOID SECTION
=019.G	+01F11.3	12	BACKREACH TLS DISTRIBUTION PANEL DC POWER SUPPLY
=019.M	+01F11.3	1	BACKREACH TLS PLC I/O SECTION
=019.M	+01F11.3	2	BACKREACH TLS PLC I/O SECTION
=019.M	+01F11.3	3	BACKREACH TLS PLC I/O SECTION
=019.M	+01F11.3	4	BACKREACH TLS PLC I/O SECTION
=019.M	+01F11.3	11	BACKREACH TLS PLC I/O SECTION
=019.M	+01F11.3	21	BACKREACH TLS PLC I/O SECTION
=020.C	+01F15	1	MAIN TROLLEY CONTROL PANEL MAIN POWER SUPPLY
=020.C	+01F15	2	MAIN TROLLEY SERVICE BRAKE POWER SUPPLY
=020.C	+01F15	3	MAIN TROLLEY SERVICE BRAKE POWER SUPPLY
=020.C	+01F15	22	MAIN TROLLEY CONTROL PANEL CONTROL POWER DISTRIBUTION
=020.G	+01F15	1	MAIN TROLLEY CONTROL PANEL DC POWER SUPPLY
=020.G	+01F15	2	MAIN TROLLEY CONTROL PANEL DC POWER SUPPLY
=020.G	+10F01	22	OPERATOR CABIN PANEL DC POWER SUPPLY
=020.M	+01F15	3	I/O MAIN TROLLEY
=020.M	+01F15	4	I/O MAIN TROLLEY
=020.M	+01F15	5	I/O MAIN TROLLEY
=020.M	+01F15	12	I/O MAIN TROLLEY
=020.M	+01F15	20	I/O MAIN TROLLEY
=020.M	+01F15	21	I/O MAIN TROLLEY
=020.M	+01F15	22	I/O MAIN TROLLEY

1.b

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
Table of contents : =010.M+01F13/12 -
=020.M+01F15/22

Resp dep. : EZ Design	Plant Function:=000.D	Page Number: 1.c
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753

1.d

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribution
=020.M	+01F15	23	I/O MAIN TROLLEY
=020.M	+01F15	24	I/O MAIN TROLLEY
=020.M	+10F01	53	I/O MAIN TROLLEY
=020.M	+10F01	54	I/O MAIN TROLLEY
=020.R	+01F15	1	MAIN TROLLEY OVERTRAVEL SECTION
=020.R	+01F15	2	MAIN TROLLEY OVERTRAVEL SECTION
=020.R	+01F15	8	MAIN TROLLEY STOP SECTION
=020.R	+01F15	11	MAIN TROLLEY ACCESS GATE SECTION
=020.R	+01F15	12	MAIN TROLLEY ACCESS GATE SECTION
=020.R	+10F01	41	MAIN TROLLEY ACCESS GATE SECTION
=021.J	+01F15	3	MAIN TROLLEY ABSOLUTE ENCODER
=021.J	+01F35	4	MAIN TROLLEY MOTOR PULSE GENERATOR SECTION
=021.J	+01F50.1	5	MAIN TROLLEY MOTOR SECTION
=021.R	+01F15	1	MAIN TROLLEY MOTOR CHANGEOVER CONTROL CIRCUIT SECTION
=022.J	+01F35	4	MAIN TROLLEY MOTOR PULSE GENERATOR SECTION
=022.J	+01F50.2	5	MAIN TROLLEY MOTOR SECTION
=022.R	+01F15	1	MAIN TROLLEY MOTOR CHANGEOVER CONTROL CIRCUIT SECTION
=025.C	+01F11.2	1	MAIN TROLLEY EMERGENCY MODE SERVICE BRAKE POWER SECTION
=025.R	+01F11.3	1	MAIN TROLLEY EMERGENCY MODE CONTROL CIRCUIT SECTION
=025.R	+01F11.3	5	MAIN TROLLEY EMERGENCY MODE CONTROL CIRCUIT SECTION
=025.R	+01F11.3	6	MAIN TROLLEY EMERGENCY MODE CONTROL CIRCUIT SECTION
=025.R	+01F11.3	7	MAIN TROLLEY EMERGENCY MODE CONTROL CIRCUIT SECTION
=026.R	+01F11.3	1	CHAIN CONTROL CIRCUIT SECTION
=029.C	+01F11.2	1	BACKREACH TENSION HYDRAULIC STATION PUMP MOTOR SECTION
=029.G	+01F11.3	11	BACKREACH TENSION HYDRAULIC STATION SOLENOID SECTION
=029.G	+01F11.3	12	BACKREACH TENSION HYDRAULIC STATION SOLENOID SECTION
=029.M	+01F11.3	1	BACKREACH TENSION PLC I/O SECTION
=029.M	+01F11.3	2	BACKREACH TENSION PLC I/O SECTION

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribution
=029.M	+01F11.3	3	BACKREACH TENSION PLC I/O SECTION
=029.M	+01F11.3	4	BACKREACH TENSION PLC I/O SECTION
=030.C	+01F16	1	BOOM HOIST CONTROL PANEL MAIN POWER SUPPLY
=030.C	+01F16	2	BOOM HOIST SERVICE BRAKE POWER SUPPLY
=030.C	+01F16	3	BOOM HOIST SERVICE BRAKE POWER SUPPLY
=030.C	+01F16	22	BOOM HOIST CONTROL PANEL CONTROL POWER DISTRIBUTION
=030.C	+14S01	42	BOOM CONTROL STATION CONTROL POWER DISTRIBUTION
=030.C	+14S01	43	BOOM CONTROL STATION CONTROL POWER DISTRIBUTION
=030.G	+01F16	1	BOOM HOIST CONTROL PANEL DC POWER SUPPLY
=030.G	+01F16	2	BOOM HOIST CONTROL PANEL DC POWER SUPPLY
=030.G	+14S01	11	BOOM CONTROL STATION DC POWER SUPPLY
=030.G	+14S01	12	BOOM CONTROL STATION DC POWER SUPPLY
=030.M	+01F16	3	I/O BOOM HOIST
=030.M	+01F16	6	I/O BOOM HOIST
=030.M	+01F16	12	I/O BOOM HOIST
=030.M	+01F16	20	I/O BOOM HOIST
=030.M	+01F16	21	I/O BOOM HOIST
=030.M	+01F16	22	I/O BOOM HOIST
=030.M	+01F16	23	I/O BOOM HOIST
=030.M	+01F16	24	I/O BOOM HOIST
=030.M	+01F16	32	I/O BOOM HOIST
=030.M	+14S01	41	I/O BOOM HOIST
=030.M	+14S01	42	I/O BOOM HOIST
=030.R	+01F16	1	BOOM HOIST OVERSPEED SECTION
=030.R	+01F16	2	BOOM HOIST OVERTRAVEL SECTION
=030.R	+01F16	3	BOOM HOIST BUFFER SECTION
=030.R	+01F16	4	BOOM HOIST STOP SECTION
=030.R	+01F16	11	BOOM ACCESS GATE SECTION

1.c

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
Table of contents : =020.M+01F15/23 -
=030.R+01F16/11

Resp dep. : EZ Design	Plant Function:=000.D	Page Number: 1.d
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753

1.e

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribution
=030.R	+01F16	12	BOOM ACCESS GATE SECTION
=030.R	+01F16	21	BOOM HOIST UNIT ONE ERC SECTION
=030.R	+01F16	22	BOOM HOIST UNIT ONE ERC SECTION
=030.U	+01F16	11	BOOM ANTI-COLLISION LASER SCANNER
=030.U	+01F16	12	BOOM ANTI-COLLISION LASER SCANNER
=030.U	+01F16	14	BOOM ANTI-COLLISION SAFETY RELAY
=030.U	+01F42	15	BOOM HOIST UNIT ONESECTION
=030.U	+01F42	16	BOOM HOIST UNIT ONESECTION
=031.J	+01F35	4	BOOM HOIST MOTOR PULSE GENERATOR SECTION
=031.J	+01F50.1	5	BOOM HOIST MOTOR SECTION
=031.R	+01F16	1	BOOM HOIST MOTOR CHANGEOVER CONTROL CIRCUIT SECTION
=032.J	+01F35	4	BOOM HOIST MOTOR PULSE GENERATOR SECTION
=032.J	+01F50.2	5	BOOM HOIST MOTOR SECTION
=032.R	+01F16	1	BOOM HOIST MOTOR CHANGEOVER CONTROL CIRCUIT SECTION
=035.C	+01F11.2	1	BOOM HOIST EMERGENCY MODE SERVICE BRAKE POWER SECTION
=035.R	+01F11.3	1	BOOM HOIST EMERGENCY MODE CONTROL CIRCUIT SECTION
=035.R	+01F11.3	2	BOOM HOIST EMERGENCY MODE CONTROL CIRCUIT SECTION
=035.R	+01F11.3	3	BOOM HOIST EMERGENCY MODE CONTROL CIRCUIT SECTION
=035.R	+01F11.3	5	BOOM HOIST EMERGENCY MODE CONTROL CIRCUIT SECTION
=035.R	+01F11.3	6	BOOM HOIST EMERGENCY MODE CONTROL CIRCUIT SECTION
=035.R	+01F11.3	7	BOOM HOIST EMERGENCY MODE CONTROL CIRCUIT SECTION
=040.C	+01F14	1	GANTRY CONTROL PANEL MAIN POWER SUPPLY
=040.C	+01F14	2	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	3	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	11	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	12	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	13	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	14	GANTRY SERVICE BRAKE POWER SUPPLY

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribution
=040.C	+01F14	15	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	16	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	17	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	18	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	19	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	20	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	21	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	22	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	23	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	24	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	25	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	26	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	27	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	28	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	29	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	30	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	31	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	32	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	33	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	34	GANTRY SERVICE BRAKE POWER SUPPLY
=040.C	+01F14	52	GANTRY CONTROL PANEL CONTROL POWER DISTRIBUTION
=040.C	+07S01	62	GANTRY LANDSIDE I/O STATION CONTROL POWER DISTRIBUTION
=040.C	+07S01	63	GANTRY LANDSIDE I/O STATION CONTROL POWER DISTRIBUTION
=040.C	+08S01	72	GANTRY WATERSIDE CONTROL STATION CONTROL POWER DISTRIBUTION
=040.C	+08S01	73	GANTRY WATERSIDE CONTROL STATION CONTROL POWER DISTRIBUTION
=040.G	+01F14	1	GANTRY CONTROL PANEL DC POWER SUPPLY
=040.G	+07S01	11	GANTRY LANDSIDE I/O STATION DC POWER SUPPLY
=040.G	+07S01	12	GANTRY LANDSIDE I/O STATION DC POWER SUPPLY

1.d

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
Table of contents : =030.R+01F16/12 -
=040.G+07S01/12

Resp dep. : EZ Design	Plant Function: =000.D	Page Number: 1.e
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753

1.f

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribution
=040.G	+08S01	21	GANTRY WATERSIDE CONTROL STATION DC POWER SUPPLY
=040.G	+08S01	22	GANTRY WATERSIDE CONTROL STATION DC POWER SUPPLY
=040.M	+01F14	1	I/O GANTRY
=040.M	+01F14	2	I/O GANTRY
=040.M	+01F14	3	I/O GANTRY
=040.M	+01F14	4	I/O GANTRY
=040.M	+01F14	21	I/O GANTRY
=040.M	+01F14	22	I/O GANTRY
=040.M	+01F14	23	I/O GANTRY
=040.M	+01F14	24	I/O GANTRY
=040.M	+01F14	32	I/O GANTRY
=040.M	+01F14	33	I/O GANTRY
=040.M	+07S01	41	I/O GANTRY
=040.M	+07S01	42	I/O GANTRY
=040.M	+07S01	47	I/O GANTRY
=040.M	+07S01	49	I/O GANTRY
=040.M	+07S01	50	I/O GANTRY
=040.M	+08S01	61	I/O GANTRY
=040.M	+08S01	62	I/O GANTRY
=040.M	+08S01	67	I/O GANTRY
=040.M	+08S01	69	I/O GANTRY
=040.M	+08S01	70	I/O GANTRY
=041.J	+01F22	1	MAIN TROLLEY/BOOM HOIST/GANTRY DRIVE 1 SECTION
=041.J	+01F35	3	GANTRY MOTOR 5 PULSE GENERATOR SECTION
=041.J	+01F35	4	GANTRY MOTOR 18 PULSE GENERATOR SECTION
=041.J	+01F50.1	5	GANTRY MOTOR GROUP 1 SECTION
=041.J	+01F50.1	6	GANTRY MOTOR GROUP 2 SECTION
=041.J	+01F50.4	10	GANTRY MOTOR GROUP 1 SECTION

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribution
=041.J	+01F50.4	11	GANTRY MOTOR 1
=041.J	+01F50.4	12	GANTRY MOTOR 3
=041.J	+01F50.4	13	GANTRY MOTOR 5
=041.J	+01F50.4	14	GANTRY MOTOR 7
=041.J	+01F50.4	15	GANTRY MOTOR 9
=041.J	+01F50.4	16	GANTRY MOTOR 11
=041.J	+01F50.4	17	GANTRY MOTOR 13
=041.J	+01F50.4	18	GANTRY MOTOR 15
=041.J	+01F50.4	19	GANTRY MOTOR 17
=041.J	+01F50.4	20	GANTRY MOTOR 19
=041.J	+01F50.4	21	GANTRY MOTOR 21
=041.J	+01F50.4	22	GANTRY MOTOR 23
=041.J	+07S01	33	GANTRY MOTOR 19 ABSOLUTE ENCODER
=041.R	+01F14	1	GANTRY MOTOR GROUP 1 CHANGEOVER CONTROL CIRCUIT SECTION
=041.R	+01F14	2	GANTRY MOTOR GROUP 2 CHANGEOVER CONTROL CIRCUIT SECTION
=042.J	+01F23	1	MAIN TROLLEY/BOOM HOIST/GANTRY DRIVE 2 SECTION
=042.J	+01F35	3	GANTRY MOTOR 5 PULSE GENERATOR SECTION
=042.J	+01F35	4	GANTRY MOTOR 18 PULSE GENERATOR SECTION
=042.J	+01F50.2	5	GANTRY MOTOR GROUP 1 SECTION
=042.J	+01F50.2	6	GANTRY MOTOR GROUP 2 SECTION
=042.J	+01F50.4	10	GANTRY MOTOR GROUP 2 SECTION
=042.J	+01F50.4	11	GANTRY MOTOR 2
=042.J	+01F50.4	12	GANTRY MOTOR 4
=042.J	+01F50.4	13	GANTRY MOTOR 6
=042.J	+01F50.4	14	GANTRY MOTOR 8
=042.J	+01F50.4	15	GANTRY MOTOR 10
=042.J	+01F50.4	16	GANTRY MOTOR 12
=042.J	+01F50.4	17	GANTRY MOTOR 14

1.e

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
Table of contents : =040.G+08S01/21 -
=042.J+01F50.4/17

Resp dep. : EZ Design	Plant Function:=000.D	Page Number: 1.f
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753

1.g

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribution
=042.J	+01F50.4	18	GANTRY MOTOR 16
=042.J	+01F50.4	19	GANTRY MOTOR 18
=042.J	+01F50.4	20	GANTRY MOTOR 20
=042.J	+01F50.4	21	GANTRY MOTOR 22
=042.J	+01F50.4	22	GANTRY MOTOR 24
=042.R	+01F14	1	GANTRY MOTOR GROUP 1 CHANGEOVER CONTROL CIRCUIT SECTION
=042.R	+01F14	2	GANTRY MOTOR GROUP 2 CHANGEOVER CONTROL CIRCUIT SECTION
=045.C	+01F11.2	1	GANTRY LANDSIDE HYDRAULIC STATION PUMP MOTOR SECTION
=045.C	+01F11.2	5	GANTRY WATERSIDE HYDRAULIC STATION PUMP MOTOR SECTION
=045.G	+07S01	11	GANTRY LANDSIDE HYDRAULIC STATION SOLENOID SECTION
=045.G	+08S01	15	GANTRY WATERSIDE HYDRAULIC STATION SOLENOID SECTION
=045.M	+07S01	21	GANTRY LANDSIDE HYDRAULIC STATION PLC I/O SECTION
=045.M	+07S01	22	GANTRY LANDSIDE HYDRAULIC STATION PLC I/O SECTION
=045.M	+08S01	31	GANTRY WATERSIDE HYDRAULIC STATION PLC I/O SECTION
=045.M	+08S01	32	GANTRY WATERSIDE HYDRAULIC STATION PLC I/O SECTION
=046.C	+01F18	1	GANTRY CABLE REEL AC POWER DISTRIBUTION SECTION
=046.C	+01F18	2	GANTRY CABLE REEL MOTOR & SLIP RING HEATER SECTION
=046.C	+01F18	4	GANTRY CABLE REEL MOTOR BRAKE SECTION
=046.C	+01F18	5	GANTRY CABLE REEL CONTROL POWER CIRCUIT SECTION
=046.G	+01F18	1	GANTRY CABLE REEL DC POWER DISTRIBUTION SECTION
=046.G	+01F18	2	GANTRY CABLE REEL DC POWER DISTRIBUTION SECTION
=046.J	+01F18	1	GANTRY CABLE REEL MOTOR MODULE SECTION
=046.J	+01F18	2	GANTRY CABLE REEL MOTOR MODULE SECTION
=046.J	+08S01	13	GANTRY CABLE REEL ABSOLUTE ENCODER
=046.M	+08S01	1	GANTRY CABLE REEL I/O SECTION
=046.M	+08S01	2	GANTRY CABLE REEL I/O SECTION
=046.R	+01F18	2	GANTRY CABLE REEL MOTOR THERMAL PROTECTOR
=050.C	+10F01	1	MAIN TROLLEY SPREADER POWER SUPPLY

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribution
=050.C	+10F01	2	MAIN TROLLEY SPREADER POWER SUPPLY
=050.R	+10F01	1	MAIN TROLLEY SPREADER CONTROL CIRCUIT SECTION
=050.R	+10F01	3	MAIN TROLLEY SPREADER CONTROL CIRCUIT SECTION
=050.R	+10F01	4	MAIN TROLLEY SPREADER CONTROL CIRCUIT SECTION
=050.R	+10F01	5	MAIN TROLLEY SPREADER CONTROL CIRCUIT SECTION
=050.U	+10F01	1	MAIN TROLLEY SPREADER CONTROLLER SECTION
=056.C	+01F18	1	SPREADER CABLE REEL AC POWER DISTRIBUTION SECTION
=056.C	+01F18	4	SPREADER CABLE REEL MOTOR BRAKE SECTION
=056.C	+10F01	12	SPREADER CABLE REEL MOTOR & SLIP RING HEATER SECTION
=056.J	+01F18	1	SPREADER CABLE REEL MOTOR MODULE SECTION
=056.J	+01F18	2	SPREADER CABLE REEL MOTOR MODULE SECTION
=056.J	+10F01	14	SPREADER CABLE REEL MOTOR PULSE GENERATOR SECTION
=056.M	+10F01	1	SPREADER CABLE REEL I/O SECTION
=056.M	+10F01	2	SPREADER CABLE REEL I/O SECTION
=056.R	+10F01	2	SPREADER CABLE REEL MOTOR THERMAL PROTECTOR
=070.C	+01F12.2	1	CPS AC POWER SECTION
=070.C	+01F42	5	CPS AC POWER SECTION
=070.C	+08S01	11	CPS AC POWER SECTION
=070.G	+01F42	1	CPS DC POWER SECTION
=070.G	+08S01	11	CPS DC POWER SECTION
=070.R	+01F42	1	CPS CONTROL CIRCUIT SECTION
=070.R	+08S01	5	CPS CONTROL CIRCUIT SECTION
=070.R	+08S01	6	CPS CONTROL CIRCUIT SECTION
=070.R	+10F01	31	CPS CONTROL CIRCUIT SECTION
=080.C	+01F12.2	10	LIGHTING PANEL INCOMING POWER SECTION
=080.C	+01F12.2	11	FLOODLIGHT SECTION
=080.C	+01F12.2	12	FLOODLIGHT SECTION
=080.C	+01F12.2	13	FLOODLIGHT SECTION

1.f

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
Table of contents : =042.J+01F50.4/18 -
=080.C+01F12.2/13

Resp dep. : EZ Design	Plant Function:=000.D	Page Number: 1.g
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753

1.h

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribution
=080.C	+01F12.2	15	FLOODLIGHT SECTION
=080.C	+01F12.2	16	FLOODLIGHT SECTION
=080.C	+01F12.2	17	FLOODLIGHT SECTION
=080.C	+01F12.2	19	MAINTENANCE FLOODLIGHT SECTION
=080.C	+01F12.2	20	MAINTENANCE FLOODLIGHT SECTION
=080.C	+01F12.2	21	WALKWAY LIGHT SECTION
=080.C	+01F12.2	22	WALKWAY LIGHT SECTION
=080.C	+01F12.2	23	WALKWAY LIGHT SECTION
=080.C	+01F12.2	24	WALKWAY LIGHT SECTION
=080.C	+01F12.2	25	WALKWAY LIGHT SECTION
=080.C	+01F12.2	26	WALKWAY LIGHT SECTION
=080.C	+01F12.2	28	GENERAL LIGHT SECTION
=080.C	+01F12.2	29	GENERAL LIGHT SECTION
=080.C	+01F12.2	30	GENERAL LIGHT SECTION
=080.C	+01F12.2	31	OUTLET SECTION
=080.C	+01F12.2	32	OUTLET SECTION
=080.C	+01F12.2	33	OUTLET SECTION
=080.C	+01F12.2	34	OUTLET SECTION
=080.C	+01F12.2	39	EMERGENCY LIGHT OUTLET SECTION
=080.C	+01F12.2	41	MOTOR HEATER POWER SECTION
=080.C	+01F12.2	42	OTHER AUXILIARY DEVICE HEATER POWER SECTION
=080.C	+01F12.2	43	PANEL LIGHT AND HEATER POWER SECTION
=080.C	+01F12.2	50	LIGHTING PANEL CONTROL POWER DISTRIBUTION
=080.C	+10F01	61	FLOODLIGHT SECTION
=080.C	+10F01	62	MAINTENANCE FLOODLIGHT SECTION
=080.C	+10F01	63	WALKWAY LIGHT SECTION
=080.C	+10F01	64	GENERAL LIGHT SECTION
=080.C	+10F01	65	OUTLET SECTION

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribution
=080.C	+10F01	66	EMERGENCY OUTLET SECTION
=080.C	+10F01	68	MOTOR HEATER POWER SECTION
=080.C	+10F01	69	PANEL LIGHT AND HEATER POWER SECTION
=080.G	+01F12.2	1	LIGHTING PANEL DC POWER DISTRIBUTION
=080.R	+01F12.1	1	LIGHTING CONTROL CIRCUIT SECTION
=080.R	+01F12.1	2	LIGHTING CONTROL CIRCUIT SECTION
=080.R	+01F12.1	5	LIGHTING CONTROL CIRCUIT SECTION
=080.R	+01F12.1	7	LIGHTING CONTROL CIRCUIT SECTION
=080.R	+01F12.1	8	LIGHTING CONTROL CIRCUIT SECTION
=080.R	+01F12.1	9	LIGHTING CONTROL CIRCUIT SECTION
=080.R	+01F12.1	10	LIGHTING CONTROL CIRCUIT SECTION
=080.R	+01F12.1	12	LIGHTING CONTROL CIRCUIT SECTION
=080.R	+01F12.1	17	LIGHTING CONTROL CIRCUIT SECTION
=080.R	+01F12.1	21	WALKWAY LIGHT EXTEND SECTION
=080.R	+01F12.1	22	WALKWAY LIGHT EXTEND SECTION
=080.R	+01F12.1	23	WALKWAY LIGHT EXTEND SECTION
=080.R	+01F12.1	24	WALKWAY LIGHT EXTEND SECTION
=080.R	+01F12.1	25	WALKWAY LIGHT EXTEND SECTION
=080.R	+01F12.1	26	WALKWAY LIGHT EXTEND SECTION
=080.R	+01F12.1	27	WALKWAY LIGHT EXTEND SECTION
=080.R	+01F12.1	28	WALKWAY LIGHT EXTEND SECTION
=080.R	+01F12.1	29	WALKWAY LIGHT EXTEND SECTION
=080.R	+01F12.1	31	GENERAL LIGHT LIGHT EXTEND SECTION
=080.R	+01F12.1	32	GENERAL LIGHT LIGHT EXTEND SECTION
=080.R	+01F12.1	39	MOTOR HEATER CONTROL CIRCUIT SECTION
=080.R	+01F12.1	40	MOTOR HEATER CONTROL CIRCUIT SECTION
=080.R	+01F12.1	41	MOTOR HEATER CONTROL CIRCUIT SECTION
=080.R	+01F12.1	42	MOTOR HEATER CONTROL CIRCUIT SECTION

1.g

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
Table of contents : =080.C+01F12.2/15 -
=080.R+01F12.1/42

Resp dep. : EZ Design	Plant Function:=000.D	Page Number: 1.h
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753

1.i

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribution
=080.R	+01F12.1	43	MOTOR HEATER CONTROL CIRCUIT SECTION
=080.R	+01F12.1	44	MOTOR HEATER CONTROL CIRCUIT SECTION
=080.R	+01F12.1	45	OTHER AUXILIARY DEVICE HEATER CONTROL CIRCUIT SECTION
=080.R	+01F12.1	46	PANEL LIGHT CONTROL CIRCUIT SECTION
=080.R	+01F12.1	47	PANEL LIGHT CONTROL CIRCUIT SECTION
=080.R	+01F12.1	48	PANEL HEATER CONTROL CIRCUIT SECTION
=080.R	+01F12.1	49	PANEL HEATER CONTROL CIRCUIT SECTION
=080.R	+10F01	64	LIGHTING CONTROL CIRCUIT SECTION
=080.R	+10F01	65	LIGHT EXTEND SECTION
=080.R	+10F01	66	PANEL LIGHT CONTROL CIRCUIT SECTION
=080.R	+10F01	68	MOTOR HEATER CONTROL CIRCUIT SECTION
=080.R	+10F01	70	LIGHTING CONTROL CIRCUIT SECTION
=081.C	+01F11.2	1	ELECTRICAL ROOM AIR-CONDITIONER SECTION
=081.C	+01F11.2	2	ELECTRICAL ROOM AIR-CONDITIONER SECTION
=081.C	+01F11.2	7	MACHINARY HOUSE VENTILATION FAN SECTION
=081.C	+01F11.2	8	MACHINARY HOUSE VENTILATION FAN SECTION
=081.C	+01F12.2	11	PLC ROOM AIR-CONDITIONER SECTION
=081.C	+01F12.2	12	AIR-CONDITIONER AUTOMATIC DAMPER SECTION
=081.C	+10F01	31	OPERATOR CABIN AIR-CONDITIONER SECTION
=081.R	+01F11.3	7	MACHINARY HOUSE VENTILATION FAN CONTROL CIRCUIT SECTION
=081.R	+01F11.3	8	MACHINARY HOUSE VENTILATION FAN AIR FLOW DETECTOR LIMIT SWITCH SECTION
=081.R	+01F12.1	11	AIR-CONDITIONER AUTOMATIC DAMPER SECTION
=081.R	+01F12.1	12	AIR-CONDITIONER CONTROL CIRCUIT SECTION
=081.R	+01F12.1	13	AIR-CONDITIONER CONTROL CIRCUIT SECTION
=082.C	+01F11.2	1	AUXILIARY DEVICE AC POWER SECTION
=082.C	+01F11.2	2	AUXILIARY DEVICE AC POWER SECTION
=082.C	+01F11.2	4	AUXILIARY DEVICE AC POWER SECTION
=082.C	+01F11.2	6	AUXILIARY DEVICE AC POWER SECTION

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribution
=082.C	+01F11.2	7	AUXILIARY DEVICE AC POWER SECTION
=082.C	+01F11.2	9	AUXILIARY DEVICE AC POWER SECTION
=082.C	+01F12.2	21	AUXILIARY DEVICE AC POWER SECTION
=082.C	+01F12.2	22	AUXILIARY DEVICE AC POWER SECTION
=082.C	+01F12.2	23	AUXILIARY DEVICE AC POWER SECTION
=082.C	+01F12.2	24	AUXILIARY DEVICE AC POWER SECTION
=082.C	+10F01	53	AUXILIARY DEVICE AC POWER SECTION
=082.C	+10F01	54	AUXILIARY DEVICE AC POWER SECTION
=082.G	+10F01	32	OPERATOR CABIN PANEL DC POWER DISTRIBUTION
=082.G	+10F01	33	OPERATOR CABIN PANEL DC POWER DISTRIBUTION
=082.R	+01F11.3	4	MACHINARY HOUSE ROPE REEVING MOTOR CONTROL CIRCUIT SECTION
=082.R	+01F12.1	22	AIRCRAFT CONTROL CIRCUIT SECTION
=082.R	+01F12.1	23	AIRCRAFT CONTROL CIRCUIT SECTION
=082.R	+01F12.1	24	AIRCRAFT CONTROL CIRCUIT SECTION
=082.R	+01F12.1	25	AIRCRAFT CONTROL CIRCUIT SECTION
=082.R	+01F12.1	26	GANTRY WARNING DEVICE CONTROL CIRCUIT SECTION
=082.R	+01F12.1	27	OTHER DEVICE CONTROL CIRCUIT SECTION
=082.R	+01F12.1	28	ELECTRICAL ROOM TEMPERATURE AND HUMIDITY SENSOR CONTROL CIRCUIT SECTION
=082.R	+01F12.1	29	FIRE ALARM CONTROL CIRCUIT SECTION
=082.R	+01F12.1	30	FIRE ALARM CONTROL CIRCUIT SECTION
=082.R	+10F01	46	MAIN TROLLEY WARNING DEVICE CONTROL CIRCUIT SECTION
=082.R	+10F01	49	AUXILIARY DEVICE CONTROL CIRCUIT SECTION
=082.R	+10F01	50	AUXILIARY DEVICE CONTROL CIRCUIT SECTION
=082.R	+10F01	51	AUXILIARY DEVICE CONTROL CIRCUIT SECTION
=082.U	+01F12.1	11	FIRE ALARM CONTROLLER SECTION
=082.U	+01F12.1	12	FIRE ALARM CONTROLLER SECTION
=083.C	+01F11.2	1	MAIN HOIST EMERGENCY BRAKE HYDRAULIC STATION

1.h

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
Table of contents : =080.R+01F12.1/43 -
=083.C+01F11.2/1

Resp dep. : EZ Design	Plant Function:=000.D	Page Number: 1.i
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753

1.j

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribution
=083.C	+01F11.2	3	BOOM HOIST EMERGENCY BRAKE HYDRAULIC STATION
=083.C	+01F19	31	MACHINARY HOUSE EMERGENCY MOTOR POWER SECTION
=083.G	+01F11.3	10	MACHINARY HOUSE HYDRAULIC STATION SOLENOID SECTION
=083.G	+01F11.3	11	MACHINARY HOUSE HYDRAULIC STATION SOLENOID SECTION
=083.G	+01F11.3	12	MACHINARY HOUSE HYDRAULIC STATION SOLENOID SECTION
=083.J	+01F19	1	MACHINARY HOUSE EMERGENCY MOTOR
=083.M	+01F11.3	1	MACHINARY HOUSE HYDRAULIC STATION I/O SECTION
=083.R	+01F11.3	1	MACHINARY HOUSE HYDRAULIC STATION CONTROL SECTION
=083.R	+01F11.3	2	MACHINARY HOUSE HYDRAULIC STATION CONTROL SECTION
=083.R	+01F11.3	3	MACHINARY HOUSE HYDRAULIC STATION CONTROL SECTION
=083.R	+01F11.3	11	MACHINARY HOUSE HYDRAULIC STATION CONTROL SECTION
=083.R	+01F11.3	12	MACHINARY HOUSE HYDRAULIC STATION CONTROL SECTION
=083.R	+01F11.3	13	MACHINARY HOUSE HYDRAULIC STATION CONTROL SECTION
=091.M	+01F13	1	LOADCELL MEASUREMENT PLC I/O SECTION
=091.M	+01F13	5	LOADCELL MEASUREMENT PLC I/O SECTION
=091.U	+01F13	1	LOADCELL CONTROL CIRCUIT SECTION
=091.U	+01F13	2	LOADCELL CONTROL CIRCUIT SECTION
=092.M	+01F11.3	1	WIND SPEED SENSOR PLC I/O SECTION
=094.C	+01F12.2	1	INTERCOM SYSTEM AC POWER SECTION
=094.C	+10F01	51	INTERCOM SYSTEM AC POWER SECTION
=094.R	+01F12.2	1	INTERCOM SYSTEM CONTROL CIRCUIT SECTION
=094.R	+01F12.2	2	INTERCOM SYSTEM CONTROL CIRCUIT SECTION
=094.R	+01F12.2	3	INTERCOM SYSTEM CONTROL CIRCUIT SECTION
=094.R	+10F01	21	INTERCOM SYSTEM CONTROL CIRCUIT SECTION
=098.C	+01F42	5	PLC CONTROL POWER CIRCUIT SECTION
=098.G	+01F42	1	PLC DC POWER DISTRIBUTION
=098.G	+01F42	2	PLC DC POWER DISTRIBUTION
=098.M	+01F35	1	SIMOTION D435-2 CONTROL

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribution
=098.M	+01F35	3	SIMOTION CU320-2 CONTROL
=098.M	+01F35	6	SIMOTION DCM20 CONTROL
=098.M	+01F35	7	SIMOTION DCM20 CONTROL
=098.M	+01F42	12	PLC CPU PLC PANEL
=098.M	+01F42	13	I/O SLAVE 1 PLC PANEL
=098.M	+01F42	14	I/O SLAVE 1 PLC PANEL
=098.M	+01F42	15	I/O SLAVE 1 PLC PANEL
=098.M	+01F42	17	OLM PLC PANEL
=098.M	+01F42	18	PROFINET SWITCH PLC PANEL
=098.M	+01F42	19	PROFINET SWITCH PLC PANEL
=098.M	+01F42	20	PROFINET SWITCH PLC PANEL
=098.M	+01F42	22	CMS SWITCH PLC PANEL
=098.U	+01F41	1	CMS
=100.M	+10F01	2	CONTROL STATION LEFT CONSOLE
=100.M	+10F01	3	CONTROL STATION LEFT CONSOLE
=100.M	+10F01	5	CONTROL STATION LEFT CONSOLE
=100.M	+10F01	6	CONTROL STATION LEFT CONSOLE
=100.M	+10F01	7	CONTROL STATION LEFT CONSOLE
=100.M	+10F01	8	CONTROL STATION LEFT CONSOLE
=100.M	+10F01	11	CONTROL STATION RIGHT CONSOLE
=100.M	+10F01	12	CONTROL STATION RIGHT CONSOLE
=100.M	+10F01	13	CONTROL STATION RIGHT CONSOLE
=100.M	+10F01	14	CONTROL STATION RIGHT CONSOLE
=100.M	+10F01	15	CONTROL STATION RIGHT CONSOLE
=100.M	+10F01	16	CONTROL STATION RIGHT CONSOLE
=100.M	+10F01	17	CONTROL STATION RIGHT CONSOLE
=100.M	+10F01	21	CONTROL STATION SWIVEL PANEL
=100.M	+10F01	22	CONTROL STATION SWIVEL PANEL

1.i

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
Table of contents : =083.C+01F11.2/3 -
=100.M+10F01/22

Resp dep. : EZ Design	Plant Function:=000.D	Page Number: 1.j
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753

1.k

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribution
=100.M	+10F01	23	CONTROL STATION SWIVEL PANEL
=100.M	+10F01	24	CONTROL STATION SWIVEL PANEL
=100.M	+10F01	25	CONTROL STATION SWIVEL PANEL
=100.M	+10F01	31	CONTROL STATION OPERATOR CAIBN AUXILIARY CONTROL STATION
=100.M	+10F01	32	CONTROL STATION OPERATOR CAIBN AUXILIARY CONTROL STATION
=100.M	+10F01	33	CONTROL STATION OPERATOR CAIBN AUXILIARY CONTROL STATION
=100.M	+10F01	34	CONTROL STATION OPERATOR CAIBN AUXILIARY CONTROL STATION
=100.M	+10F01	35	CONTROL STATION OPERATOR CAIBN AUXILIARY CONTROL STATION
=100.M	+10F01	36	CONTROL STATION OPERATOR CAIBN AUXILIARY CONTROL STATION
=100.M	+10F01	37	CONTROL STATION OPERATOR CAIBN AUXILIARY CONTROL STATION
=100.M	+10F01	41	CONTROL STATION OPERATOR CAIBN SPREADER STATUS INDICATION
=100.M	+10F01	51	CONTROL STATION OPERATOR CAIBN METER DISPLAY
=100.M	+10F01	53	CONTROL STATION OPERATOR CAIBN METER DISPLAY
=100.M	+10F01	61	CONTROL STATION OPERATOR CAIBN FAULT DISPLAY INDICATION
=101.M	+07S01	1	CONTROL STATION GANTRY LOCAL STATION
=101.M	+07S01	2	CONTROL STATION GANTRY LOCAL STATION
=101.M	+07S01	3	CONTROL STATION GANTRY LOCAL STATION
=101.M	+07S01	4	CONTROL STATION GANTRY LOCAL STATION
=101.M	+07S01	5	CONTROL STATION GANTRY LOCAL STATION
=101.M	+07S01	6	CONTROL STATION GANTRY LOCAL STATION
=101.M	+07S01	7	CONTROL STATION GANTRY LOCAL STATION
=101.M	+07S01	8	CONTROL STATION GANTRY LOCAL STATION
=101.M	+07S01	11	CONTROL STATION GANTRY LOCAL STATION
=101.M	+08S01	21	CONTROL STATION GANTRY LOCAL STATION
=102.M	+14S01	1	CONTROL STATION BOOM LOCAL STATION
=102.M	+14S01	2	CONTROL STATION BOOM LOCAL STATION
=102.M	+14S01	3	CONTROL STATION BOOM LOCAL STATION
=103.M	+01F11.3	1	CONTROL STATION BACKREACH LOCAL STATION

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribution
=103.M	+01F11.3	2	CONTROL STATION BACKREACH LOCAL STATION
=103.M	+01F11.3	3	CONTROL STATION BACKREACH LOCAL STATION
=104.M	+01F42	1	CONTROL STATION PLC PANEL
=104.M	+01F42	2	CONTROL STATION PLC PANEL
=104.M	+01F42	3	CONTROL STATION PLC PANEL
=104.M	+01F42	4	CONTROL STATION PLC PANEL
=104.M	+01F42	5	CONTROL STATION PLC PANEL
=104.M	+01F42	6	CONTROL STATION PLC PANEL
=104.M	+01F42	11	CONTROL STATION PLC PANEL
=104.M	+01F42	12	CONTROL STATION PLC PANEL
=104.M	+01F42	13	CONTROL STATION PLC PANEL
=104.M	+01F42	14	CONTROL STATION PLC PANEL
=104.M	+01F42	15	CONTROL STATION PLC PANEL
=105.M	+01F11.3	1	CONTROL STATION MACHINARY HOUSE LOCAL STATION
=105.M	+01F11.3	2	CONTROL STATION MACHINARY HOUSE LOCAL STATION
=105.M	+01F11.3	3	CONTROL STATION MACHINARY HOUSE LOCAL STATION
=105.M	+01F11.3	4	CONTROL STATION MACHINARY HOUSE LOCAL STATION
=108.M	+14S01	1	CONTROL STATION A-FRAME LOCAL STATION
=108.M	+14S01	2	CONTROL STATION A-FRAME LOCAL STATION
=108.M	+14S01	3	CONTROL STATION A-FRAME LOCAL STATION
=901.M	+01F42	2	I/O SLAVE 2 PLC PANEL
=901.M	+01F42	3	I/O SLAVE 2 PLC PANEL
=901.M	+01F42	4	I/O SLAVE 2 PLC PANEL
=901.M	+01F42	5	I/O SLAVE 2 PLC PANEL
=901.M	+01F42	6	I/O SLAVE 2 PLC PANEL
=901.M	+01F42	7	I/O SLAVE 2 PLC PANEL
=903.M	+01F11.3	2	I/O SLAVE 1 LOW VOLTAGE DISTRIBUTION PANEL
=903.M	+01F11.3	3	I/O SLAVE 1 LOW VOLTAGE DISTRIBUTION PANEL

1.j

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
Table of contents : =100.M+10F01/23 - =903.M+01F11.3/3

Resp dep. : EZ Design	Plant Function:=000.D	Page Number: 1.k
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753

1.l

We reserve all rights in this document and in the information contained therein.
Reproduction, use or disclosure to third parties without express authority is strictly forbidden.
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribution
=903.M	+01F11.3	4	I/O SLAVE 1 LOW VOLTAGE DISTRIBUTION PANEL
=903.M	+01F11.3	5	I/O SLAVE 1 LOW VOLTAGE DISTRIBUTION PANEL
=903.M	+01F11.3	6	I/O SLAVE 2 LOW VOLTAGE DISTRIBUTION PANEL
=903.M	+01F11.3	7	I/O SLAVE 2 LOW VOLTAGE DISTRIBUTION PANEL
=903.M	+01F11.3	8	I/O SLAVE 2 LOW VOLTAGE DISTRIBUTION PANEL
=903.M	+01F11.3	9	I/O SLAVE 2 LOW VOLTAGE DISTRIBUTION PANEL
=903.M	+01F11.3	10	I/O SLAVE 3 LOW VOLTAGE DISTRIBUTION PANEL
=903.M	+01F11.3	11	I/O SLAVE 3 LOW VOLTAGE DISTRIBUTION PANEL
=903.M	+01F11.3	12	I/O SLAVE 3 LOW VOLTAGE DISTRIBUTION PANEL
=903.M	+01F11.3	13	I/O SLAVE 3 LOW VOLTAGE DISTRIBUTION PANEL
=903.M	+01F11.3	14	I/O SLAVE 3 LOW VOLTAGE DISTRIBUTION PANEL
=904.M	+01F12.2	2	I/O SLAVE 1 LIGHTING DISTRIBUTION PANEL
=904.M	+01F12.2	3	I/O SLAVE 1 LIGHTING DISTRIBUTION PANEL
=904.M	+01F12.2	4	I/O SLAVE 1 LIGHTING DISTRIBUTION PANEL
=904.M	+01F12.2	5	I/O SLAVE 1 LIGHTING DISTRIBUTION PANEL
=904.M	+01F12.2	6	I/O SLAVE 1 LIGHTING DISTRIBUTION PANEL
=906.M	+01F13	2	I/O SLAVE 1 MAIN HOIST CONTROL PANEL
=906.M	+01F13	3	I/O SLAVE 1 MAIN HOIST CONTROL PANEL
=906.M	+01F13	4	I/O SLAVE 1 MAIN HOIST CONTROL PANEL
=906.M	+01F13	5	I/O SLAVE 1 MAIN HOIST CONTROL PANEL
=906.M	+01F13	6	I/O SLAVE 2 MAIN HOIST CONTROL PANEL
=906.M	+01F13	7	I/O SLAVE 2 MAIN HOIST CONTROL PANEL
=906.M	+01F13	8	I/O SLAVE 2 MAIN HOIST CONTROL PANEL
=906.M	+01F13	9	I/O SLAVE 2 MAIN HOIST CONTROL PANEL
=909.M	+01F15	2	I/O SLAVE 1 MAIN TROLLEY CONTROL PANEL
=909.M	+01F15	3	I/O SLAVE 1 MAIN TROLLEY CONTROL PANEL
=909.M	+01F15	4	I/O SLAVE 1 MAIN TROLLEY CONTROL PANEL
=909.M	+01F15	5	I/O SLAVE 1 MAIN TROLLEY CONTROL PANEL

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribution
=909.M	+01F15	7	I/O SLAVE 1 MAIN TROLLEY CONTROL PANEL
=909.M	+01F15	8	I/O SLAVE 1 MAIN TROLLEY CONTROL PANEL
=909.M	+01F15	9	I/O SLAVE 1 MAIN TROLLEY CONTROL PANEL
=910.M	+01F14	2	I/O SLAVE 1 GANTRY CONTROL PANEL
=910.M	+01F14	3	I/O SLAVE 1 GANTRY CONTROL PANEL
=910.M	+01F14	4	I/O SLAVE 1 GANTRY CONTROL PANEL
=910.M	+01F14	5	I/O SLAVE 1 GANTRY CONTROL PANEL
=910.M	+01F14	6	I/O SLAVE 2 GANTRY CONTROL PANEL
=910.M	+01F14	7	I/O SLAVE 2 GANTRY CONTROL PANEL
=910.M	+01F14	8	I/O SLAVE 2 GANTRY CONTROL PANEL
=910.M	+01F14	9	I/O SLAVE 2 GANTRY CONTROL PANEL
=910.M	+01F14	10	I/O SLAVE 2 GANTRY CONTROL PANEL
=911.M	+01F18	2	I/O SLAVE GANTRY/SPREADER CABLE REEL CONTROL PANEL
=911.M	+01F18	3	I/O SLAVE GANTRY/SPREADER CABLE REEL CONTROL PANEL
=911.M	+01F18	4	I/O SLAVE GANTRY/SPREADER CABLE REEL CONTROL PANEL
=911.M	+01F18	5	I/O SLAVE GANTRY/SPREADER CABLE REEL CONTROL PANEL
=912.M	+01F16	2	I/O SLAVE 1 BOOM HOIST CONTROL PANEL
=912.M	+01F16	3	I/O SLAVE 1 BOOM HOIST CONTROL PANEL
=912.M	+01F16	4	I/O SLAVE 1 BOOM HOIST CONTROL PANEL
=912.M	+01F16	5	I/O SLAVE 1 BOOM HOIST CONTROL PANEL
=912.M	+01F16	7	I/O SLAVE 1 BOOM HOIST CONTROL PANEL
=912.M	+01F16	8	I/O SLAVE 1 BOOM HOIST CONTROL PANEL
=912.M	+01F16	9	I/O SLAVE 1 BOOM HOIST CONTROL PANEL
=917.M	+10F01	2	I/O SLAVE 1 OPERATOR CAIBN CONTROL PANEL
=917.M	+10F01	3	I/O SLAVE 1 OPERATOR CAIBN CONTROL PANEL
=917.M	+10F01	4	I/O SLAVE 1 OPERATOR CAIBN CONTROL PANEL
=917.M	+10F01	5	I/O SLAVE 1 OPERATOR CAIBN CONTROL PANEL
=917.M	+10F01	6	I/O SLAVE 2 OPERATOR CAIBN CONTROL PANEL

1.k

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
Table of contents : =903.M+01F11.3/4 - =917.M+10F01/6

Resp dep. : EZ Design	Plant Function:=000.D	Page Number: 1.l
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753

1.m

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribuction
=917.M	+10F01	7	I/O SLAVE 2 OPERATOR CAIBN CONTROL PANEL
=917.M	+10F01	8	I/O SLAVE 2 OPERATOR CAIBN CONTROL PANEL
=917.M	+10F01	9	I/O SLAVE 2 OPERATOR CAIBN CONTROL PANEL
=917.M	+10F01	10	I/O SLAVE 3 OPERATOR CAIBN CONTROL PANEL
=917.M	+10F01	11	I/O SLAVE 3 OPERATOR CAIBN CONTROL PANEL
=917.M	+10F01	12	I/O SLAVE 3 OPERATOR CAIBN CONTROL PANEL
=917.M	+10F01	13	I/O SLAVE 3 OPERATOR CAIBN CONTROL PANEL
=917.M	+10F01	21	SWITCH OPERATOR CABIN CONTROL PANEL
=925.M	+08S01	2	I/O SLAVE GANTRY WATERSIDE CONTROL STATION
=925.M	+08S01	3	I/O SLAVE GANTRY WATERSIDE CONTROL STATION
=925.M	+08S01	4	I/O SLAVE GANTRY WATERSIDE CONTROL STATION
=925.M	+08S01	5	I/O SLAVE GANTRY WATERSIDE CONTROL STATION
=925.M	+08S01	21	SWITCH GANTRY WATERSIDE CONTROL STATION
=925.M	+08S01	22	SWITCH GANTRY WATERSIDE CONTROL STATION
=926.M	+07S01	2	I/O SLAVE GANTRY WATERSIDE CONTROL STATION
=926.M	+07S01	3	I/O SLAVE GANTRY WATERSIDE CONTROL STATION
=926.M	+07S01	4	I/O SLAVE GANTRY WATERSIDE CONTROL STATION
=926.M	+07S01	5	I/O SLAVE GANTRY WATERSIDE CONTROL STATION
=926.M	+07S01	7	I/O SLAVE GANTRY WATERSIDE CONTROL STATION
=926.M	+07S01	8	I/O SLAVE GANTRY WATERSIDE CONTROL STATION
=926.M	+07S01	9	I/O SLAVE GANTRY WATERSIDE CONTROL STATION
=926.M	+07S01	10	I/O SLAVE GANTRY WATERSIDE CONTROL STATION
=926.M	+07S01	21	SWITCH GANTRY WATERSIDE CONTROL STATION
=926.M	+07S01	22	SWITCH GANTRY WATERSIDE CONTROL STATION
=928.M	+14S01	2	I/O SLAVE BOOM CONTROL STATION
=928.M	+14S01	3	I/O SLAVE BOOM CONTROL STATION
=928.M	+14S01	4	I/O SLAVE BOOM CONTROL STATION
=928.M	+14S01	5	I/O SLAVE BOOM CONTROL STATION

INDEX SHEET

Higher-level function number	Mounting location	Page	Page Distribuction
=928.M	+14S01	21	SWITCH BOOM CONTROL STATION

1.I

=.F/1

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: Table of contents : =917.M+10F01/7 - =928.M+14S01/21	Resp dep. : EZ Design	Plant Function:=000.D	Page Number: 1.m		
			Designer	Di Ke				Drawing.NR: 1002000544				
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753		
Rev.Ind	Language	EN	Check	Zijiang Ge								

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

PLANT OVERVIEW

MOUNTING LOCATION OVERVIEW

HIGHER -LEVEL FUNCTION	PLANT DESCRIPTION	HIGHER -LEVEL FUNCTION	PLANT DESCRIPTION	MOUNTING LOCATION IDENTIFIER	MOUNTING LOCATION DESCRIPTION	MOUNTING LOCATION IDENTIFIER	MOUNTING LOCATION DESCRIPTION
=019.C	T/L/S AC DISTRIBUTION SECTION	=029.M	TROLLEY ROPE TENSION PLC I/O SECTION	+10S02	OPERATOR CABIN RIGHT CONSOLE		
=019.G	T/L/S DC DISTRIBUTION SECTION	=029.R	TROLLEY ROPE TENSION CONTROL CIRCUIT SECTION	+10S03	OPERATOR CABIN SWIVEL PANEL		
=019.M	T/L/S PLC I/O SECTION	=030		+10S04	OPERATOR CABIN WALL MOUNTED AUXILIARY CONTROL STATION		
=019.R	T/L/S CONTROL CIRCUIT SECTION	=030.C	BOOM HOIST AC DISTRIBUTION SECTION	+10S05	OPERATOR CABIN SPREADER STATUS INDICATION BOX		
=019.U	T/L/S CONTROLLER SECTION	=030.G	BOOM HOIST DC DISTRIBUTION SECTION	+10S06	OPERATOR CABIN METER DISPLAY BOX		
=020		=030.M	BOOM HOIST PLC I/O SECTION	+10S08	OPERATOR CABIN FAULT DISPLAY		
=020.C	TROLLEY AC DISTRIBUTION SECTION	=030.R	BOOM HOIST CONTROL CIRCUIT SECTION	+11	MAIN TROLLEY HEADBLOCK		
=020.G	TROLLEY DC DISTRIBUTION SECTION	=030.U	BOOM HOIST CONTROLLER SECTION	+12	MAIN TROLLEY SPREADER		
=020.M	TROLLEY PLC I/O SECTION	=031		+13	MAIN TROLLEY FRAME		
=020.R	TROLLEY CONTROL CIRCUIT SECTION	=031.J	BOOM DRIVE#1 POWER CIRCUIT SECTION	+13S02	SPREADER CABLE REEL LOCAL CONTROL STATION		
=021		=031.M	BOOM DRIVE#1 PLC I/O SECTION	+13S03	SPSS CONTROL STATION		
=021.J	TROLLEY DRIVE#1 POWER CIRCUIT SECTION	=031.R	BOOM DRIVE#1 CONTROL CIRCUIT SECTION	+14	BOOM CABIN		
=021.M	TROLLEY DRIVE#1 PLC I/O SECTION	=032		+14S01	BOOM CONTROL STATION		
=021.R	TROLLEY DRIVE#1 CONTROL CIRCUIT SECTION	=032.J	BOOM DRIVE#2 POWER CIRCUIT SECTION	+14S02	TROLLEY ACCESS OPERATION STATION		
=022		=032.M	BOOM DRIVE#2 PLC I/O SECTION	+15	ELEVATOR		
=022.J	TROLLEY DRIVE#2 POWER CIRCUIT SECTION	=032.R	BOOM DRIVE#2 CONTROL CIRCUIT SECTION	+17	FESTOON/POWER CHAIN PLATFORM		
=022.M	TROLLEY DRIVE#2 PLC I/O SECTION	=035		+HPU1	MAIN HOIST EMERGENCY BRAKE HYDRAULIC STATION		
=022.R	TROLLEY DRIVE#2 CONTROL CIRCUIT SECTION	=035.C	EMERGENCY DRIVE BOOM AC DISTRIBUTION SECTION	+HPU2	BACKREACH TLS HYDRAULIC STATION		
=025		=035.G	EMERGENCY DRIVE BOOM DC DISTRIBUTION SECTION	+HPU4	GANTRY LANDSIDE HYDRAULIC STATION		
=025.C	EMERGENCY DRIVE TROLLEY AC DISTRIBUTION SECTION	=035.J	EMERGENCY DRIVE BOOM SECTION	+HPU5	GANTRY WATERSIDE HYDRAULIC STATION		
=025.G	EMERGENCY DRIVE TROLLEY DC DISTRIBUTION SECTION	=035.M	EMERGENCY DRIVE BOOM PLC I/O SECTION	+MTHBJB	MAIN TROLLEY HEADBLOCK JUNCTION BOX		
=025.J	EMERGENCY DRIVE TROLLEY SECTION	=035.R	EMERGENCY DRIVE BOOM CONTROL CIRCUIT SECTION	+HPU7	BOOM HOIST EMERGENCY BRAKE HYDRAULIC STATION		
=025.M	EMERGENCY DRIVE TROLLEY PLC I/O SECTION	=040					
=025.R	EMERGENCY DRIVE TROLLEY CONTROL CIRCUIT SECTION	=040.C	GANTRY AC DISTRIBUTION SECTION				
=026		=040.G	GANTRY DC DISTRIBUTION SECTION				
=026.R	FESTOON/CHAIN CONTROL CIRCUIT SECTION	=040.M	GANTRY PLC I/O SECTION				
=029		=040.R	GANTRY CONTROL CIRCUIT SECTION				
=029.C	TROLLEY ROPE TENSION AC DISTRIBUTION SECTION	=041					
=029.G	TROLLEY ROPE TENSION DC DISTRIBUTION SECTION	=041.J	GANTRY DRIVE #1 POWER CIRCUIT SECTION				

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: Structure identifier overview	Resp dep. : EZ Design	Plant Function:=000.F	Page Number: 1.a		
			Designer	Di Ke				Drawing.NR: 1002000544				
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753		
Rev.Ind	Language	EN	Check	Zijiang Ge								

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

PLANT OVERVIEW

MOUNTING LOCATION OVERVIEW

HIGHER -LEVEL FUNCTION	PLANT DESCRIPTION	HIGHER -LEVEL FUNCTION	PLANT DESCRIPTION	MOUNTING LOCATION IDENTIFIER	MOUNTING LOCATION DESCRIPTION	MOUNTING LOCATION IDENTIFIER	MOUNTING LOCATION DESCRIPTION
=041.M	GANTRY DRIVE #1 PLC I/O SECTION	=070					
=041.R	GANTRY DRIVE #1 CONTROL CIRCUIT SECTION	=070.C	CPS AC DISTRIBUTION SECTION				
=042		=070.G	CPS DC DISTRIBUTION SECTION				
=042.J	GANTRY DRIVE #2 POWER CIRCUIT SECTION	=070.M	CPS PLC I/O SECTION				
=042.M	GANTRY DRIVE #2 PLC I/O SECTION	=070.R	CPS CONTROL CIRCUIT SECTION				
=042.R	GANTRY DRIVE #2 CONTROL CIRCUIT SECTION	=080					
=045		=080.C	LIGHT/HEATER/OUTLET AC DISTRIBUTION SECTION				
=045.C	WHEEL BRAKE/RAIL CLAMP AC DISTRIBUTION SECTION	=080.G	LIGHT/HEATER/OUTLET DC DISTRIBUTION SECTION				
=045.G	WHEEL BRAKE/RAIL CLAMP DC DISTRIBUTION SECTION	=080.M	LIGHT/HEATER/OUTLET PLC I/O SECTION				
=045.M	WHEEL BRAKE/RAIL CLAMP PLC I/O SECTION	=080.R	LIGHT/HEATER/OUTLET CONTROL CIRCUIT SECTION				
=045.R	WHEEL BRAKE/RAIL CLAMP CONTROL CIRCUIT SECTION	=081					
=046		=081.C	AIR-CONDITION/FAN AC DISTRIBUTION SECTION				
=046.C	GANTRY CABLE REEL AC DISTRIBUTION SECTION	=081.G	AIR-CONDITION/FAN DC DISTRIBUTION SECTION				
=046.G	GANTRY CABLE REEL DC DISTRIBUTION SECTION	=081.M	AIR-CONDITION/FAN PLC I/O SECTION				
=046.J	GANTRY CABLE REEL DRIVE SECTION	=081.R	AIR-CONDITION/FAN CONTROL CIRCUIT SECTION				
=046.M	GANTRY CABLE REEL PLC I/O SECTION	=082					
=046.R	GANTRY CABLE REEL CONTROL CIRCUIT SECTION	=082.C	AUXILIARY DEVICE AC POWER SECTION				
=050		=082.G	AUXILIARY DEVICE DC POWER SECTION				
=050.C	SPREADER#1 AC DISTRIBUTION SECTION	=082.M	AUXILIARY DEVICE PLC I/O SECTION				
=050.G	SPREADER#1 DC DISTRIBUTION SECTION	=082.R	AUXILIARY DEVICE CONTROL CIRCUIT SECTION				
=050.M	SPREADER#1 PLC I/O SECTION	=082.U	AUXILIARY DEVICE CONTROLLER SECTION				
=050.R	SPREADER#1 CONTROL CIRCUIT SECTION	=083					
=050.U	SPREADER#1 CONTROLLER SECTION	=083.C	EMERGENCY CIRCUIT AC DISTRIBUTION SECTION (Three in One)				
=056		=083.G	EMERGENCY CIRCUIT DC DISTRIBUTION SECTION (Three in One)				
=056.C	SPREADER CABLE REEL#1 AC DISTRIBUTION SECTION	=083.J	EMERGENCY DRIVE SECTION (Three in One)				
=056.G	SPREADER CABLE REEL#1 DC DISTRIBUTION SECTION	=083.M	EMERGENCY CIRCUIT PLC I/O SECTION (Three in One)				
=056.J	SPREADER CABLE REEL#1 DRIVE SECTION	=083.R	EMERGENCY CIRCUIT CONTROL CIRCUIT SECTION (Three in One)				
=056.M	SPREADER CABLE REEL#1 PLC I/O SECTION	=091					
=056.R	SPREADER CABLE REEL#1 CONTROL CIRCUIT SECTION	=091.M	LOADCELL MEASUREMENT/BOSS PLC I/O SECTION				

1.a

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: Structure identifier overview	Resp dep. : EZ Design	Plant Function:=000.F	Page Number:
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 7
Rev.Ind	Language	EN	Check	Zijiang Ge						

1.c

MOUNTING LOCATION OVERVIEW

We reserve all rights in this document and in the information contained therein
 Reproduction, use or disclosure to third parties without express authority is strictly forbidden
 ©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

$$=.Y/1$$

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: Structure identifier overview	Resp dep.: EZ Design	Plant Function:=000.F	Page Number: 1.c
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




TABLE SUPPLY 3P 400VAC (COLOR ACCORDING TO IEC 60204-32)

Example	Diameter	Color
L1 11	2,5 sqmm	BK
L2 11	2,5 sqmm	BK
L3 11	2,5 sqmm	BK
N 40	2,5 sqmm	LBU
PE 50	1,5 sqmm	YE/GN

* "#" MEANS SHORT CIRCUIT PROOF




TABLE SUPPLY 1P 230VAC (COLOR ACCORDING TO IEC 60204-32)

Example	Diameter	Color
L 31	1,5 sqmm	RD
N 32	1,5 sqmm	LBU







TABLE SUPPLY 24VDC (COLOR ACCORDING TO IEC 60204-32)

Example	Diameter	Color
DC+ 35	1,5 sqmm	BU
DC- 36	1,5 sqmm	BU

* ALL DIAMETER IS FOR MINIMUM VALUE




WIRING I/O PLC

Example	Diameter	Color
ALL 70	0,75 sqmm	see table

MEASURING

ALL	0,75 sqmm	shielded cables
-----	-----------	-----------------

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



1			Mod.Date	2019/9/5
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
GENERAL PE CIRCUIT

Resp dep.: EZ Design

Drawing.NR: 1002000544


DQ1002000544-YL001A-EN

Plant Function:=000.Y

Object Loc.:


Page Number: 2

Total Page: 753




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

CUT DIMENSION FOR INPUT/OUTPUT BUS BAR



CUT DIMENSION FOR PE BAR



			Mod.Date	2017/10/16
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project:	CIT Abidjan 6 STS
Location:	CIT Abidjan Côte d'Ivoire



Page description:
GENERAL CUT DIMENSION

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=000.Y
Object Loc.:

Page Number:	4
Total Page:	753

FUNCTION SUB CODES

=.A	COVER
=.D	INDEX
=.E	SYMBOL OVERVIEW
=.F	IDENTIFIER STRUCTURE
=.Y	SAMPLE DRAWING
=.C	AC POWER DISTRIBUTION
=.G	DC POWER DISTRIBUTION
=.H	DC DRIVE RELEVANT PART
=.J	AC DRIVE RELEVANT PART
=.M	PLC I/O & PLC OVERVIEW
=.R	CONTROL LOGICAL CIRCUIT
=.U	CONTROLLER

LOCATION SUB CODES

F	CUBICAL TYPE
S	BOX TYPE
E	MOUNTING PLATE TYPE

WIRE NO.	DESCRIPTION
----------	-------------

003C 01 01

Diagram illustrating the breakdown of the address 003C 01 01 into its components:

- 003C: FUNCTION CODE
- 01: PAGE NUMBER
- 01: NUMBER

ACCORDING TO IEC81346-2/2009

			Mod.Date	2017/10/16	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: GENERAL DEFINITION	Resp dep.: EZ Design	Plant Function:=000.Y	Page Number: 5
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

HOISTING AC MOTORS

Quantity:	2			
Order No./Type:	1PH8 352-7KZ40-2AX0-Z			
Motor series:	AC low-voltage squirrel cage motor, main voltage 500Vac-50.5Hz			
Frame material:	Steel welded housing			
Insulation class/temp. rise:	F/F			
No. of poles:	6			
Enclosure:	IP23			
Frame size:	355			
Type of construction:	IM B3,IM 1001(IEC DIN 34-7)horizontal, foot mounted.			
Net weight:	2560kG			
Moment of inertia:	17.4 kgm^2			
Efficiency:	93%			
Power factor p.f.:	0.83			
Cooling methods:	IC 06 with filter,with air flow monitor the power supply for the fan is 3AC 400V,50HZ			
Power supply for the fan	3AC,400VAC,50Hz			
Noise levels at rated load:	85dB(A),approx.			
Temperature sensor:	KTY 84-130,thermistor for alarm and tripping			
Paint finish:	Special paint for maritime climate, Corrosions class C5-M Color RAL 7040(Window grey)			
Build-on pulse-generator:	POG 10 DN 1024(with screw type terminal,Hubner encoder)			
Build-on brake	N/A			
Space heater:	230VAC/50HZ,approx. 320W			
Main terminal box:	Terminal box on the top, cable entry half right half left 7xM50x1.5+2xM20x1.5			
Safety notes/certification:	Factory test report in accordance with EN 10 204 2.3			
Others:	Extra rating plate as per application data			
	Application Data			Catalog Data
Duty-type to DIN 0530:	S1	S1	S3-25%	S1
Speed(rpm):	900	1800	450	1000
Static power (kW):	565	565	450	690(50d)
Static torque(Nm)	5995	2998	9468	6590
Max. dynamic torque(Nm):	11091	4796	11835	N/A
Max. usable torque(Nm):	14326	5321	14326	14326
Voltage(Vac):	450	500	225	500
Static current(Amp),approx.:	938	938	1496	1032
Max. Dynamic current(Amp):	1736(with dynamic torque 11091 Nm)	1501(with dynamic torque 4796)	1870	N/A
Frequency(Hz):	45.5	91	22.8	50.5
Insutruction:	IEC/DIN/VDE			

TROLLEY AC MOTORS

Quantity:	1	
Order No./Type:	1LE5603-3AB79-0AF1-Z	
Motor series:	AC low-voltage squirrel cage motor, main voltage 500Vac-60Hz	
Frame material:	Cast-iron	
Insulation class/temp. rise:	F/F	
No. of poles:	4	
Enclosure:	IP 55	
Frame size:	315	
Type of construction:	IM B3,IM 1001(IEC DIN 34-7)horizontal, foot mounted.	
Net weight:	1500KG	
Moment of inertia:	4.4 kgm^2	
Efficiency:	96.3%	
Power factor p.f.:	0.88	
Cooling methods:	IC 411 (IEC DIN 34-6), fan cooling(islef-ventilation fan)	
Power supply for the fan	N/A	
Noise levels at rated load:	80dB(A),approx.	
Temperature sensor:	KTY84 thermistor for alarm and tripping	
Paint finish:	Special paint for maritime climate, Corrosions class C5-M Color RAL 7040(Window grey)	
Build-on pulse-generator:	with HOG 10DN 1024! (screw type terminal, Hubner encoder)	
Build-on brake	N/A	
Space heater:	230Vac/50Hz, approx. 200W	
Main terminal box:	terminal box at left side, view from DE 3xM50x1.5+2xM20x1.5	
Safety notes/certification:	Factory test report in accordance with EN 10 204 2.3	
Others:	Extra rating plate as per application data	
	Application Data	Catalog Data
Duty-type to DIN 0530:	S1	S1
Speed(rpm):	1750	1786
Static power (kW):	285	333(50d)
Static torque(Nm)	1555	1780
Max. dynamic torque(Nm):	3888	N/A
Max. usable torque(Nm):	4329	4329
Voltage(Vac):	490	500
Static current(Amp),approx.:	418	455
Max. Dynamic current(Amp):	1045 (with dynamic torque 3888Nm)	N/A
Frequency(Hz):	58.8	60
Insutruction:	IEC/DIN/VDE	

BOOM AC MOTOR

Quantity:	1	
Order No./Type:	1LE5603-3AB79-0AF1-Z	
Motor series:	AC low-voltage squirrel cage motor, main voltage 500Vac-60Hz	
Frame material:	Cast-iron	
Insulation class/temp. rise:	F/F	
No. of poles:	4	
Enclosure:	IP 55	
Frame size:	315	
Type of construction:	IM B3,IM 1001(IEC DIN 34-7)horizontal, foot mounted.	
Net weight:	1500KG	
Moment of inertia:	4.4 kgm^2	
Efficiency:	96.3%	
Power factor p.f.:	0.88	
Cooling methods:	IC 411 (IEC DIN 34-6) fan cooling (self-ventilation fan).	
Power supply for the fan	N/A	
Noise levels at rated load:	80dB(A),approx.	
Temperature sensor:	KTY84 thermistor for alarm and tripping	
Paint finish:	Special paint for maritime climate, Corrosions class C5-M Color RAL 7040(Window grey)	
Build-on pulse-generator:	with HOG 10DN 1024! (screw type terminal, Hubner encoder)	
Build-on brake	N/A	
Space heater:	230VAC/50Hz,approx. 200W	
Main terminal box:	Terminal box at left side from DE 3xM50x1.5+2xM20x1.5	
Safety notes/certification:	Factory test report in accordance with EN 10 204 2.3	
Others:	Extra rating plate as per application data	
	Application Data	Catalog Data
Duty-type to DIN 0530:	S2-60min	S1
Speed(rpm):	1750	1786
Static power (kW):	335	333(50d)
Static torque(Nm)	1828	1780
Max. dynamic torque(Nm):	3291	N/A
Max. usable torque(Nm):	4329	4329
Voltage(Vac):	490	500
Static current(Amp),approx.:	478	455
Max. Dynamic current(Amp):	861(with dynamic totque 3291Nm)	N/A
Frequency(Hz):	58.8	60
Insutruction:	IEC/DIN/VDE	


GANTRY AC MOTORS

Quantity:	24			
Order No./Type:	1PC1501-1EB49-0GZ4-Z			
Motor series:	AC low-voltage squirrel cage motor, main voltage 500Vac-60Hz			
Frame material:	Cast-iron			
Insulation class/temp. rise:	F/F			
No. of poles:	4			
Enclosure:	IP 65			
Frame size:	180L			
Type of construction:	IM V1, IM 3011 (IEC DIN 34-7) vertical, flange mounted			
Net weight:	150Kg+55Kg			
Moment of inertia:	0.12 kgm^2			
Efficiency:	91.6%			
Power factor p.f.:	0.85			
Cooling methods:	IC 410 (IEC DIN 34-6), (no-ventilation fan)			
Power supply for the fan	N/A			
Noise levels at rated load:	66dB(A),approx.			
Temperature sensor:	Bimetal temperature switch for tripping			
Paint finish:	Special paint for maritime climate, Corrosions class C5-M RAL XXXX			
Build-on pulse-generator:	two motors with POG 10DN 1024 (screw type terminal, Hubner encoder)			
Build-on brake	With KF830 brake, brake with micro-switch for release and handliever, brake with heater, power supply 230V/50Hz			
Space heater:	230Vac/50Hz, approx. 55W			
Main terminal box:	Terminal box at NDS, cable entry from DE 1xM32x1.5+3xM20x1.5+2xM25x1.5			
Safety notes/certification:	Factory test report in accordance with EN 10 204 2.3			
Others:	Extra rating plate as per application data			
	Application Data			Catalog Data
Duty-type to DIN 0530:	S2-30min	S2-23min	S2-7min	S2-30 min
Speed(rpm):	1750	1750	1750	1760
Static power (kW):	15	26	32	28(50d)
Static torque(Nm)	82	142	175	152
Max. dynamic torque(Nm):	164	177	210	N/A
Max. usable torque(Nm):	286	286	286	306
Voltage(Vac):	500	500	500	500
Static current(Amp),approx.:	24	42	51	42
Max. Dynamic current(Amp):	47	53	61	N/A
Frequency(Hz):	60	60	60	60
Insutruction:	IEC/DIN/VDE			

=000.Y/5

			Mod.Date	2020/9/15	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: SINGLE LINE DIAGRAM	Resp dep. : EZ Design	Plant Function:=001	Page Number: 0
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




AIM & ALM CUBICLE			
Quantity:	3		
Order No./ Type:	6SL3330-7TE41-4AA3 6SL3300-7TE41-4AA1		
Series:	SINAMICS S120, ACTIVE LINE MODULE ACTIVE INTERFACE MODULE		
Rated power (kW):	900Kw		
Power supply:	3AC 480V, 50Hz (AC 380 ~ 480V, 50/60Hz±6%)		
Output voltage (Vdc):	DC 650V		
Rated input current (Amp):	1405A		
the rated current	DC1574A		
Max output current (Amp):	DC2102 (for 60s with a cycle time of 300s)		
Noise levels at rated load:	80 dB(A), approx.		
Dimension WxHxD (mm):	Approx. 1600x2500x600 mm		
Weight (Kg):	N/A		
Options /Special designs	Electronic & Functions:	- Anti-condensation heaters, a warning label nearby each heater.	
	Enclosure:	- Cabinet lighting with door switch and socket, 230Vac/50Hz	
		- 8MFCubicle	
		- Degree of protection IP21	
	Others:	- mechanical increased cubicles for crane applications	
		- Job-specific dimension drawings	
		- Job-specific circuit diagrams	
Instruction:	IEC/DIN/VDE		

HOIST MOTOR MODULES			
Quantity:	2		
Order No./ Type:	6SL3320-1TE41-4AA3		
Series:	SINAMICS S120, MOTOR MODULE		
Rated power (kW):	800KW		
Input voltage (Vdc):	DC 650V		
Output voltage (Vac):	0V ~ 500V		
Rated output current (Amp):	1405 A		
Base load current Ih (Amp):	1257 A		
Max output current (Amp):	1886 (for 60s with a cycle time of 300s)		
Noise levels at rated load:	75 dB(A), approx.		
Dimension WxHxD (mm):	Approx. 800x2600x600 mm		
Weight (Kg):	N/A		
Options /Special designs	Electronic & Functions:	- Anti-condensation heaters	
	Enclosure:	- 8MFCubicle	
		- Degree of protection IP21	
		- mechanical increased cubicles for crane applications	
		- Anti-condensation heaters, a warning label nearby each heater.	
		- Cabinet lighting with door switch and socket, 230Vac/50Hz	
	Others:	- Job-specific dimension drawings	
		- Job-specific circuit diagrams	
Instruction:	IEC/DIN/VDE		

TROLLEY/BOOM/GANTRY MOTOR MODULE			
Quantity:	2		
Order No./ Type:	6SL3320-1TE41-0AA3		
Series:	SINAMICS S120 , MOTOR MODULE		
Rated power (kW):	560KW		
Input voltage (Vdc):	DC 650V		
Output voltage (Vac):	0V ~ 500V		
Rated output current (Amp):	985 A		
Base load current Ih (Amp):	860 A		
Max output current (Amp):	1290 (for 60s with a cycle time of 300s)		
Noise levels at rated load:	75 dB(A), approx.		
Dimension WxHxD (mm):	Approx. 800x2600x600 mm		
Weight (Kg):	N/A		
Options /Special designs	Electronic & Functions:	- Anti-condensation heaters	
	Enclosure:	- 8MFCubicle	
		- Degree of protection IP21	
		- mechanical increased cubicles for crane applications	
		- Anti-condensation heaters, a warning label nearby each heater.	
		Cabinet lighting with door switch and socket, 230Vac/50Hz	
		- Separately delivered motor choke	
		- 6SL3000-2AE36-1AA0 2 pieces	
	Others:	- Job-specific dimension drawings	
		- Job-specific circuit diagrams	
Instruction:	IEC/DIN/VDE		



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/23	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=001	Page Number: 3
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



4			Mod.Date	2021/2/9	Project:	CIT Abidjan 6 STS
			Designer	Di Ke		
	Original	ZPMC	Review	Jianyue Zhang	Location:	CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge		




Page description:
SINGLE LINE DIAGRAM


Resp dep.: EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=001	Page Number: 5
Object Loc.:	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



6			Mod.Date	2020/11/23	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
	Language	EN	Check	Zijiang Ge	




Page description:
SINGLE LINE DIAGRAM

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=001	Page Number: 7
Object Loc.:	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




7			Mod.Date	2022/5/4	Project:	CIT Abidjan 6 STS		Resp dep. :	EZ Design	Plant Function:=-001	Page Number:	8
			Designer	Di Ke				Drawing.NR:	1002000544			
	Original	ZPMC	Review	Jianyue Zhang	Location:	CIT Abidjan Côte d'Ivoire						
Rev.Ind	Language	EN	Check	Zijiang Ge					DQ1002000544-YL001A-EN	Object Loc.:	Total Page:	753



Page description:
SINGLE LINE DIAGRAM

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---



8			Mod.Date	2022/5/4	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
SINGLE LINE DIAGRAM

Resp dep.: EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN



Plant Function:=001

Object Loc.:


Page Number:

Total Page:

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/11/18	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: SINGLE LINE DIAGRAM	Resp dep. : EZ Design	Plant Function:=001	Page Number: 13
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/23	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=001	Page Number: 14
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/11/18	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



We reserve all rights in this document and in the information contained therein.
Reproduction, use or disclosure to third parties without express authority is strictly forbidden.
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/18	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Resp dep. : EZ Design	Plant Function:=001	Page Number: 20
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

+01F42




+01F35




			Mod.Date	2021/3/10	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.


+01F11.3




+01F12.2




+01F13




+01F14




+01F16



+01F15




+01F18




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---


+ 14S01



+07S01



+08S01



			Mod.Date	2020/9/29
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS
Location: CIT Abidjan Côte d'Ivoire




Page description:
COMMUNICATION SYSTEM SINGLE LINE PORTAL
OUTSIDE OPERATION STATION PROFINET PART

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=001	Page Number: 27
Object Loc.:	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
COMMUNICATION SYSTEM SINGLE LINE DIAGRAM
PROFIBUS-DP PART

Resp dep. : EZ Design	Plant Function:=001	Page Number: 28
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=001	Page Number: 29
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.





			Mod.Date	2019/9/5	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
COMMUNICATION SYSTEM SINGLE LINE DIAGRAM
SIEMENS DRIVE CLIQ PART


Resp dep. : EZ Design	Plant Function:=001	Page Number: 30
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753



			Mod.Date	2020/11/18	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: COMMUNICATION SYSTEM SINGLE LINE DIAGRAM SIEMENS DRIVE CLIQ PART	Resp dep. : EZ Design	Plant Function:=001	Page Number: 31
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---






			Mod.Date	2021/3/10	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
COMMUNICATION SYSTEM SINGLE LINE DIAGRAM
SIEMENS CENTER SWITCH PART

Resp dep. : EZ Design	Plant Function:=001	Page Number: 33
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description:
COMMUNICATION SYSTEM SINGLE LINE DIAGRAM
SCPS SYSTEM PART

Resp dep. : EZ Design	Plant Function:=001	Page Number: 34
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.:	Total Page: 753



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



1			Mod.Date	2020/9/29
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge


Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire




Page description:
HIGH VOLTAGE SWITCHGEAR

Resp dep. : EZ Design	Plant Function:=002.C	Page Number: 2
Drawing.NR: 1002000544	Object Loc.: +00	Total Page: 753
DQ1002000544-YL001A-EN		




			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: HIGH VOLTAGE SWITCHGEAR	Resp dep. : EZ Design	Plant Function:=002.C	Page Number: 3
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +00	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						



			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: HIGH VOLTAGE AUXILIARY TRANSFORMER	Resp dep.: EZ Design	Plant Function:=002.C	Page Number: 6
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +00	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						






CRANE ID
BIT 7

CARNE #1~#6

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



=002.R+.3/1

			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	





Page description:
LOW VOLTAGE AC POWER DISTRIBUTION

Resp dep.: EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=003.C	Page Number: 1
Object Loc.: +01F11.1	Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/11/24	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep.: EZ Design	Plant Function:=003.C	Page Number: 2
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F11.1	Total Page: 753




SPARE
POWER SUPPLY
CIRCUIT BREAKER
ON

			Mod.Date	2020/11/24	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: LOW VOLTAGE AC POWER DISTRIBUTION	Resp dep. : EZ Design	Plant Function:=003.C	Page Number: 3
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F11.1	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
 Reproduction, use or disclosure to third parties without express authority is strictly forbidden
 ©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



+01F11 PANEL
AUXILIARY POWER
SURGE PROTECTION

+01F11 PANEL
MULTI-FUNCTION
PROTECTION RELAY

+01F11 PANEL
AUXILIARY POWER
SURGE PROTECTION
CIRCUIT BREAKER
ON

+01F11 PANEL
AUXILIARY POWER
SURGE PROTECTION
ON ACKNOWLEDGE

+01F11 PANEL
MULTI-FUNCTION
PROTECTION RELAY
CIRCUIT BREAKER
ON

+01F11 PANEL
MULTI-FUNCTION
PROTECTION RELAY
PHASE SEQUENCE
UNDER VOLTAGE
ON ACKNOWLEDGE


+01F11 PANEL
MULTI-FUNCTION
PROTECTION RELAY
OVER VOLTAGE
ON ACKNOWLEDGE

12 0 I73.0 =903.M+.3/4.2	14 2 I93.2 =903.M+.3/8.5	13 1 I73.1 =903.M+.3/4.2	15 3 I93.3 =903.M+.3/8.5	16 4 I93.4 =903.M+.3/8.5
=903.M+01F11.3-KP1-4	=903.M+01F11.3-KP2-6	=903.M+01F11.3-KP1-4	=903.M+01F11.3-KP2-6	=903.M+01F11.3-KP2-6
Digital Input	Digital Input	Digital Input	Digital Input	Digital Input


			Mod.Date	2020/11/12	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



+01F11 PANEL
CRANE SWITCH
POWER SUPPLY



+01F11 PANEL
CRANE SWITCH
POWER SUPPLY
CIRCUIT BREAKER
ON

+01F11 PANEL
CRANE SWITCH
CONTACTOR
ON ACKNOWLEDGE

			Mod.Date	2021/4/26
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
LOW VOLTAGE AC POWER DISTRIBUTION

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN


Plant Function:=003.C

Object Loc.: +01F11.1

Page Number: 7

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2021/1/12	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	





Page description:
LOW VOLTAGE AC POWER DISTRIBUTION

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=003.C	Page Number: 8
Object Loc.: +01F11.1	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	





Resp dep. : EZ Design	Plant Function:=003.C	Page Number: 11
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.





+01F11 PANEL
CONTROL POWER
SURGE PROTECTION




+01F11 PANEL
CONTROL POWER
SURGE PROTECTION
CIRCUIT BREAKER
ON


+01F11 PANEL
CONTROL POWER
SURGE PROTECTION
ON ACKNOWLEDGE


			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: CONTROL VOLTAGE AC POWER DISTRIBUTION	Resp dep. : EZ Design	Plant Function:=003.C	Page Number: 16
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.






+10F01 PANEL
CRANE SWITCH
POWER SUPPLY




+10F01 PANEL
CRANE SWITCH
POWER SUPPLY
CIRCUIT BREAKER
ON

+10F01 PANEL
CRANE SWITCH
CONTACTOR
ON ACKNOWLEDGE

			Mod.Date	2020/11/12	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: LOW VOLTAGE AC POWER DISTRIBUTION	Resp dep. : EZ Design	Plant Function:=003.C	Page Number: 36
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						



+10F01 PANEL
CONTROL POWER
SURGE PROTECTION




+10F01 PANEL
CONTROL POWER
SURGE PROTECTION
CIRCUIT BREAKER
ON

+10F01 PANEL
CONTROL POWER
SURGE PROTECTION
ON ACKNOWLEDGE



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




+10F01 PANEL
INTERNAL I/O
POWER SUPPLY

+10F01 PANEL
EXTERNAL I/O
POWER SUPPLY

+10F01 PANEL
INTERNAL I/O
POWER SUPPLY
CIRCUIT BREAKER
ON

+10F01 PANEL
EXTERNAL I/O
POWER SUPPLY
CIRCUIT BREAKER
ON



+01F11.3/1

=.M+01F42/31

			Mod.Date	2020/12/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description:
CONTROL VOLTAGE DC POWER DISTRIBUTION


Resp dep.: EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=003.G	Page Number: 21
Object Loc.: +10F01	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



EMERGENCY STOP
ACTIVATED
+01F42 PANEL

EMERGENCY STOP
ACTIVATED
PLC ROOM
DOOR

EMERGENCY STOP
ACTIVATED
+01F12.2 PANEL

EMERGENCY STOP
ACTIVATED
ELECTRICAL ROOM
DOOR 1

EMERGENCY STOP
ACTIVATED
ELECTRICAL ROOM
DOOR 2

EMERGENCY STOP
ACTIVATED
GIRDER HINGE

			Mod.Date	2020/11/17
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
EMERGENCY STOP PLC I/O SECTION

Resp dep. : EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:=003.M

Object Loc.: +01F42

Page Number: 41

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



EMERGENCY STOP
ACTIVATED
+02S01 PANEL

EMERGENCY STOP
ACTIVATED
MACNINARY HOUSE
LEFT DOOR

EMERGENCY STOP
ACTIVATED
MACNINARY HOUSE
RIGHT DOOR

EMERGENCY STOP
ACTIVATED
MACNINARY HOUSE
NEAR
TROLLEY DRUM

EMERGENCY STOP
ACTIVATED
+14S01 PANEL


EMERGENCY STOP
ACTIVATED
+14S01 PANEL
OUTSIDE

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=003.M	Page Number: 42
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F42	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=003.M	Page Number: 43
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F42	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



EMERGENCY STOP
ACTIVATED
+02S01 PANEL

EMERGENCY STOP
ACTIVATED
MACNINARY HOUSE
LEFT DOOR

EMERGENCY STOP
ACTIVATED
MACNINARY HOUSE
RIGHT DOOR

EMERGENCY STOP
ACTIVATED
MACNINARY HOUSE
NEAR
TROLLEY DRUM

EMERGENCY STOP
ACTIVATED
+14S01 PANEL

EMERGENCY STOP
ACTIVATED
+14S01 PANEL
OUTSIDE

			Mod.Date	2020/11/19
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
EMERGENCY STOP PLC I/O SECTION

Resp dep.: EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:=003.M

Object Loc.: +01F42

Page Number: 44

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



EMERGENCY STOP
ACTIVATED
+03S01 PANEL

EMERGENCY STOP
ACTIVATED
+03S01 PANEL
OUTSIDE

EMERGENCY STOP
ACTIVATED
BOOM TIP

EMERGENCY STOP
ACTIVATED
+05S01 PANEL

EMERGENCY STOP
ACTIVATED
+05S01 PANEL
OUTSIDE


EMERGENCY STOP
ACTIVATED
CABIN
WASH PLATFORM

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=003.M	Page Number: 45
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F42	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




EMERGENCY STOP
ACTIVATED
+08S03 PANEL

			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



EMERGENCY STOP
ACTIVATED
+03S01 PANEL

EMERGENCY STOP
ACTIVATED
+03S01 PANEL
OUTSIDE

EMERGENCY STOP
ACTIVATED
BOOM TIP

EMERGENCY STOP
ACTIVATED
+05S01 PANEL

EMERGENCY STOP
ACTIVATED
+05S01 PANEL
OUTSIDE


EMERGENCY STOP
ACTIVATED
CABIN
WASH PLATFORM

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=003.M	Page Number: 47
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F42	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



EMERGENCY STOP
SAFETY RELAY
ON ACKNOWLEDGE

EMERGENCY STOP
SAFETY RELAY
OUT EXTENSION
DELAYED
ON ACKNOWLEDGE

EMERGENCY STOP
ACTIVATED
+08S03 PANEL

			Mod.Date	2020/9/29
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
EMERGENCY STOP PLC I/O SECTION

Resp dep. : EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:=003.M

Object Loc.: +01F42

Page Number: 48

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



EMERGENCY STOP
ACTIVATED
LEG 1

EMERGENCY STOP
ACTIVATED
LEG 2

EMERGENCY STOP
ACTIVATED
+08S05 PANEL

EMERGENCY STOP
ACTIVATED
NEAR GCR


EMERGENCY STOP
ACTIVATED
+14S02 PANEL

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=003.M	Page Number: 49
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F42	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



EMERGENCY STOP
ACTIVATED
LEG 3

EMERGENCY STOP
ACTIVATED
LEG 4

EMERGENCY STOP
ACTIVATED
+07S01 PANEL


EMERGENCY STOP
ACTIVATED
+07S01 PANEL
OUTSIDE

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=003.M	Page Number: 50
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F42	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



EMERGENCY STOP
ACTIVATED
LEG 1

EMERGENCY STOP
ACTIVATED
LEG 2

EMERGENCY STOP
ACTIVATED
+08S05 PANEL

EMERGENCY STOP
ACTIVATED
NEAR GCR


EMERGENCY STOP
ACTIVATED
+14S02 PANEL

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=003.M	Page Number: 51
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F42	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



EMERGENCY STOP
ACTIVATED
LEG 3


EMERGENCY STOP
ACTIVATED
LEG 4

EMERGENCY STOP
ACTIVATED
+07S01 PANEL

EMERGENCY STOP
ACTIVATED
+07S01 PANEL
OUTSIDE

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: EMERGENCY STOP PLC I/O SECTION	Resp dep. : EZ Design	Plant Function:=003.M	Page Number: 52		
			Designer	Di Ke				Drawing.NR: 1002000544				
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F42	Total Page: 753		
Rev.Ind	Language	EN	Check	Zijiang Ge								

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



EMERGENCY STOP
ACTIVATED
+10S02 PANEL

EMERGENCY STOP
ACTIVATED
+13S02 PANEL

EMERGENCY STOP
ACTIVATED
MAIN TROLLEY
FRAME

+01F42/52

			Mod.Date	2020/10/27
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
EMERGENCY STOP PLC I/O SECTION

Resp dep.: EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN

Plant Function:=003.M


Object Loc.: +10F01

Page Number: 71

Total Page: 753

72


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




EMERGENCY STOP
ACTIVATED
MAIN TROLLEY
HEADBLOCK

			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	






We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: EMERGENCY STOP PLC I/O SECTION	Resp dep. : EZ Design	Plant Function:=003.M	Page Number: 74
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



EMERGENCY STOP
SAFETY RELAY

EMERGENCY STOP
SAFETY RELAY
OUTPUT EXTENSION
UNDELAYED

EMERGENCY STOP
SAFETY RELAY
OUTPUT EXTENSION
DELAYED

=.M+10F01/74

			Mod.Date	2020/11/19
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
EMERGENCY STOP SAEFTY RELAY CONTROL CIRCUIT
SECTION

Resp dep. : EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function: =003.R

Object Loc.: +01F42

Page Number: 1

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MERGENCY STOP
SAFETY RELAY
OUTPUT EXTENSION
CRANE SWITCH
ON ACKNOWLEDGE

EMERGENCY STOP
SAFETY RELAY
OUTPUT EXTENSION
AIM/ALM 1-2
ON ACKNOWLEDGE

EMERGENCY STOP
SAFETY RELAY
OUTPUT EXTENSION
AIM/ALM 3
ON ACKNOWLEDGE

EMERGENCY STOP
SAFETY RELAY
OUTPUT EXTENSION
CRANE SWITCH

EMERGENCY STOP
SAFETY RELAY
OUTPUT EXTENSION
AIM/ALM 1-2

EMERGENCY STOP
SAFETY RELAY
OUTPUT EXTENSION
AIM/ALM 3

			Mod.Date	2021/4/20
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire




Page description:
EMERGENCY STOP SAEFTY RELAY CONTROL CIRCUIT
SECTION

Resp dep.: EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=003.R
Object Loc.: +01F42

Page Number: 3
Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



3			Mod.Date	2020/11/14
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
EMERGENCY STOP SAEFTY RELAY RESET PERMISSION
CONTROL CIRCUIT

Resp dep. : EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN



Plant Function:=003.R

Object Loc.: +01F42


Page Number: 5

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



CRANE SWITCH
CONTACTOR
+01F11 PANEL



CRANE SWITCH
CONTACTOR
+10F01 PANEL

			Mod.Date	2020/11/26
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
CRANE SWITCH CONTROL CIRCUIT

Resp dep.: EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:=003.R

Object Loc.: +01F42

Page Number: 8

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



EMERGENCY STOP
+01F42 PANEL

EMERGENCY STOP
PLC ROOM
DOOR

EMERGENCY STOP
+01F12.2 PANEL

EMERGENCY STOP
ELECTRICAL ROOM
DOOR 1

EMERGENCY STOP
ELECTRICAL ROOM
DOOR 2

			Mod.Date	2020/11/19
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
EMERGENCY STOP CONTROL CIRCUIT SECTION

Resp dep. : EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:=003.R

Object Loc.: +01F42

Page Number: 9

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



EMERGENCY STOP
+02S01 PANEL

EMERGENCY STOP
MACHINARY HOUSE
LEFT DOOR


EMERGENCY STOP
MACHINARY HOUSE
RIGHT DOOR

EMERGENCY STOP
MACHINARY HOUSE
NEAR TROLLEY DRUM

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



EMERGENCY STOP
+14S01 PANEL

EMERGENCY STOP
+14S01 PANEL (OUTSIDE)

EMERGENCY STOP
+14S02 PANEL

EMERGENCY STOP
GIRDER HINGE

EMERGENCY STOP
BOOM TIP

			Mod.Date	2021/1/27
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS
Location: CIT Abidjan Côte d'Ivoire




Page description:
EMERGENCY STOP CONTROL CIRCUIT SECTION

Resp dep.: EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=003.R
Object Loc.: +01F42

Page Number: 11
Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



EMERGENCY STOP
+05S01 PANEL

EMERGENCY STOP
+05S01 PANEL (OUTSIDE)

EMERGENCY STOP
CABIN WASH PLATFORM

			Mod.Date	2021/1/27
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
EMERGENCY STOP CONTROL CIRCUIT SECTION

Resp dep. : EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:=003.R

Object Loc.: +01F42

Page Number: 12

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



EMERGENCY STOP
+03S01 PANEL

EMERGENCY STOP
+03S01 PANEL (OUTSIDE)

			Mod.Date	2021/1/27
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
EMERGENCY STOP CONTROL CIRCUIT SECTION

Resp dep. : EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:=003.R

Object Loc.: +01F42

Page Number: 13

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=003.R	Page Number: 15
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F42	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



EMERGENCY STOP
LEG 3

EMERGENCY STOP
LEG 4

EMERGENCY STOP
+07S01 PANEL

EMERGENCY STOP
+07S01 PANEL (OUTSIDE)

			Mod.Date	2021/1/27
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS
Location: CIT Abidjan Côte d'Ivoire




Page description:
EMERGENCY STOP CONTROL CIRCUIT SECTION

Resp dep.: EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=003.R
Object Loc.: +01F42


Page Number: 16
Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY WATERSIDE
PENDANT CONTROL STATION
EMERGENCY STOP
SAFETY RELAY

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: EMERGENCY STOP CONTROL CIRCUIT SECTION	Resp dep. : EZ Design	Plant Function:=003.R	Page Number: 21		
			Designer	Di Ke				Drawing.NR: 1002000544				
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F42	Total Page: 753		
Rev.Ind	Language	EN	Check	Zijiang Ge								



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




+01F35 PANEL
SIEMENS AUXILIARY
INCOMING POWER

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: SIEMENS DRIVER AUXILIARY AC VOLTAGE SUPPLY INFEEED	Resp dep. : EZ Design	Plant Function:=004.C	Page Number: 1
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F35	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

=SIEMENS
-AUXILIARY
/1.1



			Mod.Date	2020/9/29
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project:	CIT Abidjan 6 STS
Location:	CIT Abidjan Côte d'Ivoire



Page description:
SIEMENS DRIVER AUXILIARY AC VOLTAGE SUPPLY 230VAC

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=004.C	Page Number: 2
Object Loc.: +01F35	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

=SIEMENS
-AUXILIARY
/1.1



=008.C+01F32/1.3 / +01F32-AIM3_L230

=008.C+01F32/1.4 / +01F32-AIM3_N230

230VAC
AIM3

			Mod.Date	2020/9/29
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire




Page description:
SIEMENS DRIVER AUXILIARY AC VOLTAGE SUPPLY
230VAC

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=004.C	Page Number: 3
Object Loc.: +01F35	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

=SIEMENS
-AUXILIARY
/1.1



			Mod.Date	2020/9/29
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project:	CIT Abidjan 6 STS
Location:	CIT Abidjan Côte d'Ivoire




Page description:
SIEMENS DRIVER AUXILIARY AC VOLTAGE SUPPLY FAN ALM

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=004.C	Page Number: 4
Object Loc.: +01F35	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

=SIEMENS
-AUXILIARY
/1.1



			Mod.Date	2020/9/29
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:

SIEMENS DRIVER AUXILIARY AC VOLTAGE SUPPLY
FAN ALM

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=004.C	Page Number: 5
Object Loc.: +01F35	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

=SIEMENS
-AUXILIARY
/1.1



SUPPLY
FAN
MT/BH/GA 2

			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: SIEMENS DRIVER AUXILIARY AC VOLTAGE SUPPLY FAN MOMO	Resp dep. : EZ Design	Plant Function:=004.C	Page Number: 6		
			Designer	Di Ke				Drawing.NR: 1002000544				
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F35	Total Page: 753		
Rev.Ind	Language	EN	Check	Zijiang Ge								

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

=SIEMENS
-AUXILIARY
/1.1



=005.C+02F25.1/2.4 / +02F25.1-HTR_ECM_L


=005.C+02F25.1/2.5 / +02F25.1-HTR_ECM_N

ECM
230VAC
HEATER

			Mod.Date	2020/11/26	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: SIEMENS DRIVER AUXILIARY AC VOLTAGE SUPPLY HEATER	Resp dep.: EZ Design	Plant Function:=004.C	Page Number: 9
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F35	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

=SIEMENS
-AUXILIARY
/1.1



			Mod.Date	2020/11/26
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire




Page description:
SIEMENS DRIVER AUXILIARY AC VOLTAGE SUPPLY
HEATER

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=004.C	Page Number: 10
Object Loc.: +01F35	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

=SIEMENS
-AUXILIARY
/1.1



TE2
230VAC
HEATER

			Mod.Date	2020/11/26
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project:	CIT Abidjan 6 STS
Location:	CIT Abidjan Côte d'Ivoire




Page description:
SIEMENS DRIVER AUXILIARY AC VOLTAGE SUPPLY HEATER

Resp dep. : EZ Design	Plant Function:=004.C	Page Number: 11
Drawing.NR: 1002000544	Object Loc.: +01F35	Total Page: 753
DQ1002000544-YL001A-EN		

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

=SIEMENS
-AUXILIARY
/1.1



			Mod.Date	2020/11/26
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project:	CIT Abidjan 6 STS
Location:	CIT Abidjan Côte d'Ivoire



Page description:
SIEMENS DRIVER AUXILIARY AC VOLTAGE SUPPLY LIGHT/SOCKETS

Resp dep. : EZ Design	Plant Function:=004.C	Page Number: 13
Drawing.NR: 1002000544	Object Loc.: +01F35	Total Page: 753
DQ1002000544-YL001A-EN		


230VAC
LIGHT/SOCKETS

			Mod.Date	2020/11/26	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: SIEMENS DRIVER AUXILIARY AC VOLTAGE SUPPLY LIGHT/SOCKETS	Resp dep.: EZ Design	Plant Function:=004.C	Page Number: 14
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F35	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

FOR DETAIL SEE SIEMENS DIAGRAM

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

=SIEMENS
-AUXILIARY
=.C/1.1



			Mod.Date	2020/9/29
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project:	CIT Abidjan 6 STS
Location:	CIT Abidjan Côte d'Ivoire



Page description:
SIEMENS DRIVER AUXILIARY DC VOLTAGE SUPPLY

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN


Plant Function:=004.G	Page Number: 2
Object Loc.: +01F35	Total Page: 753

FOR DETAIL SEE SIEMENS DIAGRAM


			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: SIEMENS DRIVER AUXILIARY DC VOLTAGE SUPPLY	Resp dep. : EZ Design	Plant Function:=004.G	Page Number: 3
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F35	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

=SIEMENS
-AUXILIARY
=.C/1.1




			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: SIEMENS DRIVER AUXILIARY DC VOLTAGE SUPPLY	Resp dep.: EZ Design	Plant Function:=004.G	Page Number: 5
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F35	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

=SIEMENS
+01F35
-AUXILIARY
=.C+01F35/1.1



SIEMENS
AUXILIARY
VOLTAGE SUPPLY
FAN
ALM1

SIEMENS
AUXILIARY
VOLTAGE SUPPLY
FAN
ALM2

SIEMENS
AUXILIARY
VOLTAGE SUPPLY
FAN
ALM3

SIEMENS
AUXILIARY
VOLTAGE SUPPLY
FAN
HOIST 1

SIEMENS
AUXILIARY
VOLTAGE SUPPLY
FAN
HOIST 2

SIEMENS
AUXILIARY
VOLTAGE SUPPLY
FAN
TR/BH/GA 1

SIEMENS
AUXILIARY
VOLTAGE SUPPLY
FAN
TR/BH/GA 2

			Mod.Date	2020/11/26
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
SIEMENS DRIVER AUXILIARY PLC I/O SECTION

Resp dep. : EZ Design

Drawing.NR: 1002000544


DQ1002000544-YL001A-EN

Plant Function: =004.M

Object Loc.: +01F11.3

Page Number: 2


Total Page: 753



			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: SIEMENS DRIVER AUXILIARY PLC I/O SECTION	Resp dep. : EZ Design	Plant Function:=004.M	Page Number: 3
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

=SIEMENS
+01F35
-AUXILIARY
=.C+01F35/1.1



SIEMENS
AUXILIARY
VOLTAGE SUPPLY
DC24V

SIEMENS
AUXILIARY
VOLTAGE SUPPLY
DC24V

SIEMENS
AUXILIARY
VOLTAGE SUPPLY
DC24V

SIEMENS
AUXILIARY
VOLTAGE SUPPLY
DC24V
ALM 1

SIEMENS
AUXILIARY
VOLTAGE SUPPLY
DC24V
ALM 2

SIEMENS
AUXILIARY
VOLTAGE SUPPLY
DC24V
ALM 3

SIEMENS
AUXILIARY
VOLTAGE SUPPLY
DC24V
HOIST 1

SIEMENS
AUXILIARY
VOLTAGE SUPPLY
DC24V
HOIST 2

			Mod.Date	2020/11/19
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
SIEMENS DRIVER AUXILIARY PLC I/O SECTION

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function: =004.M


Object Loc.: +01F11.3

Page Number: 4

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

=SIEMENS
+01F35
-AUXILIARY
=.C+01F35/1.1



SIEMENS
AUXILIARY
VOLTAGE SUPPLY
DC24V
TR/BH/GA 1

SIEMENS
AUXILIARY
VOLTAGE SUPPLY
DC24V
TR/BH/GA 2

SIEMENS
AUXILIARY
VOLTAGE SUPPLY
DC24V
SPARE

SIEMENS
AUXILIARY
VOLTAGE SUPPLY
DC24V
CU320-2

SIEMENS
AUXILIARY
VOLTAGE SUPPLY
DC24V
SIMOTION

			Mod.Date	2020/11/26
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
SIEMENS DRIVER AUXILIARY PLC I/O SECTION

Resp dep. : EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN

Plant Function:=004.M


Object Loc.: +01F11.3

Page Number: 5

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

=SIEMENS
+01F35
-AUXILIARY
=.C+01F35/1.1




SIEMENS
AUXILIARY
VOLTAGE SUPPLY
230VAC
HEATER

SIEMENS
AUXILIARY
VOLTAGE SUPPLY
230VAC
HEATER

SIEMENS
AUXILIARY
VOLTAGE SUPPLY
230VAC
LIGHT/SOCKETS


			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: SIEMENS DRIVER AUXILIARY PLC I/O SECTION	Resp dep. : EZ Design	Plant Function:=004.M	Page Number: 6		
			Designer	Di Ke				Drawing.NR: 1002000544				
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753		
Rev.Ind	Language	EN	Check	Zijiang Ge								








			Mod.Date	2020/11/26	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: SIEMENS DRIVER EXTERNAL LINE CONNECTION MODULE 3	Resp dep.: EZ Design	Plant Function:=005.C	Page Number: 3
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +02F25.2	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						



			Mod.Date	2020/11/26	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: SIEMENS DRIVER EXTERNAL LINE CONNECTION MODULE PLC I/O SECTION	Resp dep.: EZ Design	Plant Function:=005.M	Page Number: 1
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



SIEMENS ECM1
MAIN
SWITCH
SIGNAL

SIEMENS ECM1

SIEMENS ECM1
MAIN
SWITCH
TRIPPED

SIEMENS ECM1
MAIN
SWITCH
OK

SIEMENS ECM1
MAIN
TRANSF.
OVERTEMP.

			Mod.Date	2020/11/30
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
SIEMENS DRIVER EXTERNAL LINE CONNECTION
MODULE PLC I/O SECTION

Resp dep. : EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:=005.M

Object Loc.: +01F11.3

Page Number: 2

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



SIEMENS ECM1
MAIN
CONTACT.
ALM 1

SIEMENS ECM1
MAIN
CONTACT.
ALM 1

SIEMENS ECM1
MAIN
CONTACT.
ALM 2

SIEMENS ECM1
MAIN
CONTACT.
ALM 2

			Mod.Date	2020/11/26
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire





Page description:
SIEMENS DRIVER EXTERNAL LINE CONNECTION
MODULE PLC I/O SECTION

Resp dep.: EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=005.M
Object Loc.: +01F11.3

Page Number: 3
Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



SIEMENS ECM1
FUSE
PRECHARGE
AIM 3

SIEMENS ECM1
MAIN
CONTACT.
ALM 3


SIEMENS ECM1
MAIN
CONTACT.
ALM 3

			Mod.Date	2020/11/26	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
SIEMENS DRIVER EXTERNAL LINE CONNECTION
MODULE PLC I/O SECTION

Resp dep. : EZ Design	Plant Function:=005.M	Page Number: 4
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753



			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: SIEMENS DRIVER EXTERNAL LINE CONNECTION MODULE PLC I/O SECTION	Resp dep. : EZ Design	Plant Function:=005.M	Page Number: 5
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						



ALM 1 POWER SUPPLY

$= M+01F113/1.1 / +01F113-AIM1 \quad X3 \quad 1$

CONTACTOR FEEDBACK

X3
006M0151
X3 2
=M+01F11.3-1 / +01F11.3-1.1 / X3 2

BYPASS CONTACTOR $\overline{O}$ X₂^{006C0112} —————▶ +02F25.1-AIM1 CONT / =005.C+02F25.1/2.6

DRIVE CLIQ X500

Voltage
Sensing
Module

LED

■ READY

=005.M+01F11.3/6										=J+01F27/1		
			Mod.Date	2020/12/30	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: SIEMENS DRVIER SUPPLY UNIT AIM 1	Resp dep. : EZ Design	Plant Function:=006.C	Page Number: 1		
			Designer	Di Ke				Drawing.NR: 1002000544				
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F26	Total Page: 753		
Rev.Ind	Language	EN	Check	Zijiang Ge								



MAIN VOLTAGE		
380-480VAC		
0		
1L380		
1L400		
1L440		
1L480		

WARNING:FAN
SETTING ON FAN
TRANSFORMER

DRIVER-CLIQ SOCKETS

SIEMENS ALM MODULE


LEDs

- H200(Ready)
- H201(DC Link)

=.M+01F11.3/1

			Mod.Date	2020/11/27	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: SIEMENS DRVIER SUPPLY UNIT ALM 1	Resp dep. : EZ Design	Plant Function:=006.J	Page Number: 1
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F27	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



=006.M+01F11.3/1										=J+01F30/1				
			Mod.Date	2020/12/30	Project: CIT Abidjan 6 STS			 振华电气集团 ZPMC ELECTRIC GROUP	Page description: SIEMENS DRVIER SUPPLY UNIT AIM 2		Resp dep. : EZ Design		Plant Function:=007.C	Page Number: 1
			Designer	Di Ke							Drawing.NR: 1002000544			
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire						DQ1002000544-YL001A-EN		Object Loc.: +01F29	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge										





ALM 2
DC-LINK

=.C+01F29/1

	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



振华电气集团
ZPMC ELECTRIC GROUP

Page description:
SIEMENS DRVIER SUPPLY UNIT ALM 2

Resp dep.: EZ Design
Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:=007.J

Object Loc.: +01F30

Page Number: 1


Total Page: 753

=.M+01F11.3/1



			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: SIEMENS DRVIER SUPPLY UNIT 2 PLC I/O SECTION	Resp dep.: EZ Design	Plant Function:=007.M	Page Number: 1
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



=007.M+01F11.3/1

=J+01F33/1


			Mod.Date	2020/12/30	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: SIEMENS DRVIER SUPPLY UNIT AIM 3	Resp dep.: EZ Design	Plant Function:=008.C	Page Number: 1		
			Designer	Di Ke				Drawing.NR: 1002000544				
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F32	Total Page: 753		
Rev.Ind	Language	EN	Check	Zijiang Ge								



ALM 3 DC-LINK


$= .C + 01F32/1$

			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




2

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




MAIN HOIST MOTOR 1
SERVICE BRAKE
POWER SUPPLY



MAIN HOIST
MOTOR 1
SERVICE BRAKE
CIRCUIT BREAKER
ON


MAIN HOIST
MOTOR 1
SERVICE BRAKE
SET ACKNOWLEDGE




MAIN HOIST
MOTOR 1
SERVICE BRAKE
RELEASE ORDER

			Mod.Date	2022/3/9	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




MAIN HOIST MOTOR 2
SERVICE BRAKE
POWER SUPPLY



MAIN HOIST
MOTOR 2
SERVICE BRAKE
CIRCUIT BREAKER
ON

MAIN HOIST
MOTOR 2
SERVICE BRAKE
SET ACKNOWLEDGE



MAIN HOIST
MOTOR 2
SERVICE BRAKE
RELEASE ORDER

			Mod.Date	2022/3/9
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project:	CIT Abidjan 6 STS
Location:	CIT Abidjan Côte d'Ivoire




Page description:
MAIN HOIST SERVICE BRAKE POWER SUPPLY


Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=010.C	Page Number: 4
Object Loc.: +01F13	Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



SPARE
POWER SUPPLY



SPARE
CIRCUIT BREAKER
ON




SPARE
ORDER


			Mod.Date	2022/5/4	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



SPARE
POWER SUPPLY




SPARE
CIRCUIT BREAKER
ON




SPARE
ORDER

			Mod.Date	2022/5/4	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




MAIN HOIST MOTOR 1
COOLING FAN



MAIN HOIST
MOTOR 1
COOLING FAN
CIRCUIT BREAKER
ON


MAIN HOIST
MOTOR 1
COOLING FAN
ON ACKNOWLEDGE




MAIN HOIST
MOTOR 1
COOLING FAN
ON ORDER

			Mod.Date	2021/2/22	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MAIN HOIST MOTOR 2
COOLING FAN



MAIN HOIST
MOTOR 2
COOLING FAN
CIRCUIT BREAKER
ON


MAIN HOIST
MOTOR 2
COOLING FAN
ON ACKNOWLEDGE





MAIN HOIST
MOTOR 2
COOLING FAN
ON ORDER

			Mod.Date	2021/2/22	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: MAIN HOIST MOTOR COOLING FAN POWER SUPPLY	Resp dep. : EZ Design	Plant Function:=010.C	Page Number: 8
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F13	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2021/2/26	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
MAIN HOIST CONTROL PANEL DC POWER DISTRIBUTION

Resp dep. : EZ Design	Plant Function:=010.G	Page Number: 2
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F13	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MAIN HOIST
MOTOR 2
SERVICE BRAKE
RELEASED
LIMIT SWITCH

MAIN HOIST
MOTOR 2
SERVICE BRAKE
MANUAL RELEASED
LIMIT SWITCH

MAIN HOIST
MOTOR 2
SERVICE BRAKE
WORN OUT
LIMIT SWITCH

3			Mod.Date	2020/11/12	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description:
I/O MAIN HOIST


Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=010.M	Page Number: 4
Object Loc.: +01F13	Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MAIN HOIST
UP OVERTRAVEL
SAFETY RELAY
ON ACKNOWLEDGE

MAIN HOIST
UNIT ONE
OVERSPEED SWITCH
EMPTY SPREADER
SAFETY RELAY
ON ACKNOWLEDGE

MAIN HOIST
MOTOR MODULE 1
FAULT
ON ACKNOWLEDGE

MAIN HOIST
MOTOR MODULE 2
FAULT
ON ACKNOWLEDGE

MAIN HOIST
MOTOR MODULE 1
SERVICE BRAKE
RELEASED
ACKNOWLEDGE

MAIN HOIST
MOTOR MODULE 2
SERVICE BRAKE
RELEASED
ACKNOWLEDGE

			Mod.Date	2020/9/29
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
I/O MAIN HOIST

Resp dep. : EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN

Plant Function:=010.M

Object Loc.: +01F13


Page Number: 21

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

0	1	2	3	4	5	6	7	8	9

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MAIN HOIST
UP OVERTRAVEL
SAFETY RELAY
ON ACKNOWLEDGE

MAIN HOIST
UNIT ONE
OVERSPEED SWITCH
EMPTY SPREADER
SAFETY RELAY
ON ACKNOWLEDGE

MAIN HOIST
MOTOR MODULE 1
FAULT
ON ACKNOWLEDGE

MAIN HOIST
MOTOR MODULE 2
FAULT
ON ACKNOWLEDGE

MAIN HOIST
MOTOR MODULE 1
SERVICE BRAKE
RELEASED
ACKNOWLEDGE

MAIN HOIST
MOTOR MODULE 2
SERVICE BRAKE
RELEASED
ACKNOWLEDGE

			Mod.Date	2020/9/29
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project:	CIT Abidjan 6 STS
Location:	CIT Abidjan Côte d'Ivoire



Page description:
I/O MAIN HOIST


Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=010.M	Page Number: 23
Object Loc.: +01F13	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

0	1	2	3	4	5	6	7	8	9

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MAIN HOIST
UNIT ONE
OVERSPEED SWITCH
RATED LOAD
ON ACKNOWLEDGE

MAIN HOIST
UNIT ONE
OVERSPEED SWITCH
CARGO BEAM
ON ACKNOWLEDGE

HOIST SNAG
PRESSURE SWITCH 1
LIMIT SWITCH

HOIST SNAG
PRESSURE SWITCH 2
LIMIT SWITCH

HOIST SNAG
PRESSURE SWITCH 3
LIMIT SWITCH

HOIST SNAG
PRESSURE SWITCH 4
LIMIT SWITCH

			Mod.Date	2020/11/14
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project:	CIT Abidjan 6 STS
Location:	CIT Abidjan Côte d'Ivoire



Page description:
I/O MAIN HOIST

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=010.M	Page Number: 25
Object Loc.: +01F13	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

0

1

2

3

4

5

6

7

8


9

11 2Vs	12 6 I800.6 =906.M/8.4	13 7 I800.7 =906.M/8.4	14 0 I801.0 =906.M/8.4	15 1 I801.1 =906.M/8.4	16 2 I801.2 =906.M/8.4	17 3 I801.3 =906.M/8.4
=906.M+01F13-KP2-4	=906.M+01F13-KP2-4	=906.M+01F13-KP2-4	=906.M+01F13-KP2-4	=906.M+01F13-KP2-4	=906.M+01F13-KP2-4	=906.M+01F13-KP2-4
Digital InputSafety	Digital InputSafety	Digital InputSafety	Digital InputSafety	Digital InputSafety	Digital InputSafety	Digital InputSafety

25


			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS	振华电气集团 ZPMC ELECTRIC GROUP	Page description: I/O MAIN HOIST	Resp dep. : EZ Design	Plant Function:=010.M	Page Number: 26
		Designer	Di Ke	Drawing.NR: 1002000544						
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F13	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

27



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.


0	1	2	3	4	5	6	7	8	9




MAIN HOIST
EMERGENCY BRAKE
HYDRAULIC STATION
SOLENOID
ON ORDER

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: I/O MAIN HOIST	Resp dep. : EZ Design	Plant Function:=010.M	Page Number: 32
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F13	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/11/3	Project: CIT Abidjan 6 STS		Page description: I/O MAIN HOIST	Resp dep.: EZ Design Drawing.NR: 1002000544 DQ1002000544-YL001A-EN	Plant Function:=010.M	Page Number: 33
			Designer	Di Ke						
	Original	ZPMC	Review	Jianyue Zhang						
Rev.Ind	Language	EN	Check	Zijiang Ge					Object Loc.: +01F13	Total Page: 753



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MAIN HOIST UP OVERTRAVEL
LIMIT SWITCH
SAFETY RELAY

			Mod.Date	2020/11/12
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
MAIN HOIST OVERTRAVEL SECTION

Resp dep.: EZ Design

Drawing.NR: 1002000544


DQ1002000544-YL001A-EN

Plant Function:=010.R


Object Loc.: +01F13

Page Number: 2

Total Page: 753



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




MAIN HOIST
UNIT ONE
CAM SWITCH
SPARE

MAIN HOIST
UNIT ONE
CAM SWITCH
WATER SIDE
DOWN STOP

MAIN HOIST
UNIT ONE
CAM SWITCH
RESET FEEDBACK

MAIN HOIST
UNIT ONE
CAM SWITCH
SYSTEM CHECK



MAIN HOIST
UNIT ONE
CAM SWITCH
SPARE


MAIN HOIST
UNIT ONE
CAM SWITCH
WATER SIDE
DOWN STOP

MAIN HOIST
UNIT ONE
CAM SWITCH
RESET FEEDBACK

MAIN HOIST
UNIT ONE
CAM SWITCH
SYSTEM CHECK


			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MAIN HOIST
MOTOR 1
COOLING FAN
AIR FLOW MONITOR
RELAY


MAIN HOIST
MOTOR 2
COOLING FAN
AIR FLOW MONITOR
RELAY




MAIN HOIST
MOTOR 1
COOLING FAN
AIR FLOW
MONITOR

MAIN HOIST
MOTOR 2
COOLING FAN
AIR FLOW
MONITOR

			Mod.Date	2020/11/27	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: MAIN HOIST MOTOR COOLING FAN AIR FLOW DETECTOR LIMIT SWITCH SECTION	Resp dep.: EZ Design	Plant Function:=010.R	Page Number: 23		
			Designer	Di Ke				Drawing.NR: 1002000544				
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F13	Total Page: 753		
Rev.Ind	Language	EN	Check	Zijiang Ge								




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MAIN HOIST
UNIT ONE
BASIC UNIT

			Mod.Date	2020/11/12	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: MAIN HOIST UNIT ONE SECTION	Resp dep.: EZ Design	Plant Function:=010.U	Page Number: 16
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F42	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



=010.U+01F42/16

			Mod.Date	2020/11/12
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project:	CIT Abidjan 6 STS
Location:	CIT Abidjan Côte d'Ivoire




Page description:
MAIN HOIST DRIVE 1 SECTION

Resp dep. :	EZ Design
Drawing.NR:	1002000544
DQ1002000544-YL001A-EN	

Plant Function: =011.J	Page Number:	1
Object Loc.: +01F20	Total Page:	753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=011.J	Page Number: 4
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F20	Total Page: 753



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



=011.J+01F20/5

			Mod.Date	2020/11/27
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
MAIN HOIST DRIVE 2 SECTION

Resp dep.: EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:=012.J

Object Loc.: +01F21

Page Number: 1

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



1			Mod.Date	2020/9/29
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
MAIN HOIST MOTOR 2 PULSE GENERATOR SECTION

Resp dep.: EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN

Plant Function:=012.J

Object Loc.: +01F21

Page Number: 4

Total Page: 753



			Mod.Date	2020/9/29
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS
Location: CIT Abidjan Côte d'Ivoire




Page description: MAIN HOIST MOTOR 2 SECTION

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN


Plant Function:=012.J	Page Number: 5
Object Loc.: +01F21	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



=012.J+01F21/5												=.R+.3/1			
			Mod.Date	2022/5/4	Project: CIT Abidjan 6 STS			Page description: MAIN HOIST EMERGENCY MODE SERVICE BRAKE POWER SECTION		Resp dep. : EZ Design		Plant Function:=015.C	Page Number: 1		
			Designer	Di Ke						Drawing.NR: 1002000544					
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire							DQ1002000544-YL001A-EN		Object Loc.: +01F11.2	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge											


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MAIN HOIST
EMERGENCY MOTOR
CHAIN
LIMIT SWITCH
RELAY

SPARE

SPARE








MAIN HOIST
EMERGENCY MOTOR
CHAIN
LIMIT SWITCH

SPARE

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: MAIN HOIST EMERGENCY MODE CONTROL CIRCUIT SECTION	Resp dep. : EZ Design	Plant Function:=015.R	Page Number: 1		
			Designer	Di Ke				Drawing.NR: 1002000544				
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753		
Rev.Ind	Language	EN	Check	Zijiang Ge								

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




MAIN HOIST
EMERGENCY
BRAKE 1-1
LIMIT SWITCH
RELAY

MAIN HOIST
EMERGENCY
BRAKE 1-2
LIMIT SWITCH
RELAY

MAIN HOIST
EMERGENCY
BRAKE 2-1
LIMIT SWITCH
RELAY

MAIN HOIST
EMERGENCY
BRAKE 2-2
LIMIT SWITCH
RELAY



MAIN HOIST
EMERGENCY
BRAKE 1-1
LIMIT SWITCH

MAIN HOIST
EMERGENCY
BRAKE 1-2
LIMIT SWITCH

MAIN HOIST
EMERGENCY
BRAKE 2-1
LIMIT SWITCH

MAIN HOIST
EMERGENCY
BRAKE 2-2
LIMIT SWITCH

			Mod.Date	2020/11/19
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
MAIN HOIST EMERGENCY MODE CONTROL CIRCUIT
SECTION

Resp dep.: EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:=015.R

Object Loc.: +01F11.3

Page Number: 2

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




2			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	





Page description:
MAIN HOIST EMERGENCY MODE CONTROL CIRCUIT
SECTION

Resp dep. : EZ Design	Plant Function: =015.R	Page Number: 3
Drawing.NR: 1002000544	Object Loc.: +01F11.3	Total Page: 753
DQ1002000544-YL001A-EN		



SPARE

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MAIN HOIST
EMERGENCY
UP COMMAND
RELAY

MAIN HOIST
EMERGENCY
DOWN COMMAND
RELAY

MAIN HOIST
EMERGENCY
READY INDICATION
RELAY

			Mod.Date	2020/11/18
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge


Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire




Page description:
MAIN HOIST EMERGENCY MODE CONTROL CIRCUIT
SECTION


Resp dep. : EZ Design	Plant Function:=015.R	Page Number: 6
Drawing.NR: 1002000544	Object Loc.: +01F11.3	Total Page: 753
DQ1002000544-YL001A-EN		



BACKREACH
TLS
HYDRAULIC STATION
PUMP MOTOR



BACKREACH	BACKREACH
TLS	TLS
HYDRAULIC STATION	HYDRAULIC STATION
PUMP MOTOR	PUMP MOTOR
CIRCUIT BREAKER	ON ACKNOWLEDGE
ON	







BACKREACH
TLS
HYDRAULIC STATION
PUMP MOTOR
ON ORDER

We reserve all rights in this document and in the information contained therein
 Reproduction, use or disclosure to third parties without express authority is strictly forbidden
 ©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.


0	1	2	3	4	5	6	7	8	9			
RESERVED												
1									4			
			Mod.Date	2017/11/1	Project: CIT Abidjan 6 STS				Page description:	Resp dep. : EZ Design	Plant Function:=019.C	Page Number: 2
			Designer	Di Ke	Location: CIT Abidjan Côte d'Ivoire				BACKREACH TLS HYDRAULIC STATION PUMP MOTOR SECTION	Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang								DQ1002000544-YL001A-EN
Rev.Ind	Language	EN	Check	Zijiang Ge								





BACKREACH
TLS
HYDRAULIC STATION
POSITION SENSOR
POWER SUPPLY
CIRCUIT BREAKER
ON

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



1			Mod.Date	2020/11/19
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge


Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire




Page description:
BACKREACH TLS PLC I/O SECTION

Resp dep. : EZ Design	Plant Function:=019.M	Page Number: 2
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




BACKREACH
TLS
HYDRAULIC STATION
OIL LEVEL
4-20mA

			Mod.Date	2021/1/27	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



CYLINDER A
POSITION SENSOR
ANALOG SIGNAL

CYLINDER B
POSITION SENSOR
ANALOG SIGNAL

CYLINDER C
POSITION SENSOR
ANALOG SIGNAL

CYLINDER D
POSITION SENSOR
ANALOG SIGNAL

			Mod.Date	2020/11/19
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
BACKREACH TLS PLC I/O SECTION

Resp dep.: EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN


Plant Function:=019.M

Object Loc.: +01F11.3

Page Number: 11

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




BACKREACH TLS
CYLINDER A
PROPORTAL VALVE
SIGNAL

BACKREACH TLS
CYLINDER B
PROPORTAL VALVE
SIGNAL


BACKREACH TLS
CYLINDER C
PROPORTAL VALVE
SIGNAL

BACKREACH TLS
CYLINDER D
PROPORTAL VALVE
SIGNAL

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




MAIN TROLLEY MOTOR
SERVICE BRAKE
POWER SUPPLY



MAIN TROLLEY
MOTOR
SERVICE BRAKE
POWER SUPPLY
CIRCUIT BREAKER
ON


MAIN TROLLEY
SAFETY PROTECTION
OFF ACKNOWLEDGE




MAIN TROLLEY
SAFETY PROTECTION
ON ORDER

			Mod.Date	2022/5/4
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




MAIN TROLLEY MOTOR
SERVICE BRAKE



MAIN TROLLEY
MOTOR
SERVICE BRAKE
CIRCUIT BREAKER
ON

MAIN TROLLEY
MOTOR
SERVICE BRAKE
SET ACKNOWLEDGE




MAIN TROLLEY
MOTOR
SERVICE BRAKE
RELEASE ORDER

			Mod.Date	2021/2/26	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: MAIN TROLLEY SERVICE BRAKE POWER SUPPLY	Resp dep. : EZ Design	Plant Function:=020.C	Page Number: 3
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F15	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

MAIN TROLLEY
FORWARD STOP
CHECK
WHEN BOOM UP
LIMIT SWITCH

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MAIN TROLLEY
PARKING POSITION
LIMIT SWITCH

BACKREACH
HAND RAIL
DETECTOR
LIMIT SWITCH 1

BACKREACH
HAND RAIL
DETECTOR
LIMIT SWITCH 2

CABIN ACCESS
GIRDER SIDE
ACCESS GATE
OPEN
REQUEST

CABIN WASH
PLATFORM
ACCESS GATE
OPEN
REQUEST


			Mod.Date	2020/11/12	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=020.M	Page Number: 4
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F15	Total Page: 753




			Mod.Date	2020/11/12	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: I/O MAIN TROLLEY	Resp dep.: EZ Design	Plant Function:=020.M	Page Number: 5
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire		DQ1002000544-YL001A-EN	Object Loc.: +01F15	Total Page: 753	
Rev.Ind	Language	EN	Check	Zijiang Ge						



			Mod.Date	2020/10/27	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: I/O MAIN TROLLEY	Resp dep.: EZ Design	Plant Function:=020.M	Page Number: 12
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F15	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
I/O MAIN TROLLEY

Resp dep. : EZ Design	Plant Function:=020.M	Page Number: 20
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F15	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MAIN TROLLEY MAIN TROLLEY
WATERSIDE LANDSIDE
OVERTRAVEL OVERTRAVEL
SAFETY RELAY SAFETY RELAY
ON ACKNOWLEDGE ON ACKNOWLEDGE

			Mod.Date	2020/9/29
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge


Project:	CIT Abidjan 6 STS
Location:	CIT Abidjan Côte d'Ivoire



Page description:
I/O MAIN TROLLEY

Resp dep. : EZ Design	Plant Function:=020.M	Page Number: 21
Drawing.NR: 1002000544	Object Loc.: +01F15	Total Page: 753
DQ1002000544-YL001A-EN		

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/11/12
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project:	CIT Abidjan 6 STS
Location:	CIT Abidjan Côte d'Ivoire




Page description:
I/O MAIN TROLLEY

Resp dep. :	EZ Design
Drawing.NR:	1002000544
DQ1002000544-YL001A-EN	

Plant Function:=020.M	Page Number:	22
Object Loc.: +01F15	Total Page:	753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MAIN TROLLEY
WATERSIDE
OVERTRAVEL
SAFETY RELAY
ON ACKNOWLEDGE

MAIN TROLLEY
LANDSIDE
OVERTRAVEL
SAFETY RELAY
ON ACKNOWLEDGE


			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description:
I/O MAIN TROLLEY

Resp dep. : EZ Design	Plant Function:=020.M	Page Number: 23
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F15	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/12	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: I/O MAIN TROLLEY	Resp dep.: EZ Design	Plant Function:=020.M	Page Number: 24
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F15	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						



			Mod.Date	2020/12/25	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: I/O MAIN TROLLEY	Resp dep.: EZ Design	Plant Function:=020.M	Page Number: 53
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

Digital Input

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




MAIN TROLLEY
WATERSIDE OVERTRAVEL
SAFETY RELAY

=.M+10F01/54

			Mod.Date	2020/11/12	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: MAIN TROLLEY OVERTRAVEL SECTION	Resp dep. : EZ Design	Plant Function:=020.R	Page Number: 1
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F15	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MAIN TROLLEY
LANDSIDE OVERTRAVEL
SAFETY RELAY

			Mod.Date	2020/11/12
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
MAIN TROLLEY OVERTRAVEL SECTION

Resp dep. : EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN




Plant Function:=020.R

Object Loc.: +01F15

Page Number: 2

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



9 7 1184.7 =909.M/4.4	12 0 1185.0 =909.M/4.4
=909.M+01F15-KP1-5	=909.M+01F15-KP1-5
Digital Input	Digital Input

SPARE
RELAY

SPARE
RELAY

SPARE

SPARE


			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
MAIN TROLLEY STOP SECTION

Resp dep. : EZ Design	Plant Function:=020.R	Page Number: 8
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F15	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



CABIN ACCESS
GIRDER SIDE
ACCESS GATE
SOLENOID ON
RELAY

CABIN ACCESS
GIRDER SIDE
ACCESS GATE
BOLT OUT
RELAY

CABIN ACCESS
GIRDER SIDE
ACCESS GATE
SOLENOID
ON ACKNOWLEDGE

CABIN ACCESS
GIRDER SIDE
ACCESS GATE
BOLT OUT
ACKNOWLEDGE

CABIN ACCESS
GIRDER SIDE
ACCESS GATE
SOLENOID
ON ORDER

CABIN ACCESS
GIRDER SIDE
ACCESS GATE
OPEN
INDICATION

CABIN ACCESS
GIRDER SIDE
ACCESS GATE
CLOSED
INDICATION

			Mod.Date	2020/11/14
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project:	CIT Abidjan 6 STS
Location:	CIT Abidjan Côte d'Ivoire




Page description:
MAIN TROLLEY ACCESS GATE SECTION

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN


Plant Function:=020.R
Object Loc.: +01F15


Page Number: 11
Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.





We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.






+01F35/4										=.R+01F15/1				
			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: MAIN TROLLEY MOTOR SECTION	Resp dep. : EZ Design	Plant Function:=021.J	Page Number: 5				
			Designer	Di Ke				Drawing.NR: 1002000544						
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F50.1	Total Page: 753				
Rev.Ind	Language	EN	Check	Zijiang Ge										


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MAIN TROLLEY
MOTOR
CONTACTOR 1
+01F50.1 PANEL



MAIN TROLLEY
MOTOR
CONTACTOR 1
+01F50.1 PANEL
ON ACKNOWLEDGE



MAIN TROLLEY
MOTOR
CONTACTOR 1
+01F50.1 PANEL
ON ORDER

=.J+01F50.1/5

=022.J+01F35/4

			Mod.Date	2020/11/12	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description:
MAIN TROLLEY MOTOR CHANGEOVER CONTROL
CIRCUIT SECTION


Resp dep.: EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=021.R	Page Number: 1
Object Loc.: +01F15	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



+01F35/4					=.R+01F15/1					
			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS		Page description: MAIN TROLLEY MOTOR SECTION	Resp dep. : EZ Design	Plant Function:=022.J	Page Number: 5
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F50.2	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						



Page description:
MAIN TROLLEY MOTOR SECTION



MAIN TROLLEY
MOTOR
CONTACTOR 2
+01F50.2 PANEL
ON ACKNOWLEDGE

MAIN TROLLEY
MOTOR
CONTACTOR 2
+01F50.2 PANEL
ON ORDER

=025.C+01F11.2/1


			Mod.Date	2020/11/12	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: MAIN TROLLEY MOTOR CHANGEOVER CONTROL CIRCUIT SECTION	Resp dep. : EZ Design	Plant Function:=022.R	Page Number: 1
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F15	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
 Reproduction, use or disclosure to third parties without express authority is strictly forbidden
 © ZPMC, Shanghai Zhenhua Heavy Industries Co., Ltd.



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MAIN TROLLEY
EMERGENCY MOTOR
CHAIN
LIMIT SWITCH
RELAY

SPARE


SPARE



MAIN TROLLEY
EMERGENCY MOTOR
CHAIN
LIMIT SWITCH


SPARE

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: MAIN TROLLEY EMERGENCY MODE CONTROL CIRCUIT SECTION	Resp dep. : EZ Design	Plant Function:=025.R	Page Number: 1		
			Designer	Di Ke				Drawing.NR: 1002000544				
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753		
Rev.Ind	Language	EN	Check	Zijiang Ge								



SPARE

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MAIN TROLLEY
EMERGENCY
FORWARD COMMAND RELAY

MAIN TROLLEY
EMERGENCY
REVERSE COMMAND RELAY

MAIN TROLLEY
EMERGENCY
READY INDICATION RELAY


			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	





Page description:
MAIN TROLLEY EMERGENCY MODE CONTROL
CIRCUIT SECTION

Resp dep. : EZ Design	Plant Function:=025.R	Page Number: 6
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



6													=026.R/1	
			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS			 振华电气集团 ZPMC ELECTRIC GROUP	Page description: MAIN TROLLEY EMERGENCY MODE CONTROL CIRCUIT SECTION	Resp dep. : EZ Design		Plant Function:=025.R	Page Number: 7	
			Designer	Di Ke						Drawing.NR: 1002000544				
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire					DQ1002000544-YL001A-EN		Object Loc.: +01F11.3	Total Page: 753	
Rev.Ind	Language	EN	Check	Zijiang Ge										




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



BACKREACH
TENSION
HYDRAULIC STATION
SOLENOID 10

BACKREACH
TENSION
HYDRAULIC STATION
SOLENOID 11

BACKREACH
TENSION
HYDRAULIC STATION
SOLENOID 12



BACKREACH
TENSION
HYDRAULIC STATION
SOLENOID 10
ON ACKNOWLEDGE

BACKREACH
TENSION
HYDRAULIC STATION
SOLENOID 11
ON ACKNOWLEDGE


BACKREACH
TENSION
HYDRAULIC STATION
SOLENOID 12
ON ACKNOWLEDGE


=.C+.2/1

12


			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: BACKREACH TENSION HYDRAULIC STATION SOLENOID SECTION	Resp dep. : EZ Design	Plant Function:=029.G	Page Number: 11		
			Designer	Di Ke				Drawing.NR: 1002000544				
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753		
Rev.Ind	Language	EN	Check	Zijiang Ge								

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.






			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: BACKREACH TENSION PLC I/O SECTION	Resp dep.: EZ Design	Plant Function:=029.M	Page Number: 1
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						




			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: BACKREACH TENSION PLC I/O SECTION	Resp dep.: EZ Design	Plant Function:=029.M	Page Number: 2
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

$$= 0.30.C + 0.1F + 67.1$$

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




BOOM HOIST MOTOR
SERVICE BRAKE
POWER SUPPLY



3 1 I250.1 =912.M/4.1	2 0 I252.0 =912.M/4.2
=912.M+01F16-KP1-3	=912.M+01F16-KP1-4
Digital Input	Digital Input

BOOM HOIST
MOTOR
SERVICE BRAKE
POWER SUPPLY
CIRCUIT BREAKER
ON

BOOM HOIST
SAFETY PROTECTION
OFF ACKNOWLEDGE



BOOM HOIST
SAFETY PROTECTION
ON ORDER

			Mod.Date	2022/5/4
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
BOOM HOIST SERVICE BRAKE POWER SUPPLY

Resp dep.: EZ Design
Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:=030.C

Object Loc.: +01F16


Page Number: 2

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




BOOM HOIST MOTOR
SERVICE BRAKE



BOOM HOIST
MOTOR
SERVICE BRAKE
CIRCUIT BREAKER
ON


BOOM HOIST
MOTOR
SERVICE BRAKE
SET ACKNOWLEDGE



BOOM HOIST
MOTOR
SERVICE BRAKE
RELEASE ORDER


			Mod.Date	2020/11/24	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: BOOM HOIST SERVICE BRAKE POWER SUPPLY	Resp dep.: EZ Design	Plant Function:=030.C	Page Number: 3
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F16	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: BOOM HOIST CONTROL PANEL CONTROL POWER DISTRIBUTION	Resp dep. : EZ Design	Plant Function:=030.C	Page Number: 22
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F16	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
BOOM CONTROL STATION CONTROL POWER DISTRIBUTION

Resp dep. : EZ Design	Plant Function:=030.C	Page Number: 43
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +14S01	Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



SPARE
POWER SUPPLY

SPARE
POWER SUPPLY

SWITCH
POWER SUPPLY



SPARE
POWER SUPPLY
CIRCUIT BREAKER
ON


SPARE
POWER SUPPLY
CIRCUIT BREAKER
ON

SWITCH
POWER SUPPLY
CIRCUIT BREAKER
ON

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



BOOM HOIST
MOTOR
SERVICE BRAKE
RELEASED
LIMIT SWITCH

BOOM HOIST
MOTOR
SERVICE BRAKE
MANUAL RELEASED
LIMIT SWITCH

=.G+14S01/12

			Mod.Date	2020/11/12
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
I/O BOOM HOIST

Resp dep.: EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function: =030.M

Object Loc.: +01F16

Page Number: 3


Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/12	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: I/O BOOM HOIST	Resp dep. : EZ Design	Plant Function:=030.M	Page Number: 6
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F16	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




BOOM MOTOR
TEMPERATURE
SENSOR SIGNAL

			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



BOOM HOIST
UP OVERTRAVEL
SAFETY RELAY
ON ACKNOWLEDGE

BOOM HOIST
UNIT ONE
OVERSPEED SWITCH
SAFETY RELAY
ON ACKNOWLEDGE

BOOM HOIST
BUFFER
SAFETY RELAY
ON ACKNOWLEDGE

BOOM HOIST
UP STOP
SAFETY RELAY
ON ACKNOWLEDGE

BOOM HOIST
MOTOR MODULE 1
SERVICE BRAKE
RELEASED
ACKNOWLEDGE

BOOM HOIST
MOTOR MODULE 2
SERVICE BRAKE
RELEASED
ACKNOWLEDGE

			Mod.Date	2020/9/29
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
I/O BOOM HOIST

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN


Plant Function:=030.M

Object Loc.: +01F16

Page Number: 21

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




21

23

			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: I/O BOOM HOIST	Resp dep. : EZ Design	Plant Function:=030.M	Page Number: 22
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F16	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



BOOM HOIST
UP OVERTRAVEL
SAFETY RELAY
ON ACKNOWLEDGE

BOOM HOIST
UNIT ONE
OVERSPEED SWITCH
SAFETY RELAY
ON ACKNOWLEDGE

BOOM HOIST
BUFFER
SAFETY RELAY
ON ACKNOWLEDGE

BOOM HOIST
UP STOP
SAFETY RELAY
ON ACKNOWLEDGE

BOOM HOIST
MOTOR MODULE 1
SERVICE BRAKE
RELEASED
ACKNOWLEDGE

BOOM HOIST
MOTOR MODULE 2
SERVICE BRAKE
RELEASED
ACKNOWLEDGE

			Mod.Date	2020/9/29
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
I/O BOOM HOIST

Resp dep. : EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:=030.M

Object Loc.: +01F16

Page Number: 23

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/26	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
I/O BOOM HOIST


Resp dep. : EZ Design	Plant Function:=030.M	Page Number: 24
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F16	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.





We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



BOOM HOIST
UNIT ONE
OVERSPEED SWITCH
SAFETY RELAY

=.M+14S01/42

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description:
BOOM HOIST OVERSPEED SECTION

Resp dep.: EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function: =030.R
Object Loc.: +01F16

Page Number: 1
Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



BOOM HOIST UP OVERTRAVEL
LIMIT SWITCH
SAFETY RELAY

			Mod.Date	2020/11/12
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
BOOM HOIST OVERTRAVEL SECTION

Resp dep. : EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function: =030.R

Object Loc.: +01F16

Page Number: 2

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



BOOM HOIST BUFFER
LIMIT SWITCH
SAFETY RELAY

			Mod.Date	2020/11/12
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
BOOM HOIST BUFFER SECTION

Resp dep. : EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:=030.R

Object Loc.: +01F16

Page Number: 3

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




BOOM HOIST
UP STOP
LIMIT SWITCH
SAFETY RELAY

			Mod.Date	2020/11/12	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep.: EZ Design	Plant Function:=030.R	Page Number: 12
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F16	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



BOOM HOIST
UNIT ONE
CAM SWITCH
UP SLOWDOWN
CHECK

BOOM HOIST
UNIT ONE
CAM SWITCH
DOWN SLOWDOWN
CHECK

BOOM HOIST
UNIT ONE
CAM SWITCH
45° STOP

BOOM HOIST
UNIT ONE
CAM SWITCH
45° SLOWDOWN
CHECK

BOOM HOIST
UNIT ONE
CAM SWITCH
UP SLOWDOWN
CHECK

BOOM HOIST
UNIT ONE
CAM SWITCH
DOWN SLOWDOWN
CHECK



BOOM HOIST
UNIT ONE
CAM SWITCH
45° STOP

BOOM HOIST
UNIT ONE
CAM SWITCH
45° SLOWDOWN
CHECK


			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




BOOM HOIST
UNIT ONE
CAM SWITCH
SPARE




BOOM HOIST
UNIT ONE
CAM SWITCH
DOWN STOP



BOOM HOIST
UNIT ONE
CAM SWITCH
RESET FEEDBACK



BOOM HOIST
UNIT ONE
CAM SWITCH
SYSTEM CHECK



BOOM HOIST
UNIT ONE
CAM SWITCH
SPARE


BOOM HOIST
UNIT ONE
CAM SWITCH
DOWN STOP

BOM HOIST
UNIT ONE
CAM SWITCH
RESET FEEDBACK


BOOM HOIST
UNIT ONE
CAM SWITCH
SYSTEM CHECK

			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



BOOM
ANTI-COLLISION
LASER SCANNER 2
SIGNAL

			Mod.Date	2020/11/26	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description:
BOOM ANTI-COLLISION LASER SCANNER

Resp dep. : EZ Design	Plant Function:=030.U	Page Number: 12
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F16	Total Page: 753

12	+01F42/15
----	-----------

			Mod.Date	2020/11/30	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: BOOM ANTI-COLLISION SAFETY RELAY	Resp dep.: EZ Design	Plant Function:=030.U	Page Number: 14
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F16	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




+01F16/14

16


			Mod.Date	2020/11/12	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: BOOM HOIST UNIT ONESECTION	Resp dep. : EZ Design	Plant Function:=030.U	Page Number: 15		
			Designer	Di Ke				Drawing.NR: 1002000544				
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F42	Total Page: 753		
Rev.Ind	Language	EN	Check	Zijiang Ge								



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.





+01F35/4


=.R+01F16/1

			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: BOOM HOIST MOTOR SECTION	Resp dep. : EZ Design	Plant Function:=031.J	Page Number: 5
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F50.1	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



BOOM HOIST
MOTOR
CONTACTOR 1
+01F50.1 PANEL



BOOM HOIST
MOTOR
CONTACTOR 1
+01F50.1 PANEL
ON ACKNOWLEDGE



BOOM HOIST
MOTOR
CONTACTOR 1
+01F50.1 PANEL
ON ORDER

=.J+01F50.1/5

=032.J+01F35/4

			Mod.Date	2020/11/12	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description:
BOOM HOIST MOTOR CHANGEOVER CONTROL
CIRCUIT SECTION

Resp dep.: EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=031.R
Object Loc.: +01F16



Page Number: 1
Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



+01F35/4					=.R+01F16/1										
			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS		 振华电气集团 ZPMC ELECTRIC GROUP	Page description: BOOM HOIST MOTOR SECTION		Resp dep. : EZ Design		Plant Function: =032.J		Page Number: 5	
			Designer	Di Ke						Drawing.NR: 1002000544					
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire					DQ1002000544-YL001A-EN		Object Loc.: +01F50.2		Total Page: 753	
Rev.Ind	Language	EN	Check	Zijiang Ge											






BOOM HOIST
MOTOR
CONTACTOR 2
+01F50.2 PANEL
ON ORDER

=035.C+01F11.2/1

			Mod.Date	2020/11/12	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: BOOM HOIST MOTOR CHANGEOVER CONTROL CIRCUIT SECTION	Resp dep.: EZ Design	Plant Function:=032.R	Page Number: 1
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F16	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
 Reproduction, use or disclosure to third parties without express authority is strictly forbidden
 ©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



=032.R+01F16/1					=.R+.3/1					
			Mod.Date	2020/11/24	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: BOOM HOIST EMERGENCY MODE SERVICE BRAKE POWER SECTION	Resp dep. : EZ Design	Plant Function: =035.C	Page Number: 1
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F11.2	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.





BOOM HOIST
EMERGENCY MOTOR
CHAIN
LIMIT SWITCH
RELAY

SPARE



SPARE








BOOM HOIST
EMERGENCY MOTOR
CHAIN
LIMIT SWITCH

SPARE

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: BOOM HOIST EMERGENCY MODE CONTROL CIRCUIT SECTION	Resp dep. : EZ Design	Plant Function:=035.R	Page Number: 1		
			Designer	Di Ke				Drawing.NR: 1002000544				
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753		
Rev.Ind	Language	EN	Check	Zijiang Ge								

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




BOOM HOIST
EMERGENCY
BRAKE 1-1
LIMIT SWITCH
RELAY

BOOM HOIST
EMERGENCY
BRAKE 1-2
LIMIT SWITCH
RELAY

BOOM HOIST
EMERGENCY
BRAKE 2-1
LIMIT SWITCH
RELAY

BOOM HOIST
EMERGENCY
BRAKE 2-2
LIMIT SWITCH
RELAY



BOOM HOIST
EMERGENCY
BRAKE 1-1
LIMIT SWITCH

BOOM HOIST
EMERGENCY
BRAKE 1-2
LIMIT SWITCH

BOOM HOIST
EMERGENCY
BRAKE 2-1
LIMIT SWITCH

BOOM HOIST
EMERGENCY
BRAKE 2-2
LIMIT SWITCH

			Mod.Date	2020/11/19
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
BOOM HOIST EMERGENCY MODE CONTROL CIRCUIT
SECTION

Resp dep.: EZ Design

Drawing.NR: 1002000544




DQ1002000544-YL001A-EN

Plant Function:=035.R



Object Loc.: +01F11.3

Page Number: 2

Total Page: 753



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



BOOM HOIST
EMERGENCY
MODE
PERMISSION
RELAY

SPARE

			Mod.Date	2020/11/19
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
BOOM HOIST EMERGENCY MODE CONTROL CIRCUIT
SECTION

Resp dep.: EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:=035.R

Object Loc.: +01F11.3

Page Number: 5


Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




6												=040.C+01F14/1	
			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS		 振华电气集团 ZPMC ELECTRIC GROUP	Page description: BOOM HOIST EMERGENCY MODE CONTROL CIRCUIT SECTION	Resp dep. : EZ Design		Plant Function:=035.R	Page Number: 7	
			Designer	Di Ke					Drawing.NR: 1002000544				
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire				DQ1002000544-YL001A-EN		Object Loc.: +01F11.3	Total Page: 753	
Rev.Ind	Language	EN	Check	Zijiang Ge									

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY MOTOR
BUILD-ON BRAKE
POWER SUPPLY



GANTRY MOTOR
BUILD-ON BRAKE
POWER SUPPLY
CIRCUIT BREAKER
ON

GANTRY
SAFETY PROTECTION
OFF ACKNOWLEDGE



GANTRY
SAFETY PROTECTION
ON ORDER

1			Mod.Date	2021/4/20
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS
Location: CIT Abidjan Côte d'Ivoire




Page description:
GANTRY SERVICE BRAKE POWER SUPPLY

Resp dep.: EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=040.C
Object Loc.: +01F14

Page Number: 2
Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description:
GANTRY SERVICE BRAKE POWER SUPPLY

Resp dep.: EZ Design	Plant Function:=040.C	Page Number: 3
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F14	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY MOTOR 1
BUILD-ON BRAKE



GANTRY
MOTOR 1
BUILD-ON BRAKE
CIRCUIT BREAKER
ON

GANTRY
MOTOR 1
BUILD-ON BRAKE
RELEASED
ACKNOWLEDGE



GANTRY
MOTOR 1
BUILD-ON BRAKE
RELEASE ORDER

			Mod.Date	2020/11/14
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project:	CIT Abidjan 6 STS
Location:	CIT Abidjan Côte d'Ivoire




Page description:
GANTRY SERVICE BRAKE POWER SUPPLY


Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=040.C	Page Number: 11
Object Loc.: +01F14	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY MOTOR 2
BUILD-ON BRAKE



GANTRY
MOTOR 2
BUILD-ON BRAKE
CIRCUIT BREAKER
ON


GANTRY
MOTOR 2
BUILD-ON BRAKE
RELEASED
ACKNOWLEDGE




GANTRY
MOTOR 2
BUILD-ON BRAKE
RELEASE ORDER

			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY MOTOR 3
BUILD-ON BRAKE



GANTRY
MOTOR 3
BUILD-ON BRAKE
CIRCUIT BREAKER
ON

GANTRY
MOTOR 3
BUILD-ON BRAKE
RELEASED
ACKNOWLEDGE




GANTRY
MOTOR 3
BUILD-ON BRAKE
RELEASE ORDER


			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

Resp dep. : EZ Design	Plant Function:=040.C	Page Number: 13
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F14	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY MOTOR 4
BUILD-ON BRAKE



GANTRY
MOTOR 4
BUILD-ON BRAKE
CIRCUIT BREAKER
ON


GANTRY
MOTOR 4
BUILD-ON BRAKE
RELEASED
ACKNOWLEDGE




GANTRY
MOTOR 4
BUILD-ON BRAKE
RELEASE ORDER

			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY MOTOR 5
BUILD-ON BRAKE



GANTRY
MOTOR 5
BUILD-ON BRAKE
CIRCUIT BREAKER
ON


GANTRY
MOTOR 5
BUILD-ON BRAKE
RELEASED
ACKNOWLEDGE




GANTRY
MOTOR 5
BUILD-ON BRAKE
RELEASE ORDER

			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY MOTOR 6
BUILD-ON BRAKE



GANTRY
MOTOR 6
BUILD-ON BRAKE
CIRCUIT BREAKER
ON

GANTRY
MOTOR 6
BUILD-ON BRAKE
RELEASED
ACKNOWLEDGE




GANTRY
MOTOR 6
BUILD-ON BRAKE
RELEASE ORDER


			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

Resp dep. : EZ Design	Plant Function:=040.C	Page Number: 16
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F14	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY MOTOR 7
BUILD-ON BRAKE



GANTRY
MOTOR 7
BUILD-ON BRAKE
CIRCUIT BREAKER
ON


GANTRY
MOTOR 7
BUILD-ON BRAKE
RELEASED
ACKNOWLEDGE




GANTRY
MOTOR 7
BUILD-ON BRAKE
RELEASE ORDER

			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY MOTOR 8
BUILD-ON BRAKE



GANTRY
MOTOR 8
BUILD-ON BRAKE
CIRCUIT BREAKER
ON


GANTRY
MOTOR 8
BUILD-ON BRAKE
RELEASED
ACKNOWLEDGE




GANTRY
MOTOR 8
BUILD-ON BRAKE
RELEASE ORDER

			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY MOTOR 9
BUILD-ON BRAKE



GANTRY
MOTOR 9
BUILD-ON BRAKE
CIRCUIT BREAKER
ON

GANTRY
MOTOR 9
BUILD-ON BRAKE
RELEASED
ACKNOWLEDGE




GANTRY
MOTOR 9
BUILD-ON BRAKE
RELEASE ORDER


			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

Resp dep. : EZ Design	Plant Function:=040.C	Page Number: 19
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F14	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY MOTOR 10
BUILD-ON BRAKE



GANTRY
MOTOR 10
BUILD-ON BRAKE
CIRCUIT BREAKER
ON


GANTRY
MOTOR 10
BUILD-ON BRAKE
RELEASED
ACKNOWLEDGE




GANTRY
MOTOR 10
BUILD-ON BRAKE
RELEASE ORDER

			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY MOTOR 11
BUILD-ON BRAKE



GANTRY
MOTOR 11
BUILD-ON BRAKE
CIRCUIT BREAKER
ON

GANTRY
MOTOR 11
BUILD-ON BRAKE
RELEASED
ACKNOWLEDGE



GANTRY
MOTOR 11
BUILD-ON BRAKE
RELEASE ORDER

			Mod.Date	2020/11/14
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project:	CIT Abidjan 6 STS
Location:	CIT Abidjan Côte d'Ivoire




Page description:
GANTRY SERVICE BRAKE POWER SUPPLY


Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=040.C	Page Number: 21
Object Loc.: +01F14	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY MOTOR 12
BUILD-ON BRAKE



GANTRY
MOTOR 12
BUILD-ON BRAKE
CIRCUIT BREAKER
ON

GANTRY
MOTOR 12
BUILD-ON BRAKE
RELEASED
ACKNOWLEDGE




GANTRY
MOTOR 12
BUILD-ON BRAKE
RELEASE ORDER


			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

Resp dep. : EZ Design	Plant Function:=040.C	Page Number: 22
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F14	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY MOTOR 13
BUILD-ON BRAKE



GANTRY
MOTOR 13
BUILD-ON BRAKE
CIRCUIT BREAKER
ON


GANTRY
MOTOR 13
BUILD-ON BRAKE
RELEASED
ACKNOWLEDGE




GANTRY
MOTOR 13
BUILD-ON BRAKE
RELEASE ORDER

			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY MOTOR 14
BUILD-ON BRAKE



GANTRY
MOTOR 14
BUILD-ON BRAKE
CIRCUIT BREAKER
ON


GANTRY
MOTOR 14
BUILD-ON BRAKE
RELEASED
ACKNOWLEDGE




GANTRY
MOTOR 14
BUILD-ON BRAKE
RELEASE ORDER

			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY MOTOR 15
BUILD-ON BRAKE



GANTRY
MOTOR 15
BUILD-ON BRAKE
CIRCUIT BREAKER
ON

GANTRY
MOTOR 15
BUILD-ON BRAKE
RELEASED
ACKNOWLEDGE




GANTRY
MOTOR 15
BUILD-ON BRAKE
RELEASE ORDER


			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

Resp dep. : EZ Design	Plant Function:=040.C	Page Number: 25
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F14	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY MOTOR 16
BUILD-ON BRAKE



GANTRY
MOTOR 16
BUILD-ON BRAKE
CIRCUIT BREAKER
ON

GANTRY
MOTOR 16
BUILD-ON BRAKE
RELEASED
ACKNOWLEDGE




GANTRY
MOTOR 16
BUILD-ON BRAKE
RELEASE ORDER


			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

Resp dep. : EZ Design	Plant Function:=040.C	Page Number: 26
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F14	Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY MOTOR 18
BUILD-ON BRAKE



GANTRY
MOTOR 18
BUILD-ON BRAKE
CIRCUIT BREAKER
ON


GANTRY
MOTOR 18
BUILD-ON BRAKE
RELEASED
ACKNOWLEDGE




GANTRY
MOTOR 18
BUILD-ON BRAKE
RELEASE ORDER

			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY MOTOR 19
BUILD-ON BRAKE



GANTRY
MOTOR 19
BUILD-ON BRAKE
CIRCUIT BREAKER
ON


GANTRY
MOTOR 19
BUILD-ON BRAKE
RELEASED
ACKNOWLEDGE




GANTRY
MOTOR 19
BUILD-ON BRAKE
RELEASE ORDER

			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY MOTOR 20
BUILD-ON BRAKE



GANTRY
MOTOR 20
BUILD-ON BRAKE
CIRCUIT BREAKER
ON


GANTRY
MOTOR 20
BUILD-ON BRAKE
RELEASED
ACKNOWLEDGE




GANTRY
MOTOR 20
BUILD-ON BRAKE
RELEASE ORDER

			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY MOTOR 21
BUILD-ON BRAKE



GANTRY
MOTOR 21
BUILD-ON BRAKE
CIRCUIT BREAKER
ON


GANTRY
MOTOR 21
BUILD-ON BRAKE
RELEASED
ACKNOWLEDGE




GANTRY
MOTOR 21
BUILD-ON BRAKE
RELEASE ORDER

			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY MOTOR 22
BUILD-ON BRAKE



GANTRY
MOTOR 22
BUILD-ON BRAKE
CIRCUIT BREAKER
ON


GANTRY
MOTOR 22
BUILD-ON BRAKE
RELEASED
ACKNOWLEDGE




GANTRY
MOTOR 22
BUILD-ON BRAKE
RELEASE ORDER

			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY MOTOR 23
BUILD-ON BRAKE



GANTRY
MOTOR 23
BUILD-ON BRAKE
CIRCUIT BREAKER
ON

GANTRY
MOTOR 23
BUILD-ON BRAKE
RELEASED
ACKNOWLEDGE




GANTRY
MOTOR 23
BUILD-ON BRAKE
RELEASE ORDER

			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Resp dep. : EZ Design	Plant Function:=040.C	Page Number: 33
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F14	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY MOTOR 24
BUILD-ON BRAKE




GANTRY
MOTOR 24
BUILD-ON BRAKE
CIRCUIT BREAKER
ON

GANTRY
MOTOR 24
BUILD-ON BRAKE
RELEASED
ACKNOWLEDGE




GANTRY
MOTOR 24
BUILD-ON BRAKE
RELEASE ORDER

			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	





We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep.: EZ Design	Plant Function:=040.C	Page Number: 63
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +07S01	Total Page: 753



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	





Page description:
GANTRY WATERSIDE CONTROL STATION CONTROL
POWER DISTRIBUTION

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=040.C	Page Number: 73
Object Loc.: +08S01	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



=.C+08S01/73

+07S01/11

			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description:
GANTRY CONTROL PANEL DC POWER SUPPLY

Resp dep.: EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=040.G	Page Number: 1
Object Loc.: +01F14	Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GANTRY
ABSOLUTE ENCODER
POWER SUPPLY

GANTRY LANDSIDE
HYDRAULIC STATION
SOLENOID
POWER SUPPLY

SWITCH
POWER SUPPLY



GANTRY
ABSOLUTE ENCODER
POWER SUPPLY
CIRCUIT BREAKER
ON


GANTRY LANDSIDE
HYDRAULIC STATION
SOLENOID
POWER SUPPLY
CIRCUIT BREAKER
ON

SWITCH
POWER SUPPLY
CIRCUIT BREAKER
ON

			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GANTRY CABLE REEL
ABSOLUTE ENCODER
POWER SUPPLY

GANTRY WATERSIDE
HYDRAULIC STATION
SOLENOID
POWER SUPPLY

SWITCH
POWER SUPPLY




GANTRY CABLE REEL
ABSOLUTE ENCODER
POWER SUPPLY
CIRCUIT BREAKER
ON

GANTRY WATERSIDE
HYDRAULIC STATION
SOLENOID
POWER SUPPLY
CIRCUIT BREAKER
ON

SWITCH
POWER SUPPLY
CIRCUIT BREAKER
ON

			Mod.Date	2021/2/26	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: GANTRY WATERSIDE CONTROL STATION DC POWER SUPPLY	Resp dep. : EZ Design	Plant Function:=040.G	Page Number: 22		
			Designer	Di Ke				Drawing.NR: 1002000544				
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +08S01	Total Page: 753		
Rev.Ind	Language	EN	Check	Zijiang Ge								

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GANTRY MOTOR 1
CIRCUIT BREAKER
ON

GANTRY MOTOR 3
CIRCUIT BREAKER
ON

GANTRY MOTOR 5
CIRCUIT BREAKER
ON

GANTRY MOTOR 7
CIRCUIT BREAKER
ON


GANTRY MOTOR 9
CIRCUIT BREAKER
ON

GANTRY MOTOR 11
CIRCUIT BREAKER
ON

GANTRY MOTOR 13
CIRCUIT BREAKER
ON

GANTRY MOTOR 15
CIRCUIT BREAKER
ON

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GANTRY
MOTOR 2
CIRCUIT BREAKER
ON

GANTRY
MOTOR 4
CIRCUIT BREAKER
ON

GANTRY
MOTOR 6
CIRCUIT BREAKER
ON

GANTRY
MOTOR 8
CIRCUIT BREAKER
ON

GANTRY
MOTOR 10
CIRCUIT BREAKER
ON

GANTRY
MOTOR 12
CIRCUIT BREAKER
ON

GANTRY
MOTOR 14
CIRCUIT BREAKER
ON

GANTRY
MOTOR 16
CIRCUIT BREAKER
ON

			Mod.Date	2020/11/13
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
I/O GANTRY

Resp dep. : EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:=040.M

Object Loc.: +01F14

Page Number: 2

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GANTRY
MOTOR 17
CIRCUIT BREAKER
ON

GANTRY
MOTOR 19
CIRCUIT BREAKER
ON

GANTRY
MOTOR 21
CIRCUIT BREAKER
ON

GANTRY
MOTOR 23
CIRCUIT BREAKER
ON

GANTRY
MOTOR 18
CIRCUIT BREAKER
ON

GANTRY
MOTOR 20
CIRCUIT BREAKER
ON

GANTRY
MOTOR 22
CIRCUIT BREAKER
ON

GANTRY
MOTOR 24
CIRCUIT BREAKER
ON

			Mod.Date	2020/11/13
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
I/O GANTRY

Resp dep.: EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:=040.M

Object Loc.: +01F14

Page Number: 3

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/11/13
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire




Page description:
I/O GANTRY

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=040.M	Page Number: 4
Object Loc.: +01F14	Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




MT/BH/GA MT/BH/GAT
MOTOR MODULE 1 MOTOR MODULE 2
FAULT FAULT
ON ACKNOWLEDGE ON ACKNOWLEDGE

			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: I/O GANTRY	Resp dep. : EZ Design	Plant Function:=040.M	Page Number: 21
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F14	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MT/BH/GA MT/BH/GAT
MOTOR MODULE 1 MOTOR MODULE 2
FAULT FAULT
ON ACKNOWLEDGE ON ACKNOWLEDGE

			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description:
I/O GANTRY

Resp dep. : EZ Design	Plant Function:=040.M	Page Number: 23
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F14	Total Page: 753



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/24	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
I/O GANTRY


Resp dep. : EZ Design	Plant Function: =040.M	Page Number: 32
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F14	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MT/BH/GA
MOTOR MODULE 1
STO
OFF ACKNOWLEDGE

MT/BH/GA
MOTOR MODULE 2
STO
OFF ACKNOWLEDGE




MT/BH/GA
MOTOR MODULE 1
STO
ON ORDER

MT/BH/GA
MOTOR MODULE 2
STO
ON ORDER


			Mod.Date	2021/4/20	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

Resp dep. : EZ Design	Plant Function: =040.M	Page Number: 33
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F14	Total Page: 753



GANTRY
 MOTOR 20
 BUILD-ON BRAKE
 RELEASED
 LIMIT SWITCH

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GANTRY
MOTOR 21
BUILD-ON BRAKE
RELEASED
LIMIT SWITCH

GANTRY
MOTOR 22
BUILD-ON BRAKE
RELEASED
LIMIT SWITCH

GANTRY
MOTOR 23
BUILD-ON BRAKE
RELEASED
LIMIT SWITCH

GANTRY
MOTOR 24
BUILD-ON BRAKE
RELEASED
LIMIT SWITCH


EMERGENCY OUTLET
TO NEXT CRANE
CONNECTED

			Mod.Date	2022/4/12
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project:	CIT Abidjan 6 STS
Location:	CIT Abidjan Côte d'Ivoire



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GANTRY LANDSIDE
ANCHOR PIN
RELEASED
LIMIT SWITCH

GANTRY LANDSIDE
CRANE
LOCKOUT SWITCH

GANTRY LANDSIDE
LEFT SLOWDOWN
SENSOR

GANTRY LANDSIDE
LEFT STOP
SENSOR

GANTRY LANDSIDE
RIGHT SLOWDOWN
SENSOR

GANTRY LANDSIDE
RIGHT STOP
SENSOR

			Mod.Date	2020/11/14
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
I/O GANTRY

Resp dep.: EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:=040.M

Object Loc.: +07S01

Page Number: 47

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GANTRY
MOTOR 13
TEMPERATURE
SENSOR

GANTRY
MOTOR 14
TEMPERATURE
SENSOR

GANTRY
MOTOR 15
TEMPERATURE
SENSOR

GANTRY
MOTOR 16
TEMPERATURE
SENSOR

GANTRY
MOTOR 17
TEMPERATURE
SENSOR

GANTRY
MOTOR 18
TEMPERATURE
SENSOR

GANTRY
MOTOR 19
TEMPERATURE
SENSOR

GANTRY
MOTOR 20
TEMPERATURE
SENSOR

			Mod.Date	2020/11/13
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
I/O GANTRY


Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function: =040.M


Object Loc.: +07S01

Page Number: 49


Total Page: 753



GANTRY
 MOTOR 24
 TEMPERATURE
 SENSOR



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GANTRY
MOTOR 9
BUILD-ON BRAKE
RELEASED
LIMIT SWITCH

GANTRY
MOTOR 10
BUILD-ON BRAKE
RELEASED
LIMIT SWITCH

GANTRY
MOTOR 11
BUILD-ON BRAKE
RELEASED
LIMIT SWITCH

GANTRY
MOTOR 12
BUILD-ON BRAKE
RELEASED
LIMIT SWITCH

			Mod.Date	2020/11/24
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project:	CIT Abidjan 6 STS
Location:	CIT Abidjan Côte d'Ivoire




Page description:
I/O GANTRY

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=040.M	Page Number: 62
Object Loc.: +08S01	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GANTRY WATERSIDE
ANCHOR PIN
RELEASED
LIMIT SWITCH

GANTRY WATERSIDE
LEFT SLOWDOWN
SENSOR

GANTRY WATERSIDE
LEFT STOP
SENSOR

GANTRY WATERSIDE
RIGHT SLOWDOWN
SENSOR


GANTRY WATERSIDE
RIGHT STOP
SENSOR

			Mod.Date	2020/11/24	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=040.M	Page Number: 67
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +08S01	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GANTRY
MOTOR 1
TEMPERATURE
SENSOR

GANTRY
MOTOR 2
TEMPERATURE
SENSOR

GANTRY
MOTOR 3
TEMPERATURE
SENSOR

GANTRY
MOTOR 4
TEMPERATURE
SENSOR

GANTRY
MOTOR 5
TEMPERATURE
SENSOR

GANTRY
MOTOR 6
TEMPERATURE
SENSOR

GANTRY
MOTOR 7
TEMPERATURE
SENSOR

GANTRY
MOTOR 8
TEMPERATURE
SENSOR

			Mod.Date	2020/11/24
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
I/O GANTRY


Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function: =040.M

Object Loc.: +08S01


Page Number: 69

Total Page: 753




			Mod.Date	2020/11/13	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: MAIN TROLLEY/BOOM HOIST/GANTRY DRIVE 1 SECTION	Resp dep.: EZ Design	Plant Function:=041.J	Page Number: 1
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F22	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: GANTRY MOTOR GROUP 2 SECTION	Resp dep. : EZ Design	Plant Function:=041.J	Page Number: 6
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F50.1	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.





GANTRY
MOTOR 1

			Mod.Date	2020/11/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=041.J	Page Number: 11
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F50.4	Total Page: 753



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GANTRY
MOTOR 3


			Mod.Date	2020/11/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




+08
-MA5
=040.C+01F14/15.1
+01F35/3.1

500/500/500Vac, 24/42/51A
15/26/32kW, 60/60/60 Hz
82/142/175 Nm, 1750/1750/1750 rpm



BG1
+01F35/3.2
PULSE
GENERATOR
POG 10DN 1024I



-BT1
=040.M+08S01/69.4
TEMPERATURE
SENSOR
BIMETAL



-EB1
HEATER

-MB1
=040.C+01F14/15.1
BULID-ON
BRAKE
KFB30



-BG11
MICRO SWITCH
FOR RELEASE

GANTRY
MOTOR 5

			Mod.Date	2020/11/30
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
GANTRY MOTOR 5

Resp dep.: EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:=041.J

Object Loc.: +01F50.4


Page Number: 13

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.





+08
-MA7
=040.C+01F14/17.1



GANTRY
MOTOR 7

			Mod.Date	2020/11/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GANTRY
MOTOR 9

			Mod.Date	2020/11/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY
MOTOR 11

			Mod.Date	2020/11/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=041.J	Page Number: 16
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F50.4	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.





GANTRY
MOTOR 13

			Mod.Date	2020/11/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

Resp dep. : EZ Design	Plant Function:=041.J	Page Number: 17
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F50.4	Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GANTRY
MOTOR 15

			Mod.Date	2020/11/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY
MOTOR 17

			Mod.Date	2020/11/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=041.J	Page Number: 19
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F50.4	Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




+07
-MA21
=040.C+01F14/31.1




GANTRY
MOTOR 21

			Mod.Date	2020/11/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




+07
-MA23
=040.C+01F14/33.1



GANTRY
MOTOR 23



			Mod.Date	2020/11/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

Resp dep. : EZ Design	Plant Function:=041.J	Page Number: 22
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F50.4	Total Page: 753



			Mod.Date	2020/11/23	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: GANTRY LANDSIDE ABSOLUTE ENCODER	Resp dep.: EZ Design	Plant Function:=041.J	Page Number: 33
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +07S01	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GANTRY MOTOR
GROUP 1
CONTACTOR 1.1
+01F50.1 PANEL

GANTRY MOTOR
GROUP 1
CONTACTOR 1.2
+01F50.1 PANEL

GANTRY MOTOR
GROUP 1
CONTACTOR 1.1
+01F50.1 PANEL
ON ACKNOWLEDGE

GANTRY MOTOR
GROUP 1
CONTACTOR 1.2
+01F50.1 PANEL
ON ACKNOWLEDGE



GANTRY MOTOR
GROUP 1
CONTACTOR 1.1/1.2
+01F50.1 PANEL
ON ORDER

=.J+07S01/33

2

			Mod.Date	2020/11/14	Project:	CIT Abidjan 6 STS		Page description:	Resp dep. : EZ Design	Plant Function: =041.R	Page Number:	1
			Designer	Di Ke				GANTRY MOTOR GROUP 1 CHANGEOVER CONTROL	Drawing.NR: 1002000544			
			Review	Jianguo Zhang	Location:	CIT Abidjan Côte d'Ivoire		CIRCUIT SECTION	DQ1002000544-YL001A-EN	Object Loc.: +01F14	Total Page:	753
Rev.Ind	Original	ZPMC	Check	Zijiang Ge								

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GANTRY MOTOR
GROUP 2
CONTACTOR 2.1
+01F50.1 PANEL

GANTRY MOTOR
GROUP 2
CONTACTOR 2.2
+01F50.1 PANEL

GANTRY MOTOR
GROUP 2
CONTACTOR 2.1
+01F50.1 PANEL
ON ACKNOWLEDGE

GANTRY MOTOR
GROUP 2
CONTACTOR 2.2
+01F50.1 PANEL
ON ACKNOWLEDGE

GANTRY MOTOR
GROUP 2
CONTACTOR 2.1/2.2
+01F50.1 PANEL
ON ORDER

1			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianguo Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description:
GANTRY MOTOR GROUP 2 CHANGEOVER CONTROL
CIRCUIT SECTION

Resp dep.: EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN


Plant Function:=041.R
Object Loc.: +01F14

Page Number: 2
Total Page: 753




			Mod.Date	2020/11/13	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: MAIN TROLLEY/BOOM HOIST/GANTRY DRIVE 2 SECTION	Resp dep. : EZ Design	Plant Function:=042.J	Page Number: 1
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F23	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



3															+01F50.2/5	
			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS			Page description: GANTRY MOTOR 18 PULSE GENERATOR SECTION	Resp dep. : EZ Design		Plant Function:=042.J	Page Number: 4				
			Designer	Di Ke					Drawing.NR: 1002000544							
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire				DQ1002000544-YL001A-EN		Object Loc.: +01F35	Total Page: 753				
Rev.Ind	Language	EN	Check	Zijiang Ge												


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GANTRY MOTOR
GROUP 1
POWER SUPPLY

			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	







			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: GANTRY MOTOR GROUP 2 SECTION	Resp dep. : EZ Design	Plant Function:=042.J	Page Number: 6
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F50.2	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						





We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GANTRY
MOTOR 2

			Mod.Date	2020/11/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY
MOTOR 4


			Mod.Date	2020/11/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

Resp dep. : EZ Design	Plant Function:=042.J	Page Number: 12
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F50.4	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




+08
-MA6
=040.C+01F14/16.1




GANTRY
MOTOR 6

			Mod.Date	2020/11/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



+08
-MA8
=040.C+01F14/18.1



GANTRY
MOTOR 8

			Mod.Date	2020/11/30
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
GANTRY MOTOR 8

Resp dep.: EZ Design

Drawing.NR: 1002000544


DQ1002000544-YL001A-EN

Plant Function:=042.J

Object Loc.: +01F50.4


Page Number: 14

Total Page: 753




GANTRY
MOTOR 10

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




+08
-MA12
=040.C+01F14/22.1





GANTRY
MOTOR 12

			Mod.Date	2020/11/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



GANTRY
MOTOR 14



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GANTRY
MOTOR 16


			Mod.Date	2020/11/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




+07
-MA18
=040.C+01F14/28.1
+01F35/4.1

500/500/500Vac, 24/42/51A
15/26/32kW, 60/60/60 Hz
82/142/175 Nm, 1750/1750/1750 rpm



BG1
+01F35/4.2
PULSE
GENERATOR
POG 10DN 1024I



-BT1
=040.M+07S01/49.5
TEMPERATURE
SENSOR
BIMETAL



-EB1
HEATER



-MB1
=040.C+01F14/28.1
BULID-ON
BRAKE
KFB30



-BG11
=040.M+07S01/41.5
MICRO SWITCH
FOR RELEASE



GANTRY
MOTOR 18

			Mod.Date	2020/11/30
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
GANTRY MOTOR 18

Resp dep.: EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN



Plant Function:=042.J

Object Loc.: +01F50.4

Page Number: 19

Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GANTRY
MOTOR 22

			Mod.Date	2020/11/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



+07
-MA24
=040.C+01F14/34.1

GANTRY
MOTOR 24


			Mod.Date	2020/11/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description:
GANTRY MOTOR 24

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=042.J	Page Number: 22
Object Loc.: +01F50.4	Total Page: 753




GANTRY MOTOR
 GROUP 1
 CONTACTOR 1.3/1.4
 +01F50.2 PANEL
 ON ORDER






GANTRY MOTOR
 GROUP 2
 CONTACTOR 2.3/2.4
 +01F50.2 PANEL
 ON ORDER

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



=042.R+01F14/2					5		
			Mod.Date	2020/11/24	Project: CIT Abidjan 6 STS		
			Designer	Di Ke			
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire		
Rev.Ind	Language	EN	Check	Zijiang Ge			



 振华电气集团 ZPMC ELECTRIC GROUP		Page description: GANTRY LANDSIDE HYDRAULIC STATION PUMP MOTOR SECTION		Resp dep. : EZ Design Drawing.NR: 1002000544 DQ1002000544-YL001A-EN	Plant Function:=045.C Object Loc.: +01F11.2	Page Number: 1 Total Page: 753
---	--	--	--	---	--	-----------------------------------





GANTRY
 WATERSIDE
 HYDRAULIC STATION
 PUMP MOTOR

GANTRY WATERSIDE HYDRAULIC STATION PUMP MOTOR CIRCUIT BREAKER ON	GANTRY WATERSIDE HYDRAULIC STATION PUMP MOTOR ON ACKNOWLEDGE


GANTRY
 WATERSIDE
 HYDRAULIC STATION
 PUMP MOTOR
 ON ORDER








			Mod.Date	2020/11/13	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: GANTRY LANDSIDE HYDRAULIC STATION PLC I/O SECTION	Resp dep.: EZ Design	Plant Function:=045.M	Page Number: 21
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +07S01	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						







			Mod.Date	2020/11/24	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: GANTRY WATERSIDE HYDRAULIC STATION PLC I/O SECTION	Resp dep.: EZ Design	Plant Function:=045.M	Page Number: 31
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +08S01	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GANTRY
CABLE REEL
MOTOR
SPACE HEATER

GANTRY
CABLE REEL
MOTOR
BRAKE
HEATER

GANTRY
CABLE REEL
SLIP RING
HEATER

GANTRY
CABLE REEL
PANEL
FAN


GANTRY
CABLE REEL
MOTOR HEATER
CIRCUIT BREAKER
ON

GANTRY
CABLE REEL
MOTOR HEATER
CONTACTOR
ON ORDER


1			Mod.Date	2020/12/30	Project:	CIT Abidjan 6 STS		Page description:	Resp dep. : EZ Design	Plant Function: =046.C	Page Number:	2
			Designer	Di Ke				GANTRY CABLE REEL MOTOR & SLIP RING HEATER SECTION	Drawing.NR: 1002000544			
	Original	ZPMC	Review	Jianyue Zhang	Location:	CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F18	Total Page:	753
Rev.Ind	Language	EN	Check	Zijiang Ge								



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GANTRY
CABLE REEL
MOTOR BRAKE




GANTRY
CABLE REEL
MOTOR BRAKE
CIRCUIT BREAKER
ON

GANTRY
CABLE REEL
MOTOR BRAKE
CIRCUIT BREAKER
ON

GANTRY
CABLE REEL
MOTOR BRAKE
RELEASED
ACKNOWLEDGE

GANTRY
CABLE REEL
MOTOR BRAKE
RELEASED
ACKNOWLEDGE




GANTRY
CABLE REEL
MOTOR BRAKE
RELEASE ORDER

GANTRY
CABLE REEL
EMERGENCY STOP
PROTECTION
ON ORDER

			Mod.Date	2020/11/27	Project:	CIT Abidjan 6 STS
			Designer	Di Ke		
	Original	ZPMC	Review	Jianyue Zhang	Location:	CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge		

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




GANTRY
CABLE REEL
ABSOLUTE ENCODER

+01F18/2


=.M/1

			Mod.Date	2020/11/24	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: GANTRY CABLE REEL ABSOLUTE ENCODER	Resp dep. : EZ Design	Plant Function:=046.J	Page Number: 13
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +08S01	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




MAIN TROLLEY
SPREADER
MAIN POWER
SUPPLY



MAIN TROLLEY
SPREADER
MAIN POWER
SUPPLY
CIRCUIT BREAKER
ON

MAIN TROLLEY
SPREADER MAIN
POWER SUPPLY
ON ACKNOLEDGE



MAIN TROLLEY
SPREADER MAIN
POWER SUPPLY
ON ORDER

=046.R+01F18/2

			Mod.Date	2020/11/13
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
MAIN TROLLEY SPREADER POWER SUPPLY

Resp dep. : EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:=050.C

Object Loc.: +10F01

Page Number: 1






Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/11/13	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: MAIN TROLLEY SPREADER POWER SUPPLY	Resp dep.: EZ Design	Plant Function:=050.C	Page Number: 2
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




MAIN TROLLEY
HEADBLOCK
LEFT
SLACK ROPE
LIMIT SWITCH
RELAY

MAIN TROLLEY
HEADBLOCK
RIGHT
SLACK ROPE
LIMIT SWITCH
RELAY

MAIN TROLLEY
HEADBLOCK
CONNECTED
LIMIT SWITCH
RELAY

MAIN TROLLEY
HEADBLOCK
DISCONNECTED
LIMIT SWITCH
RELAY



MAIN TROLLEY
HEADBLOCK
LEFT
SLACK ROPE
LIMIT SWITCH

MAIN TROLLEY
HEADBLOCK
RIGHT
SLACK ROPE
LIMIT SWITCH

MAIN TROLLEY
HEADBLOCK
CONNECTED
LIMIT SWITCH

MAIN TROLLEY
HEADBLOCK
DISCONNECTED
LIMIT SWITCH

1			Mod.Date	2022/4/12	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description:
MAIN TROLLEY SPREADER CONTROL CIRCUIT
SECTION

Resp dep.: EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=050.R	Page Number: 3
Object Loc.: +10F01	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MAIN TROLLEY
HEADBLOCK
OVERTENSION
LIMIT SWITCH
RELAY

MAIN TROLLEY
SPREADER
CONNECTED
RELAY

SPARE
RELAY


SPARE
RELAY

MAIN TROLLEY
HEADBLOCK
OVERTENSION
LIMIT SWITCH

MAIN TROLLEY
SPREADER
CONNECTED
RELAY

SPARE

SPARE



			Mod.Date	2022/4/12
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
MAIN TROLLEY SPREADER CONTROL CIRCUIT
SECTION

Resp dep.: EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN

Plant Function:=050.R


Object Loc.: +10F01

Page Number: 4


Total Page: 753




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



SPREADER
CABLE REEL
MOTOR BRAKE




SPREADER
CABLE REEL
MOTOR BRAKE
CIRCUIT BREAKER
ON

SPREADER
CABLE REEL
MOTOR BRAKE
CIRCUIT BREAKER
ON


SPREADER
CABLE REEL
MOTOR BRAKE
RELEASED
ACKNOWLEDGE

SPREADER
CABLE REEL
MOTOR BRAKE
RELEASED
ACKNOWLEDGE

Digital Output	Digital Output
=918.M+01F18-KP1-8	=918.M+01F18-KP1-8
=911.M/5.4 Q330.1 1 3	=911.M/5.4 Q330.2 2 4





SPREADER
CABLE REEL
MOTOR BRAKE
RELEASE ORDER




SPREADER
CABLE REEL
EMERGENCY STOP
PROTECTION
ON ORDER

			Mod.Date	2020/11/27	Project:	CIT Abidjan 6 STS
			Designer	Di Ke		
	Original	ZPMC	Review	Jianyue Zhang	Location:	CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge		





We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



=.C+10F01/12

			Mod.Date	2020/12/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description:
SPREADER CABLE REEL MOTOR MODULE SECTION

Resp dep.: EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function: =056.J	Page Number: 1
Object Loc.: +01F18	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



+01F18/2


			Mod.Date	2020/11/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
SPREADER CABLE REEL MOTOR PULSE GENERATOR
SECTION


Resp dep. : EZ Design	Plant Function:=056.J	Page Number: 14
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753

=.M/1




			Mod.Date	2020/12/30	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: SPREADER CABLE REEL I/O SECTION	Resp dep. : EZ Design	Plant Function:=056.M	Page Number: 1
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



=.G+08S01/11

+08S01/5

			Mod.Date	2020/10/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	





Page description:
CPS CONTROL CIRCUIT SECTION


Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=070.R	Page Number: 1
Object Loc.: +01F42	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



航插号	引脚号	引脚名称	功能	航插号	引脚号	引脚名称	颜色	功能
1#母	1	L	AC220V 电源	2#母	1	TX+	白橙	网线 接口
	2	N			2	TX-	橙	
	3	PE			3	RX+	白绿	
	4	空			4	RX-	绿	
	5	空			5	(保留)	白蓝	
	6	空			6	(保留)	蓝	
1#母	SHIELD	屏蔽			7	(保留)	白棕	
					8	(保留)	棕	
					9	空		
					10	空		
					SHIELD	屏蔽		




LEFT PORTAL BEAM LEADING POSITION UNIT

			Mod.Date	2021/2/26	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




+08S01/6

=080.C+01F12.2/10

			Mod.Date	2020/11/13	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: CPS CONTROL CIRCUIT SECTION	Resp dep. : EZ Design	Plant Function:=070.R	Page Number: 31
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.





			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=080.C	Page Number: 12
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F12.2	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



BOOM
FLOODLIGHT
SPARE

BOOM
FLOODLIGHT
SPARE

BOOM
FLOODLIGHT
SPARE

BOOM
FLOODLIGHT
SPARE
CIRCUIT BREAKER
ON

BOOM
FLOODLIGHT
SPARE
CIRCUIT BREAKER
ON


BOOM
FLOODLIGHT
SPARE
CIRCUIT BREAKER
ON

			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function: =080.C	Page Number: 13
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F12.2	Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



BACKREACH
FLOODLIGHT
GROUP 1

BACKREACH & WINDOW
WASH PLATFORM
FLOODLIGHT

BACKREACH
FLOODLIGHT
SPARE




BACKREACH
FLOODLIGHT
GROUP 1
CIRCUIT BREAKER
ON

BACKREACH &
WINDOW
WASH PLATFORM
FLOODLIGHT
CIRCUIT BREAKER
ON

BACKREACH
FLOODLIGHT
SPARE
CIRCUIT BREAKER
ON

			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=080.C	Page Number: 16
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F12.2	Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



RIGHT PORTAL BEAM
FLOODLIGHT
GROUP 2

MACHINARY HOUSE
AROUND
FLOODLIGHT
GROUP 1

MACHINARY HOUSE
AROUND
FLOODLIGHT
GROUP 2



RIGHT PORTAL BEAM
FLOODLIGHT
GROUP 2
CIRCUIT BREAKER
ON

MACHINARY HOUSE
AROUND
FLOODLIGHT
GROUP 1
CIRCUIT BREAKER
ON


MACHINARY HOUSE
AROUND
FLOODLIGHT
GROUP 2
CIRCUIT BREAKER
ON

			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function: =080.C	Page Number: 17
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F12.2	Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



LEG 3
WALKWAY LIGHT
4X15W

MAIN STAIRS
WALKWAY LIGHT
GROUP 1
10X15W+8X17W EM

MAIN STAIRS
WALKWAY LIGHT
GROUP 2
11X15W+8X17W EM



LEG 3
WALKWAY LIGHT
CIRCUIT BREAKER
ON

MAIN STAIRS
WALKWAY LIGHT
GROUP 1
CIRCUIT BREAKER
ON


MAIN STAIRS
WALKWAY LIGHT
GROUP 2
CIRCUIT BREAKER
ON

			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=080.C	Page Number: 21
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F12.2	Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



BOOM
WALKWAY LIGHT
GROUP 1
7X15W+3X17W EM

BOOM
WALKWAY LIGHT
GROUP 2
6X15W+4X17W EM

BOOM
WALKWAY LIGHT
GROUP 3
5X15W+2X17W EM



BOOM
WALKWAY LIGHT
GROUP 1
CIRCUIT BREAKER
ON

BOOM
WALKWAY LIGHT
GROUP 2
CIRCUIT BREAKER
ON


BOOM
WALKWAY LIGHT
GROUP 3
CIRCUIT BREAKER
ON

			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=080.C	Page Number: 22
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F12.2	Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MACHINARY HOUSE
AROUND
WALKWAY LIGHT
16X15W+6X17W EM

BACKREACH & WINDOW
WASH PLATFORM
WALKWAY LIGHT
10X15W+6X17W EM

GIRDER
WALKWAY LIGHT
10X15W+6X17W EM



MACHINARY HOUSE
AROUND
WALKWAY LIGHT
CIRCUIT BREAKER
ON

BACKREACH &
WINDOW
WASH PLATFORM
WALKWAY LIGHT
CIRCUIT BREAKER
ON


GIRDER
WALKWAY LIGHT
CIRCUIT BREAKER
ON

			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=080.C	Page Number: 23
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F12.2	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description:
WALKWAY LIGHT SECTION

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=080.C	Page Number: 24
Object Loc.: +01F12.2	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description:
WALKWAY LIGHT SECTION

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=080.C	Page Number: 25
Object Loc.: +01F12.2	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



WS UPPER SILLBEAM
&LEG 1&2
INTERNAL
WALKWAY LIGHT
10X15W+5X17W EM

LS UPPER SILLBEAM
&LEG 3&4
INTERNAL
WALKWAY LIGHT
10X15W+5X17W EM

LOWER SILLBEAM
&PORTAL BEAM
INTERNAL
WALKWAY LIGHT
10X15W+4X17W EM

WS UPPER SILLBEAM
&LEG 1&2
INTERNAL
WALKWAY LIGHT
CIRCUIT BREAKER
ON

LS UPPER SILLBEAM
&LEG 3&4
INTERNAL
WALKWAY LIGHT
CIRCUIT BREAKER
ON

LOWER SILLBEAM
&PORTAL BEAM
INTERNAL
WALKWAY LIGHT
CIRCUIT BREAKER
ON


14 2 I137.2 =904.M/4.5	15 3 I137.3 =904.M/4.5	19 7 I131.7 =904.M/4.1
=904.M+01F12.2-KP1-6	=904.M+01F12.2-KP1-6	=904.M+01F12.2-KP1-3
Digital Input	Digital Input	Digital Input

			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep.: EZ Design	Plant Function:=080.C	Page Number: 26
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F12.2	Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MACHINARY HOUSE
GENERAL LIGHT
GROUP 1
4X45W+4X50W EM

MACHINARY HOUSE
GENERAL LIGHT
GROUP 2
4X45W+4X50W EM

MACHINARY HOUSE
GENERAL LIGHT
GROUP 3
4X45W+4X50W EM



MACHINARY HOUSE
GENERAL LIGHT
GROUP 1
CIRCUIT BREAKER
ON

MACHINARY HOUSE
GENERAL LIGHT
GROUP 2
CIRCUIT BREAKER
ON

MACHINARY HOUSE
GENERAL LIGHT
GROUP 3
CIRCUIT BREAKER
ON

			Mod.Date	2022/5/13
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project:	CIT Abidjan 6 STS
Location:	CIT Abidjan Côte d'Ivoire




Page description:
GENERAL LIGHT SECTION

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=080.C	Page Number: 28
Object Loc.: +01F12.2	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



AUXILIARY
TRANSFORMER
ROOM
GENERAL LIGHT
2X45W+1X45W EM

ELECTRICAL ROOM
GENERAL LIGHT
4X45W+3X45W EM

SPARE
GENERAL LIGHT

AUXILIARY
TRANSFORMER
ROOM
GENERAL LIGHT
CIRCUIT BREAKER
ON


ELECTRICAL ROOM
GENERAL LIGHT
CIRCUIT BREAKER
ON

SPARE
GENERAL LIGHT
CIRCUIT BREAKER
ON

			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



ELECTRICAL ROOM
1P OUTLET 1

ELECTRICAL ROOM
1P OUTLET 2

PLC ROOM
1P OUTLET 1



ELECTRICAL ROOM
1P OUTLET 1
CIRCUIT BREAKER
ON

ELECTRICAL ROOM
1P OUTLET 2
CIRCUIT BREAKER
ON


PLC ROOM
1P OUTLET 1
CIRCUIT BREAKER
ON

			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function: =080.C	Page Number: 31
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F12.2	Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MACHINARY HOUSE
1P OUTLET 1

MACHINARY HOUSE
1P OUTLET 2

SPARE
1P OUTLET



MACHINARY HOUSE
1P OUTLET 1
CIRCUIT BREAKER
ON

MACHINARY HOUSE
1P OUTLET 2
CIRCUIT BREAKER
ON



SPARE
1P OUTLET
CIRCUIT BREAKER
ON

			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function: =080.C	Page Number: 32
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F12.2	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.





			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
OUTLET SECTION

Resp dep. : EZ Design	Plant Function: =080.C	Page Number: 33
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F12.2	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=080.C	Page Number: 34
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F12.2	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Resp dep. : EZ Design	Plant Function:=080.C	Page Number: 39
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F12.2	Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



OPERATOR CABIN
GENERAL LIGHT
1X(2X45W)



OPERATOR CABIN
SPOT LIGHT





CHECKERS CABIN
GENERAL LIGHT
CIRCUIT BREAKER
ON

HANDLER SHELTER
ROOM
GENERAL LIGHT
CIRCUIT BREAKER
ON

			Mod.Date	2020/11/23	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

Resp dep. : EZ Design	Plant Function:=080.C	Page Number: 64
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/24	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=080.C	Page Number: 65
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.





			Mod.Date	2020/11/24	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

 振华电气集团 ZPMC ELECTRIC GROUP	Page description: EMERGENCY OUTLET SECTION	Resp dep. : EZ Design	Plant Function:=080.C	Page Number: 66
		Drawing.NR: 1002000544		
		DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/11/13	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: MOTOR HEATER POWER SECTION	Resp dep. : EZ Design		Plant Function:=080.C	Page Number: 68
			Designer	Di Ke				Drawing.NR: 1002000544			
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753	
Rev.Ind	Language	EN	Check	Zijiang Ge							




OPERATOR CAIBN
PANEL
LIGHT AND HEATER
POWER SUPPLY
CIRCUIT BREAKER
ON

SPREADER
CABLE REEL
MOTOR &
COLLECTOR HEATER
POWER SUPPLY
CIRCUIT BREAKER
ON

			Mod.Date	2020/11/17	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: PANEL LIGHT AND HEATER POWER SECTION	Resp dep.: EZ Design	Plant Function:=080.C	Page Number: 69
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




=.C+10F01/69

=.R+.1/1

			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: LIGHTING PANEL DC POWER DISTRIBUTION	Resp dep.: EZ Design		Plant Function:=080.G	Page Number: 1		
			Designer	Di Ke				Drawing.NR: 1002000544					
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN		Object Loc.: +01F12.2	Total Page: 753		
Rev.Ind	Language	EN	Check	Zijiang Ge									

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



BOOM
FLOODLIGHT
CONTACTOR 1

BOOM
FLOODLIGHT
CONTACTOR 2

BOOM
FLOODLIGHT
CONTACTOR 3

GIRDER
FLOODLIGHT
CONTACTOR 4

BACKREACH
FLOODLIGHT
CONTACTOR 5

PORTAL BEAM
FLOODLIGHT
CONTACTOR 1

PORTAL BEAM
FLOODLIGHT
CONTACTOR 2

MAIN TROLLEY
FLOODLIGHT
CONTACTOR

WORK
FLOODLIGHT
ON ACKNOWLEDGE

1			Mod.Date	2020/11/24	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description:
LIGHTING CONTROL CIRCUIT SECTION

Resp dep.: EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function: =080.R
Object Loc.: +01F12.1

Page Number: 2
Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



2

7

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



WALKWAY LIGHT
STEP RELAY

WALKWAY LIGHT WALKWAY LIGHT WALKWAY LIGHT WALKWAY LIGHT
INDICATION INDICATION INDICATION INDICATION
+01F12.2 +07S05 +07S01 +14S01


WALKWAY LIGHT
PLC CONTROL
ON/OFF ORDER

			Mod.Date	2020/11/24
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project:	CIT Abidjan 6 STS
Location:	CIT Abidjan Côte d'Ivoire




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/24	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function: =080.R	Page Number: 8
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F12.1	Total Page: 753



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.





			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=080.R	Page Number: 17
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F12.1	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/11/27
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire





Page description:
WALKWAY LIGHT EXTEND SECTION



Resp dep.: EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=080.R
Object Loc.: +01F12.1

Page Number: 22
Total Page: 753



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/11/27
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
WALKWAY LIGHT EXTEND SECTION

Resp dep.: EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN

Plant Function:=080.R


Object Loc.: +01F12.1

Page Number: 25

Total Page: 753



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/5	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Resp dep. : EZ Design	Plant Function:=080.R	Page Number: 29
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F12.1	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2022/5/13
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
MOTOR HEATER CONTROL CIRCUIT SECTION

Resp dep.: EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:=080.R

Object Loc.: +01F12.1

Page Number: 39

Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

 振华电气集团 ZPMC ELECTRIC GROUP	Page description: MOTOR HEATER CONTROL CIRCUIT SECTION	Resp dep.: EZ Design	Plant Function:=080.R	Page Number: 40
		Drawing.NR: 1002000544	Object Loc.: +01F12.1	Total Page: 753
		DQ1002000544-YL001A-EN		


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

 振华电气集团 ZPMC ELECTRIC GROUP	Page description: MOTOR HEATER CONTROL CIRCUIT SECTION	Resp dep. : EZ Design	Plant Function:=080.R	Page Number: 41
		Drawing.NR: 1002000544	Object Loc.: +01F12.1	Total Page: 753
		DQ1002000544-YL001A-EN		

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MACHINARY HOUSE
EMERGENCY
MOTOR
HEATER

MACHINARY HOUSE
ROPE REEVING
MOTOR 1
HEATER


MACHINARY HOUSE
ROPE REEVING
MOTOR 2
HEATER

			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Resp dep. : EZ Design	Plant Function: =080.R	Page Number: 44
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F12.1	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
PANEL LIGHT CONTROL CIRCUIT SECTION

Resp dep.: EZ Design	Plant Function:=080.R	Page Number: 46
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F12.1	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2021/2/26	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
PANEL LIGHT CONTROL CIRCUIT SECTION

Resp dep. : EZ Design	Plant Function:=080.R	Page Number: 47
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F12.1	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	





Resp dep. : EZ Design	Plant Function: =080.R	Page Number: 48
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F12.1	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2021/2/26	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: PANEL HEATER CONTROL CIRCUIT SECTION	Resp dep.: EZ Design	Plant Function:=080.R	Page Number: 49
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F12.1	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




OPERATOR
CABIN
WALKWAY
LIGHT
CONTATCTOR


			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=080.R	Page Number: 64
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/11/24	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description:
PANEL LIGHT CONTROL CIRCUIT SECTION


Resp dep. : EZ Design	Plant Function:=080.R	Page Number: 66
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

0	1	2	3	4	5	6	7	8	9					
RESERVED														
66														
			Mod.Date	2017/11/1	Project:	CIT Abidjan 6 STS		Page description:	MOTOR HEATER CONTROL CIRCUIT SECTION	Resp dep. :	EZ Design	Plant Function:=080.R	Page Number:	68
			Designer	Di Ke	Location:	CIT Abidjan Côte d'Ivoire				Drawing.NR:	1002000544			
	Original	ZPMC	Review	Jianyue Zhang						DQ1002000544-YL001A-EN	Object Loc.:	+10F01	Total Page:	753
Rev.Ind	Language	EN	Check	Zijiang Ge										




			Mod.Date	2020/11/24	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: LIGHTING CONTROL CIRCUIT SECTION	Resp dep. : EZ Design	Plant Function:=080.R	Page Number: 70
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						



ELECTRICAL ROOM
AIR-CONDITIONER 1
ELECTRIC HEATER
CIRCUIT BREAKER
ON

			Mod.Date	2020/11/24	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: ELECTRICAL ROOM AIR-CONDITIONER SECTION	Resp dep.: EZ Design	Plant Function:=081.C	Page Number: 1
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F11.2	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



Rev.Ind			Mod.Date	2020/11/24	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
	Language	EN	Check	Zijiang Ge	



Page description:
ELECTRICAL ROOM AIR-CONDITIONER SECTION

Resp dep. : EZ Design	Plant Function:=081.C	Page Number: 2
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F11.2	Total Page: 753



			Mod.Date	2020/11/24	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: MACHINARY HOUSE VENTILATION FAN SECTION	Resp dep.: EZ Design	Plant Function:=081.C	Page Number: 7
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F11.2	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

=080.C/10.1 / =080.C-FC1_L1 ➡ 080C1001 400VAC 50Hz
=080.C/10.1 / =080.C-FC1_L2 ➡ 080C1002
=080.C/10.2 / =080.C-FC1_L3 ➡ 080C1003

=080.G/1.3 / =080.G-FC111_+ ➡ 080G0111 24VDC

Digital Output
=904.M+01F12.2-KP1-12
=904.M/6.1
Q131.3
3
15

-FC11
16A, C Type
1
2
-13
-14
-21
-22
/11.5

-FC11 /11.1
-13
-14
-QA11 /11.8
13
14

-QA11 /11.8
1
2

+01
-EC11.1
OUTDOOR
UNIT
YHGE12YE--MAO-X

1 2 3 4 PE T3

N-BAR PE-BAR
NEU PE
-XD22 153

081C1101
081C1102
081C1111
081C1112
081C1113
081C1114
PE
081C1115
081C1116
SH
PE-BAR
T3

+01
-EC11
INDOOR
UNIT
YHGE12XE--MA-RX

PLC ROOM
AIR-CONDITIONER

PLC ROOM
AIR-CONDITIONER
CIRCUIT BREAKER
ON

PLC ROOM
AIR-CONDITIONER
ON ACKNOWLEDGE

PLC ROOM
AIR-CONDITIONER
ON ORDER

=080.C/50.3 / =080.C-FC102_N ➡ 003C0600 0VAC 50Hz

1 2 /11.1
3 4
5 6
13 14 /11.5
21 22

+01F11.2/8

12

			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description:
PLC ROOM AIR-CONDITIONER SECTION

Resp dep.: EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=081.C	Page Number: 11
Object Loc.: +01F12.2	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MACHINARY HOUSE
VENTILATION FAN 1
CONTACTOR

MACHINARY HOUSE
VENTILATION FAN 2
CONTACTOR

MACHINARY HOUSE
VENTILATION FAN 3
CONTACTOR


MACHINARY HOUSE
VENTILATION FAN 4
CONTACTOR

=.C+10F01/31

8

			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: MACHINARY HOUSE VENTILATION FAN CONTROL CIRCUIT SECTION	Resp dep. : EZ Design	Plant Function:=081.R	Page Number: 7
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




MACHINARY HOUSE
VENTILATION FAN 1
AIR FLOW DETECTOR
RELAY

MACHINARY HOUSE
VENTILATION FAN 2
AIR FLOW DETECTOR
RELAY

MACHINARY HOUSE
VENTILATION FAN 3
AIR FLOW DETECTOR
RELAY

MACHINARY HOUSE
VENTILATION FAN 4
AIR FLOW DETECTOR
RELAY



MACHINARY HOUSE
VENTILATION FAN 1
AIR FLOW
DETECTOR

MACHINARY HOUSE
VENTILATION FAN 2
AIR FLOW
DETECTOR

MACHINARY HOUSE
VENTILATION FAN 3
AIR FLOW
DETECTOR

MACHINARY HOUSE
VENTILATION FAN 4
AIR FLOW
DETECTOR

			Mod.Date	2020/11/19
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project:	CIT Abidjan 6 STS
Location:	CIT Abidjan Côte d'Ivoire




Page description:
MACHINARY HOUSE VENTILATION FAN AIR FLOW DETECTOR LIMIT SWITCH SECTION

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=081.R	Page Number: 8
Object Loc.: +01F11.3	Total Page: 753





We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/11/24	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: AIR-CONDITIONER CONTROL CIRCUIT SECTION	Resp dep. : EZ Design	Plant Function:=081.R	Page Number: 12
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F12.1	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/11/24	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/11/24	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: AUXILIARY DEVICE AC POWER SECTION	Resp dep. : EZ Design	Plant Function:=082.C	Page Number: 2
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F11.2	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/11/24
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire




Page description:
AUXILIARY DEVICE AC POWER SECTION

Resp dep.: EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=082.C	Page Number: 4
Object Loc.: +01F11.2	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MACHINARY HOUSE
WELDING OUTLET

GANTRY LANDSIDE
OUTLET GROUP

GANTRY WATERSIDE
OUTLET GROUP

MACHINARY HOUSE
WELDING OUTLET
CIRCUIT BREAKER
ON

GANTRY LANDSIDE
OUTLET GROUP
CIRCUIT BREAKER
ON

GANTRY WATERSIDE
OUTLET GROUP
CIRCUIT BREAKER
ON

			Mod.Date	2020/11/24
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
AUXILIARY DEVICE AC POWER SECTION

Resp dep.: EZ Design
Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:=082.C


Object Loc.: +01F11.2

Page Number: 6


Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.







We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.







We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: OPERATOR CABIN PANEL DC POWER DISTRIBUTION	Resp dep.: EZ Design	Plant Function:=082.G	Page Number: 33
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
 Reproduction, use or disclosure to third parties without express authority is strictly forbidden
 © ZPMC, Shanghai Zhenhua Heavy Industries Co., Ltd.


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




MACHINARY HOUSE
ROPE REEVING
MOTOR 1
IN CONTACTOR



MACHINARY HOUSE
ROPE REEVING
MOTOR 1
OUT CONTACTOR



MACHINARY HOUSE
ROPE REEVING
MOTOR 2
IN CONTACTOR



MACHINARY HOUSE
ROPE REEVING
MOTOR 2
OUT CONTACTOR

=.G+10F01/33

+01F12.1/22


			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
MACHINARY HOUSE ROPE REEVING MOTOR
CONTROL CIRCUIT SECTION

Resp dep. : EZ Design	Plant Function:=082.R	Page Number: 4
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




AIRCRAFT ENABLE
RELAY

A-FRAME
AIRCRAFT 1

A-FRAME
AIRCRAFT 1
CURRENT DETECTOR

A-FRAME
AIRCRAFT 1
FAULT



+01F11.3/4

23

			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description:
AIRCRAFT CONTROL CIRCUIT SECTION

Resp dep.: EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=082.R	Page Number: 22
Object Loc.: +01F12.1	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




AIRCRAFT ENABLE
RELAY

A-FRAME
AIRCRAFT 2

A-FRAME
AIRCRAFT 2
CURRENT DETECTOR


A-FRAME
AIRCRAFT 2
FAULT



			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



AIRCRAFT ENABLE
RELAY

BOOM TIP
AIRCRAFT 1


BOOM TIP
AIRCRAFT 1
CURRENT DETECTOR

BOOM TIP
AIRCRAFT 1
FAULT

			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



AIRCRAFT ENABLE
RELAY

BOOM TIP
AIRCRAFT 2


BOOM TIP
AIRCRAFT 2
CURRENT DETECTOR

BOOM TIP
AIRCRAFT 2
FAULT

			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GANTRY LANDSIDE
LEG 3
WARNING DEVICE

GANTRY LANDSIDE
LEG 4
WARNING DEVICE

GANTRY WATERSIDE
LEG 1
WARNING DEVICE


GANTRY WATERSIDE
LEG 2
WARNING DEVICE

GANTRY
WARNING DEVICE
ON ORDER

			Mod.Date	2022/5/13	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2022/5/13
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project:	CIT Abidjan 6 STS
Location:	CIT Abidjan Côte d'Ivoire






振华电气集团

ZPMC ELECTRIC GROUP

Page description:
OTHER DEVICE CONTROL CIRCUIT SECTION






Resp dep. : EZ Design	Plant Function:=082.R	Page Number: 27
Drawing.NR: 1002000544	Object Loc.: +01F12.1	Total Page: 753
DQ1002000544-YL001A-EN		





			Mod.Date	2020/12/25	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: MAIN TROLLEY WARNING DEVICE CONTROL CIRCUIT SECTION	Resp dep.: EZ Design	Plant Function:=082.R	Page Number: 46
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



OPERATOR CABIN
WASHER
CONTACTOR

OPERATOR CABIN
WIPER
CONTACTOR

OPERATOR CABIN
DEFOGGER
CONTACTOR

OPERATOR CABIN
FILTER UNIT
CONTACTOR

			Mod.Date	2020/11/19
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
AUXILIARY DEVICE CONTROL CIRCUIT SECTION

Resp dep.: EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:=082.R

Object Loc.: +10F01

Page Number: 49

Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/12/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GESSMANN
CONSOLE SEATER




CONSOLE SEATER
SWITCH SENSOR

			Mod.Date	2020/12/25	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



=.R+10F01/51

			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description:
FIRE ALARM CONTROLLER SECTION

Resp dep.: EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=082.U
Object Loc.: +01F12.1


Page Number: 11
Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/10/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: FIRE ALARM CONTROLLER SECTION	Resp dep. : EZ Design	Plant Function:=082.U	Page Number: 12
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F12.1	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




MAIN HOIST
EMERGENCY BRAKE
HYDRAULIC STATION
PUMP MOTOR
SIBRE



MAIN HOIST
EMERGENCY BRAKE
HYDRAULIC STATION
PUMP MOTOR
SIBRE
CIRCUIT BREAKER
ON

MAIN HOIST
EMERGENCY BRAKE
HYDRAULIC STATION
PUMP MOTOR
SIBRE
ON ACKNOWLEDGE




MAIN HOIST
EMERGENCY BRAKE
HYDRAULIC STATION
PUMP MOTOR
SIBRE
ON ORDER


=082.U+01F12.1/12

3

			Mod.Date	2021/4/26	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: MAIN HOIST EMERGENCY BRAKE HYDRAULIC STATION	Resp dep. : EZ Design	Plant Function:=083.C	Page Number: 1
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F11.2	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.





			Mod.Date	2020/11/12	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: MACHINARY HOUSE EMERGENCY MOTOR POWER SECTION	Resp dep.: EZ Design	Plant Function:=083.C	Page Number: 31
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F19	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2021/4/20	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



	Page description:	Resp dep. : EZ Design	Plant Function:=083.G	Page Number: 11
	MACHINARY HOUSE HYDRAULIC STATION SOLENOID SECTION	Drawing.NR: 1002000544	Object Loc.: +01F11.3	Total Page: 753
		DQ1002000544-YL001A-EN		

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




11					=J+01F19/1					
			Mod.Date	2021/4/20	Project: CIT Abidjan 6 STS		Page description: MACHINARY HOUSE HYDRAULIC STATION SOLENOID SECTION	Resp dep. : EZ Design	Plant Function:=083.G	Page Number: 12
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




MAIN HOIST
EMERGENCY BRAKE
HYDRAULIC STATION
PRESSURE SWITCH
RELAY





BOOM HOIST
EMERGENCY BRAKE
HYDRAULIC STATION
PRESSURE SWITCH
RELAY

SPARE



SPARE



MAIN HOIST
EMERGENCY BRAKE
HYDRAULIC STATION
PRESSURE SWITCH

BOOM HOIST
EMERGENCY BRAKE
HYDRAULIC STATION
PRESSURE SWITCH

SPARE
ON ACKNOWLEDGE

SPARE
ON ACKNOWLEDGE

=.M/1

2


			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
MACHINARY HOUSE HYDRAULIC STATION CONTROL
SECTION

Resp dep. : EZ Design	Plant Function:=083.R	Page Number: 1
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MAIN HOIST
EMERGENCY BRAKE
HYDRAULIC STATION
CONATCTOR
PUMP MOTOR

BOOM HOIST
EMERGENCY BRAKE
HYDRAULIC STATION
CONATCTOR
PUMP MOTOR

			Mod.Date	2020/11/19
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
MACHINARY HOUSE HYDRAULIC STATION CONTROL
SECTION

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN



Plant Function:=083.R

Object Loc.: +01F11.3


Page Number: 2

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MAIN HOIST
EMERGENCY BRAKE
HYDRAULIC STATION
CONATCTOR
EMERGENCY MODE



BOOM HOIST
EMERGENCY BRAKE
HYDRAULIC STATION
CONATCTOR
EMERGENCY MODE



			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
MACHINARY HOUSE HYDRAULIC STATION CONTROL
SECTION

Resp dep. : EZ Design	Plant Function:=083.R	Page Number: 3
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
MACHINERY HOUSE HYDRAULIC STATION CONTROL
SECTION

Resp dep.: EZ Design	Plant Function:=083.R
Drawing.NR: 1002000544	
DQ1002000544-YL001A-EN	Object Loc.: +01F11.3


Page Number: 12
Total Page: 753




MACHINARY HOUSE
EMERGENCY MOTOR
DOWN/REVERSE
RELAY



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




=.M/5

2

			Mod.Date	2020/11/30	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: LOADCELL CONTROL CIRCUIT SECTION	Resp dep. : EZ Design	Plant Function:=091.U	Page Number: 1
			Design	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F13	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



1			Mod.Date	2020/11/9
			Design	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
LOADCELL CONTROL CIRCUIT SECTION

Resp dep.: EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:=091.U

Object Loc.: +01F13

Page Number: 2



Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



WIND SPEED
SENSOR
ANALOG SIGNAL

Digital Output	Digital Output
=903.M+01F11.3-KP1-10	=903.M+01F11.3-KP1-10
=903.M/5.4 Q71.0 0 12	=903.M/5.4 Q71.1 1 13



HIGH
WIND SPEED
TRIP
ON ORDER

HIGH
WIND SPEED
ALARM
ON ORDER

=091.U+01F13/2

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description:
WIND SPEED SENSOR PLC I/O SECTION

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=092.M	Page Number: 1
Object Loc.: +01F11.3	Total Page: 753

=094.C+01F12.2/1


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/27	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: INTERCOM SYSTEM AC POWER SECTION	Resp dep.: EZ Design	Plant Function:=094.C	Page Number: 1
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F12.2	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						




Page description:
INTERCOM SYSTEM AC POWER SECTION




$$=.G/1$$

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: PLC CONTROL POWER CIRCUIT SECTION	Resp dep.: EZ Design	Plant Function:=098.C	Page Number: 5
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F42	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




=.G+01F42/2

3

			Mod.Date	2020/11/27	Project:	CIT Abidjan 6 STS		Page description:	Resp dep.: EZ Design	Plant Function: =098.M	Page Number:	1
			Designer	Di Ke				SIMOTION D435-2 CONTROL	Drawing.NR: 1002000544			
	Original	ZPMC	Review	Jianyue Zhang	Location:	CIT Abidjan Côte d'Ivoire						
Rev.Ind	Language	EN	Check	Zijiang Ge					DQ1002000544-YL001A-EN	Object Loc.: +01F35	Total Page:	753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/11/26	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
SIMOTION CU320-2 CONTROL

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=098.M	Page Number: 3
Object Loc.: +01F35	Total Page: 753



			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: SIMOTION DCM20 CONTROL	Resp dep. : EZ Design	Plant Function:=098.M	Page Number: 6
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F35	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						



Rev.Ind	Language	EN	Check	Zijiang Ge					BQ1002000544-YL001A-EN	Object Loc.: +01155	Total Page: 755
---------	----------	----	-------	------------	--	--	--	--	------------------------	---------------------	-----------------

CPU319F-3 PN/DP

BF1
BF2

SF
DC5V
FRCE
RUN
STOP

PUSH

RUN
STOP
MRES

LINK
RX/TX

MAC-ADD.

X1 MPI/DP
X2 DP
X3 P1R PN(LAN)
X3 P2R PN(LAN)

L+
M

24VDC

X1 MPI/DP ON
X2 DP ON
X3 P1R PN(LAN)
X3 P2R PN(LAN)

IN OUT IN OUT P1R P2R

PROFIBUS-DP
PROFIBUS-DP
PROFIBUS-DP
PROFIBUS-DP
PROFINET


17.2 / -OLM_DP
=002.C+00/3.6 / =098.M+02-MV_SW_DP
=010.U/15.5 / -MH_UO_DP
=091.U+01F13/1.6 / -DP3_3
18.1 / -PLC_CPU_PN1

24VDC

13



振华电气集团
ZPMC ELECTRIC GROUP



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.


0	1	2	3	4	5	6	7	8	9
-KP1-3 /13.2		-KP1-4 /13.2		-KP1-5 /13.3		-KP1-6 /13.4			
SIEMENS		SIEMENS		SIEMENS		SIEMENS			
 ² ₀ I50.0		 ² ₀ CONTROL ON REQUEST +01F42 =104.M/1.1		 ² ₀ ENCODER SYNCHRONIZATION MAIN HOIST SELECTED +01F42 =104.M/3.1		 ² ₀ AIM/ALM NORMAL SELECTED +01F42 =104.M/5.1			
 ³ ₁ I50.1		 ³ ₁ CONTROL OFF REQUEST +01F42 =104.M/1.2		 ³ ₁ ENCODER SYNCHRONIZATION MAIN TROLLEY SELECTED +01F42 =104.M/3.2		 ³ ₁ AIM/ALM 1+2 SELECTED +01F42 =104.M/5.2			
 ⁴ ₂ EMERGENCY STOP SAFETY RELAY OUTPUT EXTENSION CRANE SWITCH ON ACKNOWLEDGE =003.R/3.1		 ⁴ ₂ FAULT RESET REQUEST +01F42 =104.M/1.3		 ⁴ ₂ ENCODER SYNCHRONIZATION BOOM HOIST SELECTED +01F42 =104.M/3.3		 ⁴ ₂ AIM/ALM 2+3 SELECTED +01F42 =104.M/5.3			
 ⁵ ₃ EMERGENCY STOP SAFETY RELAY OUTPUT EXTENSION AIM/ALM 1-2 ON ACKNOWLEDGE =003.R/3.2		 ⁵ ₃ BRAKE TEST TEST SELECTED +01F42 =104.M/6.1		 ⁵ ₃ ENCODER SYNCHRONIZATION GANTRY SELECTED +01F42 =104.M/3.3		 ⁵ ₃ AIM/ALM 1+3 SELECTED +01F42 =104.M/5.3			
 ⁶ ₄ EMERGENCY STOP SAFETY RELAY OUTPUT EXTENSION AIM/ALM 3 ON ACKNOWLEDGE =003.R/3.3		 ⁶ ₄ LAMP TEST REQUEST +01F42 =104.M/6.2		 ⁶ ₄ ENCODER SYNCHRONIZATION GANTRY CABLE REEL SELECTED +01F42 =104.M/3.4		 ⁶ ₄ AIM/ALM SPARE SELECTED +01F42 =104.M/5.4			
 ⁷ ₅ I50.5		 ⁷ ₅ SPARE REQUEST +01F42 =104.M/6.3		 ⁷ ₅ ENCODER SYNCHRONIZATION SPARE SELECTED +01F42 =104.M/3.5		 ⁷ ₅ AIM/ALM SPARE SELECTED +01F42 =104.M/5.5			
 ⁸ ₆ CPS DC POWER SUPPLY CIRCUIT BREAKER ON =070.G/1.8		 ⁸ ₆ SPARE SELECTED +01F42 =104.M/6.3		 ⁸ ₆ ENCODER SYNCHRONIZATION SPARE SELECTED +01F42 =104.M/3.6		 ⁸ ₆ AIM/ALM SPARE SELECTED +01F42 =104.M/5.6			
 ⁹ ₇ CPS POWER SUPPLY CIRCUIT BREAKER ON =070.C/5.8		 ⁹ ₇ SPARE SELECTED +01F42 =104.M/6.4		 ⁹ ₇ I54.7		 ⁹ ₇ ABSOLUTE ENCODER SET REQUEST +01F42 =104.M/5.6			
 ¹² ₀ +01F42 PANEL DC POWER SUPPLY CIRCUIT BREAKER ON =.C/5.6		 ¹² ₀ SILENCE REQUEST +01F42 =104.M/2.1		 ¹² ₀ MAIN HOIST MOTOR MODULE 1 SELECTED +01F42 =104.M/4.1		 ¹² ₀ I57.0			
 ¹³ ₁ +01F42 PANEL INTERNAL POWER SUPPLY CIRCUIT BREAKER ON =.C/5.7		 ¹³ ₁ SNAG FAULT RESET ON SELECTED +01F42 =104.M/2.2		 ¹³ ₁ MAIN HOIST MOTOR MODULE 2 SELECTED +01F42 =104.M/4.2		 ¹³ ₁ I57.1			
 ¹⁴ ₂ +01F42 PANEL EXTERNAL POWER SUPPLY CIRCUIT BREAKER ON =.C/5.8		 ¹⁴ ₂ OVERSPEED RESET SELECTED +01F42 =104.M/15.3		 ¹⁴ ₂ MAIN HOIST MOTOR MODULE 1+2 SELECTED +01F42 =104.M/4.3		 ¹⁴ ₂ I57.2			
 ¹⁵ ₃ +01F42 PANEL INTERNAL I/O POWER SUPPLY CIRCUIT BREAKER ON =.G/1.7		 ¹⁵ ₃ OVERTRAVEL BYPASS ON SELECTED +01F42 =104.M/2.3		 ¹⁵ ₃ MT/BH/GA MOTOR MODULE 1 SELECTED +01F42 =104.M/4.3		 ¹⁵ ₃ I57.3			
 ¹⁶ ₄ +01F42 PANEL EXTERNAL I/O POWER SUPPLY CIRCUIT BREAKER ON =.G/1.8		 ¹⁶ ₄ =104.M/2.3 I53.4		 ¹⁶ ₄ MT/BH/GA MOTOR MODULE 2 SELECTED +01F42 =104.M/4.4		 ¹⁶ ₄ UNDER VOLTAGE CONTROL RELAY ON ACKNOWLEDGE =003.R/7.8			
 ¹⁷ ₅ SWITCH POWER SUPPLY CIRCUIT BREAKER ON =.G/2.6		 ¹⁷ ₅ OVERLOAD BYPASS ON SELECTED +01F42 =104.M/2.4		 ¹⁷ ₅ MT/BH/GA MOTOR MODULE 1+2 SELECTED +01F42 =104.M/4.5		 ¹⁷ ₅ I57.5			
 ¹⁸ ₆ UNIT ONE POWER SUPPLY CIRCUIT BREAKER ON =.G/2.7		 ¹⁸ ₆ SPARE REQUEST +01F42 =104.M/2.5		 ¹⁸ ₆ I55.6		 ¹⁸ ₆ I57.6			
 ¹⁹ ₇ SPARE POWER SUPPLY CIRCUIT BREAKER ON =.G/2.8		 ¹⁹ ₇ I53.7		 ¹⁹ ₇ I55.7		 ¹⁹ ₇ I57.7			
24VDC Digital Input 6ES7321-1BH02-0AA0		24VDC Digital Input 6ES7321-1BH02-0AA0		24VDC Digital Input 6ES7321-1BH02-0AA0		24VDC Digital Input 6ES7321-1BH02-0AA0			

			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: I/O SLAVE 1 PLC PANEL	Resp dep. : EZ Design	Plant Function:=098.M	Page Number: 14
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F42	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

SIEMENS	
 ⁰ MAIN HOIST ELAPSED HOURS TIMER ON ORDER Q52.0 =104.M/11.6	
 ¹ MAIN TROLLEY ELAPSED HOURS TIMER ON ORDER Q52.1 =104.M/11.7	
 ² BOOM HOIST ELAPSED HOURS TIMER ON ORDER Q52.2 =104.M/11.8	
 ³ GANTRY ELAPSED HOURS TIMER ON ORDER Q52.3 =104.M/12.6	
 ⁴ MAIN HOIST & TROLLEY ELAPSED HOURS TIMER ON ORDER Q52.4 =104.M/12.7	
 ⁵ MAIN TROLLEY CONTAINER COUNTER ON ORDER Q52.5 =104.M/12.8	
 ⁶ SPARE ON ORDER Q52.6 =104.M/13.6	
 ⁷ SPARE ON ORDER Q52.7 =104.M/13.7	
 ⁰ SPARE ON ORDER Q53.0 =104.M/13.8	
 ¹ Q53.1	
 ² Q53.2	
 ³ Q53.3	
 ⁴ Q53.4	
 ⁵ Q53.5	
 ⁶ Q53.6	
 ⁷ Q53.7	
120V/230VAC RELAY	
Digital Output	
6ES7322-1HH01-0AA0	

			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: I/O SLAVE 1 PLC PANEL	Resp dep.: EZ Design	Plant Function:=098.M	Page Number: 15
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F42	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/11/25
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire




Page description:
OLM PLC PANEL

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=098.M	Page Number: 17
Object Loc.: +01F42	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MAIN PROFINET SWITCH
+01F42 PANEL

			Mod.Date	2021/3/10
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire




Page description:
PROFINET SWITCH PLC PANEL

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=098.M	Page Number: 18
Object Loc.: +01F42	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/11/26	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
PROFINET SWITCH PLC PANEL

Resp dep.: EZ Design
Drawing.NR: 1002000544

Plant Function:=098.M


Page Number: 19

DQ1002000544-YL001A-EN

Object Loc.: +01F42

Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.





			Mod.Date	2020/12/30	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: CONTROL STATION LEFT CONSOLE	Resp dep. : EZ Design	Plant Function:=100.M	Page Number: 5
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MAIN TROLLEY
MASTER SWITCH
GRAY CODE
BIT 0
+10S01

MAIN TROLLEY
MASTER SWITCH
GRAY CODE
BIT 1
+10S01

MAIN TROLLEY
MASTER SWITCH
GRAY CODE
BIT 2
+10S01

MAIN TROLLEY
MASTER SWITCH
GRAY CODE
BIT 3
+10S01

MAIN TROLLEY
MASTER SWITCH
GRAY CODE
BIT 4
+10S01

MAIN TROLLEY
MASTER SWITCH
GRAY CODE
BIT 5
+10S01

MAIN TROLLEY
MASTER SWITCH
GRAY CODE
BIT 6
+10S01

MAIN TROLLEY
MASTER SWITCH
GRAY CODE
BIT 7
+10S01

			Mod.Date	2020/12/25
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
CONTROL STATION LEFT CONSOLE

Resp dep.: EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:= 100.M
Object Loc.: +10F01

Page Number: 7
Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

0	1	2	3	4	5	6	7	8	9			
RESERVED												
7				Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS			Page description:	Resp dep. : EZ Design	Plant Function:=100.M	Page Number: 8
			Designer	Di Ke	Location: CIT Abidjan Côte d'Ivoire		CONTROL STATION LEFT CONSOLE		Drawing.NR: 1002000544			
	Original	ZPMC	Review	Jianyue Zhang			DQ1002000544-YL001A-EN		Object Loc.: +10F01	Total Page: 753		
Rev.Ind	Language	EN	Check	Zijiang Ge								

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/12/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:= 100.M	Page Number: 12
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MAIN HOIST
MASTER SWITCH
GRAY CODE
BIT 0
+10S02

MAIN HOIST
MASTER SWITCH
GRAY CODE
BIT 1
+10S02

MAIN HOIST
MASTER SWITCH
GRAY CODE
BIT 2
+10S02

MAIN HOIST
MASTER SWITCH
GRAY CODE
BIT 3
+10S02

MAIN HOIST
MASTER SWITCH
GRAY CODE
BIT 4
+10S02

MAIN HOIST
MASTER SWITCH
GRAY CODE
BIT 5
+10S02

MAIN HOIST
MASTER SWITCH
GRAY CODE
BIT 6
+10S02

MAIN HOIST
MASTER SWITCH
GRAY CODE
BIT 7
+10S02

			Mod.Date	2020/12/30
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
CONTROL STATION RIGHT CONSOLE

Resp dep.: EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:= 100.M

Object Loc.: +10F01

Page Number: 15

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



GANTRY
MASTER SWITCH
GRAY CODE
BIT 0
+10S02

GANTRY
MASTER SWITCH
GRAY CODE
BIT 1
+10S02

GANTRY
MASTER SWITCH
GRAY CODE
BIT 2
+10S02

GANTRY
MASTER SWITCH
GRAY CODE
BIT 3
+10S02

GANTRY
MASTER SWITCH
GRAY CODE
BIT 4
+10S02

GANTRY
MASTER SWITCH
GRAY CODE
BIT 5
+10S02

GANTRY
MASTER SWITCH
GRAY CODE
BIT 6
+10S02

GANTRY
MASTER SWITCH
GRAY CODE
BIT 7
+10S02

			Mod.Date	2020/12/30
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
CONTROL STATION RIGHT CONSOLE

Resp dep.: EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:= 100.M

Object Loc.: +10F01

Page Number: 16

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



ALL FLIPPERS
UP
REQUEST
+10S02

ALL FLIPPERS
DOWN
REQUEST
+10S02

			Mod.Date	2020/12/30
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
CONTROL STATION RIGHT CONSOLE

Resp dep.: EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:= 100.M

Object Loc.: +10F01

Page Number: 17

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




FAULT
RESET
REQUEST
+10S03

SPARE
REQUEST
+10S03

SPARE
REQUEST
+10S03

SPARE
REQUEST
+10S03



FAULT
RESET
INDICATION
+10S03

SPARE
INDICATION
+10S03

SPARE
INDICATION
+10S03

SPARE
INDICATION
+10S03

			Mod.Date	2020/12/30
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
CONTROL STATION SWIVEL PANEL

Resp dep.: EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:= 100.M

Object Loc.: +10F01

Page Number: 22

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/12/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
CONTROL STATION OPERATOR CAIBN AUXILIARY
CONTROL STATION

Resp dep. : EZ Design	Plant Function:= 100.M	Page Number: 33
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/12/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

 振华电气集团 ZPMC ELECTRIC GROUP	Page description: CONTROL STATION OPERATOR CAIBN AUXILIARY CONTROL STATION	Resp dep. : EZ Design	Plant Function:= 100.M	Page Number: 34
		Drawing.NR: 1002000544		
		DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/12/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

 振华电气集团 ZPMC ELECTRIC GROUP	Page description: CONTROL STATION OPERATOR CAIBN AUXILIARY CONTROL STATION	Resp dep. : EZ Design	Plant Function:= 100.M	Page Number: 37
		Drawing.NR: 1002000544		
		DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




37

51

			Mod.Date	2020/12/30	Project:	CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: CONTROL STATION OPERATOR CAIBN SPREADER STATUS INDICATION	Resp dep. :	EZ Design	Plant Function:= 100.M	Page Number: 41
			Designer	Di Ke		Drawing.NR: 1002000544						
Rev.Ind	Original	ZPMC	Review	Jianyue Zhang	Location:	CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753	




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/12/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	

 振华电气集团 ZPMC ELECTRIC GROUP	Page description: CONTROL STATION OPERATOR CAIBN METER DISPLAY	Resp dep. : EZ Design	Plant Function:= 100.M	Page Number: 53
		Drawing.NR: 1002000544		
		DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/12/30	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: CONTROL STATION OPERATOR CAIBN FAULT DISPLAY INDICATION	Resp dep. : EZ Design	Plant Function:=100.M	Page Number: 61
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						




BOOM DOWN
INDICATION
+07S01


			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: CONTROL STATION GANTRY LOCAL STATION	Resp dep.: EZ Design	Plant Function:=101.M	Page Number: 4
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +07S01	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						




OVERLOAD RESET
INDICATION
+070S1




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.






			Mod.Date	2020/10/27	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: CONTROL STATION PLC PANEL	Resp dep. : EZ Design	Plant Function:=104.M	Page Number: 3
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F42	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						




			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: CONTROL STATION PLC PANEL	Resp dep. : EZ Design	Plant Function:=104.M	Page Number: 4
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F42	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						



ABSOLUTE ENCODER
SET
REQUEST
+01F42

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



BRAKE TEST
TEST
SELECTED
+01F42


LAMP TEST
REQUEST
+01F42

SPARE
REQUEST
+01F42

SPARE
SELECTED
+01F42

SPARE
SELECTED
+01F42

Digital Output	Digital Output
=098.M+01F42-KP1-7	=098.M+01F42-KP1-7
=098.M/15.1 Q50.5 5 7	=098.M/15.1 Q50.6 6 8



AUDIO ALARM
BUZZER ON
+01F42

SPARE
INDICATION
+01F42

			Mod.Date	2020/12/30
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
CONTROL STATION PLC PANEL


Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:= 104.M


Object Loc.: +01F42

Page Number: 6

Total Page: 753



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




			Mod.Date	2020/12/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Page description:
CONTROL STATION PLC PANEL

Resp dep. : EZ Design	Plant Function:= 104.M	Page Number: 12
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F42	Total Page: 753


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/12/30	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description: CONTROL STATION PLC PANEL	Resp dep. : EZ Design	Plant Function:= 104.M	Page Number: 13
	Drawing.NR: 1002000544		
	DQ1002000544-YL001A-EN	Object Loc.: +01F42	Total Page: 753




PHASE SEQUENCE
INDICATION
+01F12


			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: CONTROL STATION PLC PANEL	Resp dep.: EZ Design	Plant Function:=104.M	Page Number: 14
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F42	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.





			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: CONTROL STATION MACHINERY HOUSE LOCAL STATION	Resp dep. : EZ Design	Plant Function:=105.M	Page Number: 2
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



MAIN HOIST
BRAKE 1 TEST
SELECTED
+02S02

MAIN HOIST
BRAKE 2 TEST
SELECTED
+02S02

MAIN HOIST
DRUM BRAKE
TEST
SELECTED
+02S02

MAIN TROLLEY
BRAKE TEST
SELECTED
+02S02

BOOM HOIST
BRAKE TEST
SELECTED
+02S02

BOOM HOIST
DRUM BRAKE
TEST
SELECTED
+02S02

SPARE
BRAKE TEST
SELECTED
+02S02

			Mod.Date	2020/11/19
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:
CONTROL STATION MACHINERY HOUSE LOCAL
STATION

Resp dep.: EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN


Plant Function:= 105.M

Object Loc.: +01F11.3


Page Number: 3

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




CONTROL ON
REQUEST
+03S01

CONTROL OFF
REQUEST
+03S01

FAULT RESET
REQUEST
+03S01

LAMP TEST
REQUEST
+03S01

=030.G/11.5 / =030.G-FC112_- → 030G1102 0VDC



CONTROL ON
INDICATION
+14S01

FAULT RESET
INDICATION
+14S01

BOOM READY
INDICATION
+14S01


BOOM
UP STOP
INDICATION
+14S01


=105.M+01F11.3/4

			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: CONTROL STATION A-FRAME LOCAL STATION	Resp dep. : EZ Design	Plant Function:=108.M	Page Number: 1
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +14S01	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						




			Mod.Date	2020/11/19	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: CONTROL STATION A-FRAME LOCAL STATION	Resp dep.: EZ Design	Plant Function:=108.M	Page Number: 3
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +14S01	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						





We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



6

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

-KP1-5
/3.5

SIEMENS	
5 1770.0 EMERGENCY STOP ACTIVATED LEG 1 =003.M/49.2	25 1771.4 EMERGENCY STOP ACTIVATED LEG 1 =003.M/51.2
6 1770.1 EMERGENCY STOP ACTIVATED LEG 2 =003.M/49.3	26 1771.5 EMERGENCY STOP ACTIVATED LEG 2 =003.M/51.3
7 1770.2 =003.M/49.3	27 1771.6 =003.M/51.3
8 1770.3 EMERGENCY STOP ACTIVATED +08S05 PANEL =003.M/49.4	28 1771.7 EMERGENCY STOP ACTIVATED +08S05 PANEL =003.M/51.4
9 1770.4 EMERGENCY STOP ACTIVATED NEAR GCR =003.M/49.5	29 1772.0 EMERGENCY STOP ACTIVATED NEAR GCR =003.M/51.5
10 1770.5 EMERGENCY STOP ACTIVATED +14S02 PANEL =003.M/49.6	30 1772.1 EMERGENCY STOP ACTIVATED +14S02 PANEL =003.M/51.6
12 1770.6 EMERGENCY STOP ACTIVATED LEG 3 =003.M/50.2	32 1772.2 EMERGENCY STOP ACTIVATED LEG 3 =003.M/52.2
13 1770.7 EMERGENCY STOP ACTIVATED LEG 4 =003.M/50.3	33 1772.3 EMERGENCY STOP ACTIVATED LEG 4 =003.M/52.3
14 1771.0 EMERGENCY STOP ACTIVATED +07S01 PANEL =003.M/50.3	34 1772.4 EMERGENCY STOP ACTIVATED +07S01 PANEL =003.M/52.3
15 1771.1 EMERGENCY STOP ACTIVATED +07S01 PANEL OUTSIDE =003.M/50.4	35 1772.5 EMERGENCY STOP ACTIVATED +07S01 PANEL OUTSIDE =003.M/52.4
16 1771.2 =003.M/50.5	36 1772.6 =003.M/52.5
17 1771.3 =003.M/50.6	37 1772.7 =003.M/52.6
24VDC Digital Input 6ES7326-1BK02-0AB0	
on 9 8 7 6 5 4 3 2 1 0	

			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Resp dep. : EZ Design	Plant Function:=901.M	Page Number: 6
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F42	Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

0	1	2	3	4	5	6	7	8	9															
-KP1-7 /4.2 SIEMENS <table><tr><td> 3^{F0} Q900.0 4⁰ EMERGENCY STOP SAFETY RELAY OUTPUT EXTENSION CRANE SWITCH Q900.0 =003.R/3.4 23^{F5} Q900.5 24⁵ Q900.5 </td></tr><tr><td> 6^{F1} Q900.1 7¹ EMERGENCY STOP SAFETY RELAY OUTPUT EXTENSION AIM/ALM 1-2 Q900.1 =003.R/3.6 26^{F6} Q900.6 27⁶ Q900.6 </td></tr><tr><td> 9^{F2} Q900.2 10² EMERGENCY STOP SAFETY RELAY OUTPUT EXTENSION AIM/ALM 3 Q900.2 =003.R/3.8 29^{F7} Q900.7 30⁷ Q900.7 </td></tr><tr><td> 12^{F3} Q900.3 13³ Q900.3 32^{F0} Q901.0 33⁰ Q901.0 </td></tr><tr><td> 15^{F4} Q900.4 16⁴ Q900.4 35^{F1} Q901.1 36¹ Q901.1 </td></tr><tr><td colspan="10"> 24VDC Digital Output 6ES7326-2BF10-0AB0 9876543210 on </td></tr></table>										3^{F0} Q900.0 4⁰ EMERGENCY STOP SAFETY RELAY OUTPUT EXTENSION CRANE SWITCH Q900.0 =003.R/3.4 23^{F5} Q900.5 24⁵ Q900.5	6^{F1} Q900.1 7¹ EMERGENCY STOP SAFETY RELAY OUTPUT EXTENSION AIM/ALM 1-2 Q900.1 =003.R/3.6 26^{F6} Q900.6 27⁶ Q900.6	9^{F2} Q900.2 10² EMERGENCY STOP SAFETY RELAY OUTPUT EXTENSION AIM/ALM 3 Q900.2 =003.R/3.8 29^{F7} Q900.7 30⁷ Q900.7	12^{F3} Q900.3 13³ Q900.3 32^{F0} Q901.0 33⁰ Q901.0	15^{F4} Q900.4 16⁴ Q900.4 35^{F1} Q901.1 36¹ Q901.1	24VDC Digital Output 6ES7326-2BF10-0AB0 9876543210 on									
3^{F0} Q900.0 4⁰ EMERGENCY STOP SAFETY RELAY OUTPUT EXTENSION CRANE SWITCH Q900.0 =003.R/3.4 23^{F5} Q900.5 24⁵ Q900.5																								
6^{F1} Q900.1 7¹ EMERGENCY STOP SAFETY RELAY OUTPUT EXTENSION AIM/ALM 1-2 Q900.1 =003.R/3.6 26^{F6} Q900.6 27⁶ Q900.6																								
9^{F2} Q900.2 10² EMERGENCY STOP SAFETY RELAY OUTPUT EXTENSION AIM/ALM 3 Q900.2 =003.R/3.8 29^{F7} Q900.7 30⁷ Q900.7																								
12^{F3} Q900.3 13³ Q900.3 32^{F0} Q901.0 33⁰ Q901.0																								
15^{F4} Q900.4 16⁴ Q900.4 35^{F1} Q901.1 36¹ Q901.1																								
24VDC Digital Output 6ES7326-2BF10-0AB0 9876543210 on																								
6 =903.M+01F11.3/2																								
			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS		Page description: I/O SLAVE 2 PLC PANEL		Resp dep. : EZ Design	Plant Function:=901.M	Page Number: 7													
			Designer	Di Ke					Drawing.NR: 1002000544															
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire				DQ1002000544-YL001A-EN		Total Page: 753													
Rev.Ind	Language	EN	Check	Zijiang Ge					Object Loc.: +01F42															

24VDC



35

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

0	1	2	3	4	5	6	7	8	9																																																												
<table><tr><td>-KP1-8 /3.5</td><td>-KP1-9 /3.6</td><td>-KP1-10 /3.7</td></tr><tr><td>SIEMENS</td><td>SIEMENS</td><td>SIEMENS</td></tr><tr><td> 2 0 =004.M/5.3 I80.0 </td><td> 2 0 SIEMENS ECM1 FUSE PRECHARGE AIM 2 =005.M/1.4 I82.0 </td><td> 2 0 Q70.0 </td></tr><tr><td> 3 1 =004.M/5.4 I80.1 </td><td> 3 1 SIEMENS ECM1 ISO PROTECT. P11-K1 =005.M/1.5 I82.1 </td><td> 3 1 Q70.1 </td></tr><tr><td> 4 2 SIEMENS AUXILIARY VOLTAGE SUPPLY DC24V CU320-2 =004.M/5.5 I80.2 </td><td> 4 2 SIEMENS ECM1 ISO PROTECT. P11-K2 =005.M/1.6 I82.2 </td><td> 4 2 Q70.2 </td></tr><tr><td> 5 3 SIEMENS AUXILIARY VOLTAGE SUPPLY DC24V SIMOTION =004.M/5.6 I80.3 </td><td> 5 3 SIEMENS ECM1 MAIN SWITCH SIGNAL =005.M/1.6 I82.3 </td><td> 5 3 Q70.3 </td></tr><tr><td> 6 4 I80.4 </td><td> 6 4 SIEMENS ECM1 MAIN SWITCH SIGNAL =005.M/2.1 I82.4 </td><td> 6 4 Q70.4 </td></tr><tr><td> 7 5 I80.5 </td><td> 7 5 SIEMENS ECM1 =005.M/2.2 I82.5 </td><td> 7 5 Q70.5 </td></tr><tr><td> 8 6 SIEMENS AUXILIARY VOLTAGE SUPPLY 230VAC HEATER =004.M/6.1 I80.6 </td><td> 8 6 SIEMENS ECM1 MAIN SWITCH TRIPPED =005.M/2.3 I82.6 </td><td> 8 6 Q70.6 </td></tr><tr><td> 9 7 SIEMENS AUXILIARY VOLTAGE SUPPLY 230VAC HEATER =004.M/6.2 I80.7 </td><td> 9 7 SIEMENS ECM1 MAIN SWITCH OK =005.M/2.3 I82.7 </td><td> 9 7 Q70.7 </td></tr><tr><td></td><td></td><td></td></tr><tr><td> 12 0 SIEMENS AUXILIARY VOLTAGE SUPPLY 230VAC LIGHT/sockets =004.M/6.3 I81.0 </td><td> 12 0 SIEMENS ECM1 MAIN TRANSF. OVERTEMP. =005.M/2.4 I83.0 </td><td> 12 0 HIGH WIND SPEED TRIP ON ORDER =092.M/1.7 Q71.0 </td></tr><tr><td> 13 1 =004.M/6.3 I81.1 </td><td> 13 1 SIEMENS ECM1 MAIN CONTACT. ALM 1 =005.M/3.1 I83.1 </td><td> 13 1 HIGH WIND SPEED ALARM ON ORDER =092.M/1.8 Q71.1 </td></tr><tr><td> 14 2 =004.M/6.4 I81.2 </td><td> 14 2 SIEMENS ECM1 MAIN CONTACT. ALM 1 =005.M/3.2 I83.2 </td><td> 14 2 Q71.2 </td></tr><tr><td> 15 3 =004.M/6.5 I81.3 </td><td> 15 3 SIEMENS ECM1 MAIN CONTACT. ALM 2 =005.M/3.3 I83.3 </td><td> 15 3 Q71.3 </td></tr><tr><td> 16 4 SIEMENS ECM1 MAIN TRANSF. PTC WARN. =005.M/1.1 I81.4 </td><td> 16 4 SIEMENS ECM1 MAIN CONTACT. ALM 2 =005.M/3.3 I83.4 </td><td> 16 4 Q71.4 </td></tr><tr><td> 17 5 SIEMENS ECM1 OVERTOLT. PROTECT. UNIT =005.M/1.2 I81.5 </td><td> 17 5 I83.5 </td><td> 17 5 Q71.5 </td></tr><tr><td> 18 6 SIEMENS ECM1 FUSE OVERTOLT. PROTECT. =005.M/1.3 I81.6 </td><td> 18 6 I83.6 </td><td> 18 6 Q71.6 </td></tr><tr><td> 19 7 SIEMENS ECM1 FUSE PRECHARGE AIM 1 =005.M/1.3 I81.7 </td><td> 19 7 I83.7 </td><td> 19 7 Q71.7 </td></tr><tr><td>24VDC Digital Input 6ES7321-1BH02-0AA0</td><td>24VDC Digital Input 6ES7321-1BH02-0AA0</td><td>120V/230VAC RELAY Digital Output 6ES7322-1HH01-0AA0</td></tr></table>										-KP1-8 /3.5	-KP1-9 /3.6	-KP1-10 /3.7	SIEMENS	SIEMENS	SIEMENS	2 0 =004.M/5.3 I80.0	2 0 SIEMENS ECM1 FUSE PRECHARGE AIM 2 =005.M/1.4 I82.0	2 0 Q70.0	3 1 =004.M/5.4 I80.1	3 1 SIEMENS ECM1 ISO PROTECT. P11-K1 =005.M/1.5 I82.1	3 1 Q70.1	4 2 SIEMENS AUXILIARY VOLTAGE SUPPLY DC24V CU320-2 =004.M/5.5 I80.2	4 2 SIEMENS ECM1 ISO PROTECT. P11-K2 =005.M/1.6 I82.2	4 2 Q70.2	5 3 SIEMENS AUXILIARY VOLTAGE SUPPLY DC24V SIMOTION =004.M/5.6 I80.3	5 3 SIEMENS ECM1 MAIN SWITCH SIGNAL =005.M/1.6 I82.3	5 3 Q70.3	6 4 I80.4	6 4 SIEMENS ECM1 MAIN SWITCH SIGNAL =005.M/2.1 I82.4	6 4 Q70.4	7 5 I80.5	7 5 SIEMENS ECM1 =005.M/2.2 I82.5	7 5 Q70.5	8 6 SIEMENS AUXILIARY VOLTAGE SUPPLY 230VAC HEATER =004.M/6.1 I80.6	8 6 SIEMENS ECM1 MAIN SWITCH TRIPPED =005.M/2.3 I82.6	8 6 Q70.6	9 7 SIEMENS AUXILIARY VOLTAGE SUPPLY 230VAC HEATER =004.M/6.2 I80.7	9 7 SIEMENS ECM1 MAIN SWITCH OK =005.M/2.3 I82.7	9 7 Q70.7				12 0 SIEMENS AUXILIARY VOLTAGE SUPPLY 230VAC LIGHT/sockets =004.M/6.3 I81.0	12 0 SIEMENS ECM1 MAIN TRANSF. OVERTEMP. =005.M/2.4 I83.0	12 0 HIGH WIND SPEED TRIP ON ORDER =092.M/1.7 Q71.0	13 1 =004.M/6.3 I81.1	13 1 SIEMENS ECM1 MAIN CONTACT. ALM 1 =005.M/3.1 I83.1	13 1 HIGH WIND SPEED ALARM ON ORDER =092.M/1.8 Q71.1	14 2 =004.M/6.4 I81.2	14 2 SIEMENS ECM1 MAIN CONTACT. ALM 1 =005.M/3.2 I83.2	14 2 Q71.2	15 3 =004.M/6.5 I81.3	15 3 SIEMENS ECM1 MAIN CONTACT. ALM 2 =005.M/3.3 I83.3	15 3 Q71.3	16 4 SIEMENS ECM1 MAIN TRANSF. PTC WARN. =005.M/1.1 I81.4	16 4 SIEMENS ECM1 MAIN CONTACT. ALM 2 =005.M/3.3 I83.4	16 4 Q71.4	17 5 SIEMENS ECM1 OVERTOLT. PROTECT. UNIT =005.M/1.2 I81.5	17 5 I83.5	17 5 Q71.5	18 6 SIEMENS ECM1 FUSE OVERTOLT. PROTECT. =005.M/1.3 I81.6	18 6 I83.6	18 6 Q71.6	19 7 SIEMENS ECM1 FUSE PRECHARGE AIM 1 =005.M/1.3 I81.7	19 7 I83.7	19 7 Q71.7	24VDC Digital Input 6ES7321-1BH02-0AA0	24VDC Digital Input 6ES7321-1BH02-0AA0	120V/230VAC RELAY Digital Output 6ES7322-1HH01-0AA0
-KP1-8 /3.5	-KP1-9 /3.6	-KP1-10 /3.7																																																																			
SIEMENS	SIEMENS	SIEMENS																																																																			
2 0 =004.M/5.3 I80.0	2 0 SIEMENS ECM1 FUSE PRECHARGE AIM 2 =005.M/1.4 I82.0	2 0 Q70.0																																																																			
3 1 =004.M/5.4 I80.1	3 1 SIEMENS ECM1 ISO PROTECT. P11-K1 =005.M/1.5 I82.1	3 1 Q70.1																																																																			
4 2 SIEMENS AUXILIARY VOLTAGE SUPPLY DC24V CU320-2 =004.M/5.5 I80.2	4 2 SIEMENS ECM1 ISO PROTECT. P11-K2 =005.M/1.6 I82.2	4 2 Q70.2																																																																			
5 3 SIEMENS AUXILIARY VOLTAGE SUPPLY DC24V SIMOTION =004.M/5.6 I80.3	5 3 SIEMENS ECM1 MAIN SWITCH SIGNAL =005.M/1.6 I82.3	5 3 Q70.3																																																																			
6 4 I80.4	6 4 SIEMENS ECM1 MAIN SWITCH SIGNAL =005.M/2.1 I82.4	6 4 Q70.4																																																																			
7 5 I80.5	7 5 SIEMENS ECM1 =005.M/2.2 I82.5	7 5 Q70.5																																																																			
8 6 SIEMENS AUXILIARY VOLTAGE SUPPLY 230VAC HEATER =004.M/6.1 I80.6	8 6 SIEMENS ECM1 MAIN SWITCH TRIPPED =005.M/2.3 I82.6	8 6 Q70.6																																																																			
9 7 SIEMENS AUXILIARY VOLTAGE SUPPLY 230VAC HEATER =004.M/6.2 I80.7	9 7 SIEMENS ECM1 MAIN SWITCH OK =005.M/2.3 I82.7	9 7 Q70.7																																																																			
12 0 SIEMENS AUXILIARY VOLTAGE SUPPLY 230VAC LIGHT/sockets =004.M/6.3 I81.0	12 0 SIEMENS ECM1 MAIN TRANSF. OVERTEMP. =005.M/2.4 I83.0	12 0 HIGH WIND SPEED TRIP ON ORDER =092.M/1.7 Q71.0																																																																			
13 1 =004.M/6.3 I81.1	13 1 SIEMENS ECM1 MAIN CONTACT. ALM 1 =005.M/3.1 I83.1	13 1 HIGH WIND SPEED ALARM ON ORDER =092.M/1.8 Q71.1																																																																			
14 2 =004.M/6.4 I81.2	14 2 SIEMENS ECM1 MAIN CONTACT. ALM 1 =005.M/3.2 I83.2	14 2 Q71.2																																																																			
15 3 =004.M/6.5 I81.3	15 3 SIEMENS ECM1 MAIN CONTACT. ALM 2 =005.M/3.3 I83.3	15 3 Q71.3																																																																			
16 4 SIEMENS ECM1 MAIN TRANSF. PTC WARN. =005.M/1.1 I81.4	16 4 SIEMENS ECM1 MAIN CONTACT. ALM 2 =005.M/3.3 I83.4	16 4 Q71.4																																																																			
17 5 SIEMENS ECM1 OVERTOLT. PROTECT. UNIT =005.M/1.2 I81.5	17 5 I83.5	17 5 Q71.5																																																																			
18 6 SIEMENS ECM1 FUSE OVERTOLT. PROTECT. =005.M/1.3 I81.6	18 6 I83.6	18 6 Q71.6																																																																			
19 7 SIEMENS ECM1 FUSE PRECHARGE AIM 1 =005.M/1.3 I81.7	19 7 I83.7	19 7 Q71.7																																																																			
24VDC Digital Input 6ES7321-1BH02-0AA0	24VDC Digital Input 6ES7321-1BH02-0AA0	120V/230VAC RELAY Digital Output 6ES7322-1HH01-0AA0																																																																			
4	6																																																																				
			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description:	Resp dep. : EZ Design	Plant Function:=903.M	Page Number: 5																																																											
			Designer	Di Ke			I/O SLAVE 1 LOW VOLTAGE DISTRIBUTION PANEL	Drawing.NR: 1002000544																																																													
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire				DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753																																																										
Rev.Ind	Language	EN	Check	Zijiang Ge																																																																	

SIEMENS
6ES7153-4AA01-0XB0

SF
BF
MT
ON

PUSH

	LINK	RX / TX
P2	☐	☐
P1	☐	☐

P2
P1
X1 PN (LAN)

PE
2M
L+
1M

PROFINET
PROFINET

PE
PE-BAR


10.1 / =098.M-KP3-2_PN ➡
2.1 / =098.M-KP2-2_PN ➡

=003.G/1.3 / =003.G-FC111_+ ➔ 003G0111
=003.G/1.3 / =003.G-FC111_- ➔ 003G0102

24VDC



振华电气集团
ZPMC ELECTRIC GROUP



SIEMENS

6ES7153-4AA01-0XB0

	LINK	RX / TX	
P2	☐	☐	☐
P1	☐	☐	☐

PUSH

P2

P1

X1 PN (LAN)

PE

2M

L+

1M

PROFINET

PE-BAR 


6.1 / =098.M-KP3-2 PN -

=003.G/1.3 / =003.G-FC111_+
=003.G/1.3 / =003.G-FC111 -

003G0111
003G0102

24VDC

			Mod.Date	2020/12/30	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: I/O SLAVE 3 LOW VOLTAGE DISTRIBUTION PANEL	Resp dep. : EZ Design	Plant Function:=903.M	Page Number: 10
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

0	1	2	3	4	5	6	7	8	9
-KP4-3 /11.3		-KP4-4 /11.4		-KP4-5 /11.5		-KP4-6 /11.5		-KP4-8 /11.6	
SIEMENS		SIEMENS		SIEMENS		SIEMENS		SIEMENS	
 ² ₀ BACKREACH TLS HYDRAULIC STATION PUMP MOTOR TEMPERATURE SENSOR =019.M/1.1 I450.0		 ² ₀ MAIN TROLLEY ROPE TENSION OVERTENSION LIMIT SWITCH 1 =029.M/2.1 I452.0		 ² ₀ CONTROL ON REQUEST +05S01 =103.M/1.1 I454.0		 ² ₀ HOME POSITION SET SELECTED +05S01 =103.M/3.1 I456.0		 ² ₀ CONTROL ON INDICATION +05S01 =103.M/1.7 Q450.0	
 ³ ₁ =019.M/1.2 I450.1		 ³ ₁ MAIN TROLLEY ROPE TENSION OVERTENSION LIMIT SWITCH 2 =029.M/2.2 I452.1		 ³ ₁ CONTROL OFF REQUEST +05S01 =103.M/1.2 I454.1		 ³ ₁ TO HOME POSITION REQUEST +05S01 =103.M/3.2 I456.1		 ³ ₁ FAULT RESET INDICATION +05S01 =103.M/1.8 Q450.1	
 ⁴ ₂ BACKREACH TLS HYDRAULIC STATION OIL TEMPERATURE START COOLING =019.M/1.3 I450.2		 ⁴ ₂ MAIN TROLLEY ROPE TENSION UNDERTENSION LIMIT SWITCH 1 =029.M/2.3 I452.2		 ⁴ ₂ FAULT RESET REQUEST +05S01 =103.M/1.3 I454.2		 ⁴ ₂ SNAG FAULT RESET ON SELECTED +05S01 =103.M/3.3 I456.2		 ⁴ ₂ Q450.2	
 ⁵ ₃ BACKREACH TLS HYDRAULIC STATION OIL TEMPERATURE TOO HIGH =019.M/1.3 I450.3		 ⁵ ₃ MAIN TROLLEY ROPE TENSION UNDERTENSION LIMIT SWITCH 2 =029.M/2.3 I452.3		 ⁵ ₃ TLSS ENABLE SELECTED +05S01 =103.M/1.3 I454.3		 ⁵ ₃ =103.M/3.3 I456.3		 ⁵ ₃ Q450.3	
 ⁶ ₄ BACKREACH TLS HYDRAULIC STATION OIL LEVEL LOW =019.M/1.4 I450.4		 ⁶ ₄ CATENARY TROLLEY ROPE TENSION OVERTENSION LIMIT SWITCH 1 =029.M/2.4 I452.4		 ⁶ ₄ I454.4		 ⁶ ₄ =103.M/3.4 I456.4		 ⁶ ₄ TO HOME POSITION INDICATION +05S01 =103.M/3.6 Q450.4	
 ⁷ ₅ BACKREACH TLS HYDRAULIC STATION BUTTERFLY VALVE D1 POWER =019.M/1.5 I450.5		 ⁷ ₅ CATENARY TROLLEY ROPE TENSION OVERTENSION LIMIT SWITCH 2 =029.M/2.5 I452.5		 ⁷ ₅ I454.5		 ⁷ ₅ I456.5		 ⁷ ₅ SNAG FAULT INDICATION +05S01 =103.M/3.7 Q450.5	
 ⁸ ₆ =019.M/1.6 I450.6		 ⁸ ₆ CATENARY TROLLEY ROPE TENSION UNDERTENSION LIMIT SWITCH 1 =029.M/2.6 I452.6		 ⁸ ₆ I454.6		 ⁸ ₆ I456.6		 ⁸ ₆ =103.M/3.8 Q450.6	
 ⁹ ₇ =019.M/2.1 I450.7		 ⁹ ₇ CATENARY TROLLEY ROPE TENSION UNDERTENSION LIMIT SWITCH 2 =029.M/2.6 I452.7		 ⁹ ₇ I454.7		 ⁹ ₇ I456.7		 ⁹ ₇ Q450.7	
 ¹² ₀ =019.M/2.2 I451.0		 ¹² ₀ BACKREACH TENSION HYDRAULIC STATION PUMP MOTOR TEMPERATURE SENSOR =029.M/1.1 I453.0		 ¹² ₀ CYLINDER 1 IN SELECTED +05S01 =103.M/2.1 I455.0		 ¹² ₀ I457.0		 ¹² ₀ Q451.0	
 ¹³ ₁ =019.M/2.3 I451.1		 ¹³ ₁ BACKREACH TENSION HYDRAULIC STATION BUTTERFLY VALVE D2 POWER =029.M/1.2 I453.1		 ¹³ ₁ CYLINDER 1 OUT SELECTED +05S01 =103.M/2.2 I455.1		 ¹³ ₁ I457.1		 ¹³ ₁ Q451.1	
 ¹⁴ ₂ =019.M/2.3 I451.2		 ¹⁴ ₂ BACKREACH TENSION HYDRAULIC STATION H5 LOW PRESSURE SIGNAL =029.M/1.3 I453.2		 ¹⁴ ₂ CYLINDER 2 IN SELECTED +05S01 =103.M/2.3 I455.2		 ¹⁴ ₂ BACKREACH TLS & TENSION HYDRAULIC STATION SOLENOID POWER SUPPLY CIRCUIT BREAKER ON =019.G/12.6 I457.2		 ¹⁴ ₂ Q451.2	
 ¹⁵ ₃ I451.3		 ¹⁵ ₃ BACKREACH TENSION HYDRAULIC STATION H5 HIGH PRESSURE SIGNAL =029.M/1.3 I453.3		 ¹⁵ ₃ CYLINDER 2 OUT SELECTED +05S01 =103.M/2.3 I455.3		 ¹⁵ ₃ BACKREACH TLS HYDRAULIC STATION PROPORTAL VALVE POWER SUPPLY CIRCUIT BREAKER ON =019.G/12.7 I457.3		 ¹⁵ ₃ Q451.3	
 ¹⁶ ₄ BACKREACH TLS CYLINDER 1 OVERTRAVEL LIMIT SWITCH =019.M/3.1 I451.4		 ¹⁶ ₄ BACKREACH TENSION HYDRAULIC STATION H6 LOW PRESSURE SIGNAL =029.M/1.4 I453.4		 ¹⁶ ₄ CYLINDER 3 IN SELECTED +05S01 =103.M/2.4 I455.4		 ¹⁶ ₄ BACKREACH TLS HYDRAULIC STATION POSITION SENSOR POWER SUPPLY CIRCUIT BREAKER ON =019.G/12.8 I457.4		 ¹⁶ ₄ Q451.4	
 ¹⁷ ₅ BACKREACH TLS CYLINDER 2 OVERTRAVEL LIMIT SWITCH =019.M/3.2 I451.5		 ¹⁷ ₅ BACKREACH TENSION HYDRAULIC STATION H6 HIGH PRESSURE SIGNAL =029.M/1.5 I453.5		 ¹⁷ ₅ CYLINDER 3 OUT SELECTED +05S01 =103.M/2.5 I455.5		 ¹⁷ ₅ I457.5		 ¹⁷ ₅ Q451.5	
 ¹⁸ ₆ BACKREACH TLS CYLINDER 3 OVERTRAVEL LIMIT SWITCH =019.M/3.3 I451.6		 ¹⁸ ₆ I453.6		 ¹⁸ ₆ CYLINDER 4 IN SELECTED +05S01 =103.M/2.6 I455.6		 ¹⁸ ₆ I457.6		 ¹⁸ ₆ Q451.6	
 ¹⁹ ₇ BACKREACH TLS CYLINDER 4 OVERTRAVEL LIMIT SWITCH =019.M/3.3 I451.7		 ¹⁹ ₇ I453.7		 ¹⁹ ₇ CYLINDER 4 OUT SELECTED +05S01 =103.M/2.6 I455.7		 ¹⁹ ₇ I457.7		 ¹⁹ ₇ Q451.7	
24VDC Digital Input 6ES7321-1BH02-0AA0		24VDC Digital Input 6ES7321-1BH02-0AA0		24VDC Digital Input 6ES7321-1BH02-0AA0		24VDC Digital Input 6ES7321-1BH02-0AA0		120V/230VAC RELAY Digital Output 6ES7322-1HH01-0AA0	

			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	



Resp dep. : EZ Design	Plant Function:=903.M	Page Number: 13
Drawing.NR: 1002000544		
DQ1002000544-YL001A-EN	Object Loc.: +01F11.3	Total Page: 753



4

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

0	1	2	3	4	5	6	7	8	9
-KP1-3 /3.2 -KP1-4 /3.2 -KP1-5 /3.3 -KP1-6 /3.4 -KP1-7 /3.5									
SIEMENS		SIEMENS		SIEMENS		SIEMENS		SIEMENS	
2 0 +01F12 PANEL POWER SUPPLY CIRCUIT BREAKER ON =080.C/10.8		2 0 BOOM FLOODLIGHT GROUP 1 CIRCUIT BREAKER ON =080.C/11.7		2 0 MACHINARY HOUSE AROUND FLOODLIGHT GROUP 1 CIRCUIT BREAKER ON =080.C/17.8		2 0 BOOM WALKWAY LIGHT GROUP 3 CIRCUIT BREAKER ON =080.C/22.8		2 0 HIGH VOLTAGE SWITCHGEAR ROOM GENERAL LIGHT CIRCUIT BREAKER ON =080.C/29.7	
3 1		3 1 BOOM FLOODLIGHT GROUP 2 CIRCUIT BREAKER ON =080.C/11.8		3 1 MACHINARY HOUSE AROUND FLOODLIGHT GROUP 2 CIRCUIT BREAKER ON =080.C/17.8		3 1 MACHINARY HOUSE AROUND WALKWAY LIGHT CIRCUIT BREAKER ON =080.C/23.6		3 1 MAIN TRANSFORMER ROOM GENERAL LIGHT CIRCUIT BREAKER ON =080.C/29.8	
4 2		4 2 BOOM FLOODLIGHT GROUP 3 CIRCUIT BREAKER ON =080.C/11.8		4 2		4 2 BACKREACH & WINDOW WASH PLATFORM WALKWAY LIGHT CIRCUIT BREAKER ON =080.C/23.7		4 2 AUXILIARY TRANSFORMER ROOM GENERAL LIGHT CIRCUIT BREAKER ON =080.C/30.6	
5 3		5 3 BOOM FLOODLIGHT GROUP 4 CIRCUIT BREAKER ON =080.C/12.7		5 3		5 3 GIRDER WALKWAY LIGHT CIRCUIT BREAKER ON =080.C/23.8		5 3 ELECTRICAL ROOM GENERAL LIGHT CIRCUIT BREAKER ON =080.C/30.7	
6 4		6 4 BOOM FLOODLIGHT GROUP 5 CIRCUIT BREAKER ON =080.C/12.8		6 4 BACKREACH TLS MAINTENANCE FLOODLIGHT CIRCUIT BREAKER ON =080.C/19.7		6 4 A-FRAME WALKWAY LIGHT CIRCUIT BREAKER ON =080.C/24.6		6 4 SPARE GENERAL LIGHT CIRCUIT BREAKER ON =080.C/30.8	
7 5		7 5 BOOM FLOODLIGHT GROUP 6 CIRCUIT BREAKER ON =080.C/12.8		7 5 A-FRAME MAINTENANCE FLOODLIGHT CIRCUIT BREAKER ON =080.C/19.8		7 5 PORTAL BEAM WALKWAY LIGHT CIRCUIT BREAKER ON =080.C/24.7		7 5 ELECTRICAL ROOM 1P OUTLET 1 CIRCUIT BREAKER ON =080.C/31.7	
8 6		8 6 BOOM FLOODLIGHT SPARE CIRCUIT BREAKER ON =080.C/13.7		8 6 GANTRY CABLE REEL PLATFORM MAINTENANCE FLOODLIGHT CIRCUIT BREAKER ON =080.C/19.8		8 6 SPARE WALKWAY LIGHT CIRCUIT BREAKER ON =080.C/24.8		8 6 ELECTRICAL ROOM 1P OUTLET 2 CIRCUIT BREAKER ON =080.C/31.8	
9 7		9 7 BOOM FLOODLIGHT SPARE CIRCUIT BREAKER ON =080.C/13.8		9 7 MACHINARY HOUSE LOGO FLOODLIGHT GROUP 1 CIRCUIT BREAKER ON =080.C/20.7		9 7 WS & LS UP SILLBEAM WALKWAY LIGHT CIRCUIT BREAKER ON =080.C/25.6		9 7 PLC ROOM 1P OUTLET 1 CIRCUIT BREAKER ON =080.C/31.8	
12 0 +01F12 PANEL DC POWER SUPPLY CIRCUIT BREAKER ON =080.C/50.6		12 0 BOOM FLOODLIGHT SPARE CIRCUIT BREAKER ON =080.C/13.8		12 0 MACHINARY HOUSE LOGO FLOODLIGHT GROUP 2 CIRCUIT BREAKER ON =080.C/20.8		12 0 SPARE WALKWAY LIGHT CIRCUIT BREAKER ON =080.C/25.7		12 0 MACHINARY HOUSE 1P OUTLET 1 CIRCUIT BREAKER ON =080.C/32.7	
13 1 +01F12 PANEL INTERNAL POWER SUPPLY CIRCUIT BREAKER ON =080.C/50.7		13 1 BACKREACH FLOODLIGHT GROUP 1 CIRCUIT BREAKER ON =080.C/15.7		13 1 LANDSIDE UP SILLBEAM MAINTENANCE FLOODLIGHT CIRCUIT BREAKER ON =080.C/20.8		13 1 SPARE WALKWAY LIGHT CIRCUIT BREAKER ON =080.C/25.8		13 1 MACHINARY HOUSE 1P OUTLET 2 CIRCUIT BREAKER ON =080.C/32.8	
14 2 +01F12 PANEL EXTERNAL POWER SUPPLY CIRCUIT BREAKER ON =080.C/50.8		14 2 BACKREACH & WINDOW WASH PLATFORM FLOODLIGHT CIRCUIT BREAKER ON =080.C/15.8		14 2		14 2 WS UPPER SILLBEAM &LEG 1&2 INTERNAL WALKWAY LIGHT CIRCUIT BREAKER ON =080.C/26.6		14 2 SPARE 1P OUTLET CIRCUIT BREAKER ON =080.C/32.8	
15 3 +01F12 PANEL INTERNAL I/O POWER SUPPLY CIRCUIT BREAKER ON =080.G/1.7		15 3 BACKREACH FLOODLIGHT SPARE CIRCUIT BREAKER ON =080.C/15.8		15 3 LEG 3 WALKWAY LIGHT CIRCUIT BREAKER ON =080.C/21.6		15 3 LS UPPER SILLBEAM &LEG 3&4 INTERNAL WALKWAY LIGHT CIRCUIT BREAKER ON =080.C/26.7		15 3 BOOM TIP 1P OUTLET CIRCUIT BREAKER ON =080.C/33.7	
16 4 +01F12 PANEL EXTERNAL I/O POWER SUPPLY CIRCUIT BREAKER ON =080.G/1.8		16 4 LEFT PORTAL BEAM FLOODLIGHT GROUP 1 CIRCUIT BREAKER ON =080.C/16.7		16 4 MAIN STAIRS WALKWAY LIGHT GROUP 1 CIRCUIT BREAKER ON =080.C/21.7		16 4 MACHINARY HOUSE GENERAL LIGHT GROUP 1 CIRCUIT BREAKER ON =080.C/28.6		16 4 WATERSIDE UP SILLBEAM 1P OUTLET CIRCUIT BREAKER ON =080.C/33.8	
17 5		17 5 LEFT PORTAL BEAM FLOODLIGHT GROUP 2 CIRCUIT BREAKER ON =080.C/16.8		17 5 MAIN STAIRS WALKWAY LIGHT GROUP 2 CIRCUIT BREAKER ON =080.C/21.8		17 5 MACHINARY HOUSE GENERAL LIGHT GROUP 2 CIRCUIT BREAKER ON =080.C/28.7		17 5 A-FRAME 1P OUTLET CIRCUIT BREAKER ON =080.C/33.8	
18 6		18 6 RIGHT PORTAL BEAM FLOODLIGHT GROUP 1 CIRCUIT BREAKER ON =080.C/16.8		18 6 BOOM WALKWAY LIGHT GROUP 1 CIRCUIT BREAKER ON =080.C/22.6		18 6 MACHINARY HOUSE GENERAL LIGHT GROUP 3 CIRCUIT BREAKER ON =080.C/28.8		18 6 BACKREACH 1P OUTLET CIRCUIT BREAKER ON =080.C/34.7	
19 7 LOWER SILLBEAM &PORTAL BEAM INTERNAL WALKWAY LIGHT CIRCUIT BREAKER ON =080.C/26.8		19 7 RIGHT PORTAL BEAM FLOODLIGHT GROUP 2 CIRCUIT BREAKER ON =080.C/17.7		19 7 BOOM WALKWAY LIGHT GROUP 2 CIRCUIT BREAKER ON =080.C/22.7		19 7 PLC ROOM GENERAL LIGHT CIRCUIT BREAKER ON =080.C/29.6		19 7 SPARE 1P OUTLET CIRCUIT BREAKER ON =080.C/34.8	
24VDC Digital Input 6ES7321-1BH02-0AA0		24VDC Digital Input 6ES7321-1BH02-0AA0		24VDC Digital Input 6ES7321-1BH02-0AA0		24VDC Digital Input 6ES7321-1BH02-0AA0		24VDC Digital Input 6ES7321-1BH02-0AA0	

-KP1-12

/3.8


SIEMENS
2 0 FLOODLIGHT PLC CONTROL ON/OFF ORDER Q130.0 =080.R+.1/1.8
3 1 SPARE ON ORDER Q130.1 =080.R+.1/5.8
4 2 WALKWAY LIGHT PLC CONTROL ON/OFF ORDER Q130.2 =080.R+.1/7.8
5 3 Q130.3
6 4 Q130.4
7 5 SPARE ON ORDER Q130.5 =080.R+.1/12.8
8 6 SPARE ON ORDER Q130.6 =080.R+.1/45.8
9 7 CPS POWER SUPPLY ON ORDER Q130.7 =070.C/1.8
12 0 ELECTRICAL ROOM AIR-CONDITIONER 1 START UP ON ORDER Q131.0 =081.R+.1/13.7
13 1 ELECTRICAL ROOM AIR-CONDITIONER 2 START UP ON ORDER Q131.1 =081.R+.1/13.8
14 2 SPARE ON ORDER Q131.2 =081.R+.1/13.8
15 3 PLC ROOM AIR-CONDITIONER ON ORDER Q131.3 =081.C/11.8
16 4 ELECTRICAL ROOM AUTOMAITC DAMPER ON ORDER Q131.4 =081.C/12.8
17 5 Q131.5
18 6 GANTRY WARNING DEVICE ON ORDER Q131.6 =082.R+.1/26.8
19 7 FIRE ALARM SHUTDOWN ON ORDER Q131.7 =082.R+.1/30.8
120V/230VAC RELAY Digital Output 6ES7322-1HH01-0AA0

24VDC

We reserve all rights in this document and in the information contained therein
 Reproduction, use or disclosure to third parties without express authority is strictly forbidden
 © ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---




			Mod.Date	2020/11/3	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: I/O SLAVE 1 MAIN HOIST CONTROL PANEL	Resp dep. : EZ Design	Plant Function:=906.M	Page Number: 3
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F13	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

24VDC

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



6			Mod.Date	2020/11/14
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:

I/O SLAVE 2 MAIN HOIST CONTROL PANEL

Resp dep. : EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN

Plant Function:=906.M

Object Loc.: +01F13

Page Number: 7

Total Page: 753

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

0

1

2

3

4

5

6

7

8

9

-KP2-3
/7.2

SIEMENS	
5 0 MAIN HOIST UP OVERTRAVEL SAFETY RELAY ON ACKNOWLEDGE =010.M/21.2	25 4 MAIN HOIST UP OVERTRAVEL SAFETY RELAY ON ACKNOWLEDGE =010.M/23.2
6 1 MAIN HOIST UNIT ONE OVERSPEED SWITCH EMTY SPREADER SAFETY RELAY ON ACKNOWLEDGE =010.M/21.3	26 5 MAIN HOIST UNIT ONE OVERSPEED SWITCH EMTY SPREADER SAFETY RELAY ON ACKNOWLEDGE =010.M/23.3
7 2 MAIN HOIST MOTOR MODULE 1 FAULT ON ACKNOWLEDGE =010.M/21.3	27 6 MAIN HOIST MOTOR MODULE 1 FAULT ON ACKNOWLEDGE =010.M/23.3
8 3 MAIN HOIST MOTOR MODULE 2 FAULT ON ACKNOWLEDGE =010.M/21.4	28 7 MAIN HOIST MOTOR MODULE 2 FAULT ON ACKNOWLEDGE =010.M/23.4
9 4 MAIN HOIST MOTOR MODULE 1 SERVICE BRAKE RELEASED ACKNOWLEDGE =010.M/21.5	29 0 MAIN HOIST MOTOR MODULE 1 SERVICE BRAKE RELEASED ACKNOWLEDGE =010.M/23.5
10 5 MAIN HOIST MOTOR MODULE 2 SERVICE BRAKE RELEASED ACKNOWLEDGE =010.M/21.6	30 1 MAIN HOIST MOTOR MODULE 2 SERVICE BRAKE RELEASED ACKNOWLEDGE =010.M/23.6
12 6 =010.M/22.2	32 2 =010.M/24.2
13 7 =010.M/22.3	33 3 =010.M/24.3
14 0 =010.M/22.3	34 4 =010.M/24.3
15 1 =010.M/22.4	35 5 =010.M/24.4
16 2 =010.M/22.5	36 6 =010.M/24.5
17 3 =010.M/22.6	37 7 =010.M/24.6
24VDC Digital Input 6ES7326-1BK02-0AB0	9 8 7 6 5 4 3 2 1 0 on

-KP2-4
/7.3

SIEMENS	
5 0 MAIN HOIST UNIT ONE OVERSPEED SWITCH RATED LOAD ON ACKNOWLEDGE =010.M/25.2	25 4 MAIN HOIST UNIT ONE OVERSPEED SWITCH RATED LOAD ON ACKNOWLEDGE =010.M/27.2
6 1 MAIN HOIST UNIT ONE OVERSPEED SWITCH CARGO BEAM ON ACKNOWLEDGE =010.M/25.3	26 5 MAIN HOIST UNIT ONE OVERSPEED SWITCH CARGO BEAM ON ACKNOWLEDGE =010.M/27.3
7 2 HOIST SNAG PRESSURE SWITCH 1 LIMIT SWITCH =010.M/25.3	27 6 HOIST SNAG PRESSURE SWITCH 1 LIMIT SWITCH =010.M/27.3
8 3 HOIST SNAG PRESSURE SWITCH 2 LIMIT SWITCH =010.M/25.4	28 7 HOIST SNAG PRESSURE SWITCH 2 LIMIT SWITCH =010.M/27.4
9 4 HOIST SNAG PRESSURE SWITCH 3 LIMIT SWITCH =010.M/25.5	29 0 HOIST SNAG PRESSURE SWITCH 3 LIMIT SWITCH =010.M/27.5
10 5 HOIST SNAG PRESSURE SWITCH 4 LIMIT SWITCH =010.M/25.6	30 1 HOIST SNAG PRESSURE SWITCH 4 LIMIT SWITCH =010.M/27.6
12 6 =010.M/26.2	32 2 =010.M/28.2
13 7 =010.M/26.3	33 3 =010.M/28.3
14 0 =010.M/26.3	34 4 =010.M/28.3
15 1 =010.M/26.4	35 5 =010.M/28.4
16 2 =010.M/26.5	36 6 =010.M/28.5
17 3 =010.M/26.6	37 7 =010.M/28.6
24VDC Digital Input 6ES7326-1BK02-0AB0	9 8 7 6 5 4 3 2 1 0 on

 |

Mod.Date
2020/11/19

Project: CIT Abidjan 6 STS

振华电气集团
ZPMC ELECTRIC GROUP

Page description:
I/O SLAVE 2 MAIN HOIST CONTROL PANEL

Resp dep.: EZ Design

Plant Function:=906.M

Page Number: 8

Designer
Di Ke

Location: CIT Abidjan Côte d'Ivoire

Drawing.NR: 1002000544

Rev.Ind

Original

ZPMC

Review

Jianyue Zhang

DQ1002000544-YL001A-EN

Object Loc.: +01F13

Total Page: 753

on 

SIEMENS

6ES7153-4BA00-0XB0

SF
BF
MT
ON

LINK RX / TX
P2 ☐ ☐
P1 ☐ ☐

PUSH

P2
P1

X1 PN (LAN)


PE
2M
L+
1M

PROFINET

020G0111
020G0102


24VDC

			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: I/O SLAVE 1 MAIN TROLLEY CONTROL PANEL	Resp dep.: EZ Design	Plant Function:=909.M	Page Number: 2
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F15	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						



振华电气集团
ZPMC ELECTRIC GROUP

-KP1-7 /3.5	-KP1-8 /3.5	
SIEMENS	SIEMENS	
2 0 MAIN TROLLEY MOTOR CONTACTOR 1 +01F50.1 PANEL ON ORDER Q180.0 =021.R/1.8	1 U0+ =020.M/20.2	21 U4+
3 1 MAIN TROLLEY MOTOR CONTACTOR 2 +01F50.2 PANEL ON ORDER Q180.1 =022.R/1.8	2 I0+ =020.M/20.2	22 I4+
4 2 Q180.2	3 S0- =020.M/20.2	23 S4-
5 3 Q180.3	4 M0 MAIN TROLLEY MOTOR TEMPERATURE SENSOR SIGNAL =020.M/20.2	24 M4+
6 4 Q180.4	5 M0- =020.M/20.2	25 M4-
7 5 Q180.5	6 U1+ =030.M+01F16/20.2	26 U5+
8 6 Q180.6	7 I1+ =030.M+01F16/20.2	27 I5+
9 7 Q180.7	8 S1- =030.M+01F16/20.2	28 S5-
	9 M1 BOOM MOTOR TEMPERATURE SENSOR SIGNAL =030.M+01F16/20.2	29 M5+
	10 M1- =030.M+01F16/20.2	30 M5-
12 0 CABIN ACCESS GIRDER SIDE ACCESS GATE SOLENOID ON ORDER Q181.0 =020.R/11.6	11 U2+	31 U6+
13 1 CABIN ACCESS GIRDER SIDE ACCESS GATE OPEN INDICATION Q181.1 =020.R/11.7	12 I2+	32 I6+
14 2 CABIN ACCESS GIRDER SIDE ACCESS GATE CLOSED INDICATION Q181.2 =020.R/11.8	13 S2-	33 S6-
15 3 CABIN WASH PLATFORM ACCESS GATE SOLENOID ON ORDER Q181.3 =020.R/12.6	14 M2+	34 M6+
16 4 CABIN WASH PLATFORM ACCESS GATE OPEN INDICATION Q181.4 =020.R/12.7	15 M2-	35 M6-
17 5 CABIN WASH PLATFORM ACCESS GATE CLOSED INDICATION Q181.5 =020.R/12.8	16 U3+	36 U7+
18 6 Q181.6	17 I3+	37 I7+
19 7 SIMOTION CONTROLLER SMART RESET ON ORDER Q181.7 =020.M/12.8	18 S3-	38 S7-
	19 M3+	39 M7+
	20 M3-	40 M7-
120V/230VAC RELAY Digital Output 6ES7322-1HH01-0AA0	24VDC Analog Input Voltage/Current/Resintance/Temperature 6ES7331-1KF02-0AB0	



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

0

1

2

3

4

5

6

7

8

9

-KP1-10
/7.2

SIEMENS


5 0 MAIN TROLLEY WATERSIDE OVERTRAVEL SAFETY RELAY ON ACKNOWLEDGE I810.0 =020.M/21.2	25 4 MAIN TROLLEY WATERSIDE OVERTRAVEL SAFETY RELAY ON ACKNOWLEDGE I811.4 =020.M/23.2		
6 1 MAIN TROLLEY LANDSIDE OVERTRAVEL SAFETY RELAY ON ACKNOWLEDGE I810.1 =020.M/21.3	26 5 MAIN TROLLEY LANDSIDE OVERTRAVEL SAFETY RELAY ON ACKNOWLEDGE I811.5 =020.M/23.3		
7 2 =020.M/21.3 I810.2	27 6 =020.M/23.3 I811.6		
8 3 =020.M/21.4 I810.3	28 7 =020.M/23.4 I811.7		
9 4 =020.M/21.5 I810.4	29 0 =020.M/23.5 I812.0		
10 5 =020.M/21.6 I810.5	30 1 =020.M/23.6 I812.1		
12 6 =020.M/22.2 I810.6	32 2 =020.M/24.2 I812.2		
13 7 =020.M/22.3 I810.7	33 3 =020.M/24.3 I812.3		
14 0 =020.M/22.3 I811.0	34 4 =020.M/24.3 I812.4		
15 1 =020.M/22.4 I811.1	35 5 =020.M/24.4 I812.5		
16 2 =020.M/22.5 I811.2	36 6 =020.M/24.5 I812.6		
17 3 =020.M/22.6 I811.3	37 7 =020.M/24.6 I812.7		
24VDC Digital Input 6ES7326-1BK02-0AB0		on 9876543210	

								7									9
			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	振华电气集团 ZPMC ELECTRIC GROUP	Page description:	Resp dep. : EZ Design	Plant Function:=909.M	Page Number: 8							
			Designer	Di Ke	I/O SLAVE 1 MAIN TROLLEY CONTROL PANEL	Drawing.NR: 1002000544											
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F15	Total Page: 753							
Rev.Ind	Language	EN	Check	Zijiang Ge													

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

0	1	2	3	4	5	6	7	8	9														
-KP1-11 /7.3 SIEMENS <table><tr><td> 3^{F0} Q912.0 4⁰ MAIN TROLLEY SAFETY PROTECTION ON ORDER Q912.0 =020.C/2.8 </td><td> 23^{F5} Q912.5 24⁵ Q912.5 </td></tr><tr><td> 6^{F1} Q912.1 7¹ Q912.1 </td><td> 26^{F6} Q912.6 27⁶ Q912.6 </td></tr><tr><td> 9^{F2} Q912.2 10² Q912.2 </td><td> 29^{F7} Q912.7 30⁷ Q912.7 </td></tr><tr><td> 12^{F3} Q912.3 13³ MAIN TROLLEY MOTOR SERVICE BRAKE RELEASE ORDER Q912.3 =020.C/3.8 </td><td> 32^{F0} Q913.0 33⁰ Q913.0 </td></tr><tr><td> 15^{F4} Q912.4 16⁴ Q912.4 </td><td> 35^{F1} Q913.1 36¹ Q913.1 </td></tr><tr><td colspan="2"></td></tr><tr><td colspan="2"> 24VDC Digital Output 6ES7326-2BF10-0AB0 on 9 8 7 6 5 4 3 2 1 0 </td></tr></table>										3^{F0} Q912.0 4⁰ MAIN TROLLEY SAFETY PROTECTION ON ORDER Q912.0 =020.C/2.8	23^{F5} Q912.5 24⁵ Q912.5	6^{F1} Q912.1 7¹ Q912.1	26^{F6} Q912.6 27⁶ Q912.6	9^{F2} Q912.2 10² Q912.2	29^{F7} Q912.7 30⁷ Q912.7	12^{F3} Q912.3 13³ MAIN TROLLEY MOTOR SERVICE BRAKE RELEASE ORDER Q912.3 =020.C/3.8	32^{F0} Q913.0 33⁰ Q913.0	15^{F4} Q912.4 16⁴ Q912.4	35^{F1} Q913.1 36¹ Q913.1			24VDC Digital Output 6ES7326-2BF10-0AB0 on 9 8 7 6 5 4 3 2 1 0	
3^{F0} Q912.0 4⁰ MAIN TROLLEY SAFETY PROTECTION ON ORDER Q912.0 =020.C/2.8	23^{F5} Q912.5 24⁵ Q912.5																						
6^{F1} Q912.1 7¹ Q912.1	26^{F6} Q912.6 27⁶ Q912.6																						
9^{F2} Q912.2 10² Q912.2	29^{F7} Q912.7 30⁷ Q912.7																						
12^{F3} Q912.3 13³ MAIN TROLLEY MOTOR SERVICE BRAKE RELEASE ORDER Q912.3 =020.C/3.8	32^{F0} Q913.0 33⁰ Q913.0																						
15^{F4} Q912.4 16⁴ Q912.4	35^{F1} Q913.1 36¹ Q913.1																						
24VDC Digital Output 6ES7326-2BF10-0AB0 on 9 8 7 6 5 4 3 2 1 0																							
8 =910.M+01F14/2																							
			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS		振华电气集团 ZPMC ELECTRIC GROUP	Page description:		Resp dep. : EZ Design		Plant Function:=909.M	Page Number: 9										
			Designer	Di Ke				I/O SLAVE 1 MAIN TROLLEY CONTROL PANEL		Drawing.NR: 1002000544													
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire					DQ1002000544-YL001A-EN		Object Loc.: +01F15	Total Page: 753										
Rev.Ind	Language	EN	Check	Zijiang Ge																			

24VDC




			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: I/O SLAVE 1 GANTRY CONTROL PANEL	Resp dep. : EZ Design	Plant Function:=910.M	Page Number: 3
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F14	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

0	1	2	3	4	5	6	7	8	9
-KP1-3 /3.2		-KP1-4 /3.2		-KP1-5 /3.3		-KP1-6 /3.4		-KP1-7 /3.5	
SIEMENS		SIEMENS		SIEMENS		SIEMENS		SIEMENS	
 ² ⁰ +01F14 PANEL POWER SUPPLY CIRCUIT BREAKER ON I200.0 =040.C/1.8		 ² ⁰ GANTRY MOTOR 1 BUILD-ON BRAKE CIRCUIT BREAKER ON I202.0 =040.C/11.5		 ² ⁰ GANTRY MOTOR 1 BUILD-ON BRAKE RELEASED ACKNOWLEDGE I204.0 =040.C/11.5		 ² ⁰ GANTRY MOTOR 1 CIRCUIT BREAKER ON I206.0 =040.M/1.1		 ² ⁰ GANTRY MOTOR 1 BUILD-ON BRAKE RELEASE ORDER Q200.0 =040.C/11.8	
 ³ ¹ GANTRY MOTOR BUILD-ON BRAKE POWER SUPPLY CIRCUIT BREAKER ON I200.1 =040.C/2.4		 ³ ¹ GANTRY MOTOR 2 BUILD-ON BRAKE CIRCUIT BREAKER ON I202.1 =040.C/12.5		 ³ ¹ GANTRY MOTOR 2 BUILD-ON BRAKE RELEASED ACKNOWLEDGE I204.1 =040.C/12.5		 ³ ¹ GANTRY MOTOR 3 CIRCUIT BREAKER ON I206.1 =040.M/1.2		 ³ ¹ GANTRY MOTOR 2 BUILD-ON BRAKE RELEASE ORDER Q200.1 =040.C/12.8	
 ⁴ ²		 ⁴ ² GANTRY MOTOR 3 BUILD-ON BRAKE CIRCUIT BREAKER ON I202.2 =040.C/13.5		 ⁴ ² GANTRY MOTOR 3 BUILD-ON BRAKE RELEASED ACKNOWLEDGE I204.2 =040.C/13.5		 ⁴ ² GANTRY MOTOR 5 CIRCUIT BREAKER ON I206.2 =040.M/1.3		 ⁴ ² GANTRY MOTOR 3 BUILD-ON BRAKE RELEASE ORDER Q200.2 =040.C/13.8	
 ⁵ ³		 ⁵ ³ GANTRY MOTOR 4 BUILD-ON BRAKE CIRCUIT BREAKER ON I202.3 =040.C/14.5		 ⁵ ³ GANTRY MOTOR 4 BUILD-ON BRAKE RELEASED ACKNOWLEDGE I204.3 =040.C/14.5		 ⁵ ³ GANTRY MOTOR 7 CIRCUIT BREAKER ON I206.3 =040.M/1.3		 ⁵ ³ GANTRY MOTOR 4 BUILD-ON BRAKE RELEASE ORDER Q200.3 =040.C/14.8	
 ⁶ ⁴ GANTRY SAFETY PROTECTION OFF ACKNOWLEDGE I200.4 =040.C/2.5		 ⁶ ⁴ GANTRY MOTOR 5 BUILD-ON BRAKE CIRCUIT BREAKER ON I202.4 =040.C/15.5		 ⁶ ⁴ GANTRY MOTOR 5 BUILD-ON BRAKE RELEASED ACKNOWLEDGE I204.4 =040.C/15.5		 ⁶ ⁴ GANTRY MOTOR 9 CIRCUIT BREAKER ON I206.4 =040.M/1.4		 ⁶ ⁴ GANTRY MOTOR 5 BUILD-ON BRAKE RELEASE ORDER Q200.4 =040.C/15.8	
 ⁷ ⁵ GANTRY MOTOR SERVICE BRAKE GROUP 1 SET ACKNOWLEDGE I200.5 =040.C/3.5		 ⁷ ⁵ GANTRY MOTOR 6 BUILD-ON BRAKE CIRCUIT BREAKER ON I202.5 =040.C/16.5		 ⁷ ⁵ GANTRY MOTOR 6 BUILD-ON BRAKE RELEASED ACKNOWLEDGE I204.5 =040.C/16.5		 ⁷ ⁵ GANTRY MOTOR 11 CIRCUIT BREAKER ON I206.5 =040.M/1.5		 ⁷ ⁵ GANTRY MOTOR 6 BUILD-ON BRAKE RELEASE ORDER Q200.5 =040.C/16.8	
 ⁸ ⁶ GANTRY MOTOR SERVICE BRAKE GROUP 2 SET ACKNOWLEDGE I200.6 =040.C/3.5		 ⁸ ⁶ GANTRY MOTOR 7 BUILD-ON BRAKE CIRCUIT BREAKER ON I202.6 =040.C/17.5		 ⁸ ⁶ GANTRY MOTOR 7 BUILD-ON BRAKE RELEASED ACKNOWLEDGE I204.6 =040.C/17.5		 ⁸ ⁶ GANTRY MOTOR 13 CIRCUIT BREAKER ON I206.6 =040.M/1.6		 ⁸ ⁶ GANTRY MOTOR 7 BUILD-ON BRAKE RELEASE ORDER Q200.6 =040.C/17.8	
 ⁹ ⁷		 ⁹ ⁷ GANTRY MOTOR 8 BUILD-ON BRAKE CIRCUIT BREAKER ON I202.7 =040.C/18.5		 ⁹ ⁷ GANTRY MOTOR 8 BUILD-ON BRAKE RELEASED ACKNOWLEDGE I204.7 =040.C/18.5		 ⁹ ⁷ GANTRY MOTOR 15 CIRCUIT BREAKER ON I206.7 =040.M/1.6		 ⁹ ⁷ GANTRY MOTOR 8 BUILD-ON BRAKE RELEASE ORDER Q200.7 =040.C/18.8	
 ¹² ⁰ +01F14 PANEL DC POWER SUPPLY CIRCUIT BREAKER ON I201.0 =040.C/52.6		 ¹² ⁰ GANTRY MOTOR 13 BUILD-ON BRAKE CIRCUIT BREAKER ON I203.0 =040.C/23.5		 ¹² ⁰ GANTRY MOTOR 13 BUILD-ON BRAKE RELEASED ACKNOWLEDGE I205.0 =040.C/23.5		 ¹² ⁰ GANTRY MOTOR 2 CIRCUIT BREAKER ON I207.0 =040.M/2.1		 ¹² ⁰ GANTRY MOTOR 13 BUILD-ON BRAKE RELEASE ORDER Q201.0 =040.C/23.8	
 ¹³ ¹ +01F14 PANEL INTERNAL POWER SUPPLY CIRCUIT BREAKER ON I201.1 =040.C/52.7		 ¹³ ¹ GANTRY MOTOR 14 BUILD-ON BRAKE CIRCUIT BREAKER ON I203.1 =040.C/24.5		 ¹³ ¹ GANTRY MOTOR 14 BUILD-ON BRAKE RELEASED ACKNOWLEDGE I205.1 =040.C/24.5		 ¹³ ¹ GANTRY MOTOR 4 CIRCUIT BREAKER ON I207.1 =040.M/2.2		 ¹³ ¹ GANTRY MOTOR 14 BUILD-ON BRAKE RELEASE ORDER Q201.1 =040.C/24.8	
 ¹⁴ ² +01F14 PANEL EXTERNAL POWER SUPPLY CIRCUIT BREAKER ON I201.2 =040.C/52.8		 ¹⁴ ² GANTRY MOTOR 15 BUILD-ON BRAKE CIRCUIT BREAKER ON I203.2 =040.C/25.5		 ¹⁴ ² GANTRY MOTOR 15 BUILD-ON BRAKE RELEASED ACKNOWLEDGE I205.2 =040.C/25.5		 ¹⁴ ² GANTRY MOTOR 6 CIRCUIT BREAKER ON I207.2 =040.M/2.3		 ¹⁴ ² GANTRY MOTOR 15 BUILD-ON BRAKE RELEASE ORDER Q201.2 =040.C/25.8	
 ¹⁵ ³ +01F14 PANEL INTERNAL I/O POWER SUPPLY CIRCUIT BREAKER ON I201.3 =040.G/1.7		 ¹⁵ ³ GANTRY MOTOR 16 BUILD-ON BRAKE CIRCUIT BREAKER ON I203.3 =040.C/26.5		 ¹⁵ ³ GANTRY MOTOR 16 BUILD-ON BRAKE RELEASED ACKNOWLEDGE I205.3 =040.C/26.5		 ¹⁵ ³ GANTRY MOTOR 8 CIRCUIT BREAKER ON I207.3 =040.M/2.3		 ¹⁵ ³ GANTRY MOTOR 16 BUILD-ON BRAKE RELEASE ORDER Q201.3 =040.C/26.8	
 ¹⁶ ⁴ +01F14 PANEL EXTERNAL I/O POWER SUPPLY CIRCUIT BREAKER ON I201.4 =040.G/1.8		 ¹⁶ ⁴ GANTRY MOTOR 17 BUILD-ON BRAKE CIRCUIT BREAKER ON I203.4 =040.C/27.5		 ¹⁶ ⁴ GANTRY MOTOR 17 BUILD-ON BRAKE RELEASED ACKNOWLEDGE I205.4 =040.C/27.5		 ¹⁶ ⁴ GANTRY MOTOR 10 CIRCUIT BREAKER ON I207.4 =040.M/2.4		 ¹⁶ ⁴ GANTRY MOTOR 17 BUILD-ON BRAKE RELEASE ORDER Q201.4 =040.C/27.8	
 ¹⁷ ⁵		 ¹⁷ ⁵ GANTRY MOTOR 18 BUILD-ON BRAKE CIRCUIT BREAKER ON I203.5 =040.C/28.5		 ¹⁷ ⁵ GANTRY MOTOR 18 BUILD-ON BRAKE RELEASED ACKNOWLEDGE I205.5 =040.C/28.5		 ¹⁷ ⁵ GANTRY MOTOR 12 CIRCUIT BREAKER ON I207.5 =040.M/2.5		 ¹⁷ ⁵ GANTRY MOTOR 18 BUILD-ON BRAKE RELEASE ORDER Q201.5 =040.C/28.8	
 ¹⁸ ⁶ MT/BH/GA MOTOR MODULE 1 STO OFF ACKNOWLEDGE I201.6 =040.M/33.1		 ¹⁸ ⁶ GANTRY MOTOR 19 BUILD-ON BRAKE CIRCUIT BREAKER ON I203.6 =040.C/29.5		 ¹⁸ ⁶ GANTRY MOTOR 19 BUILD-ON BRAKE RELEASED ACKNOWLEDGE I205.6 =040.C/29.5		 ¹⁸ ⁶ GANTRY MOTOR 14 CIRCUIT BREAKER ON I207.6 =040.M/2.6		 ¹⁸ ⁶ GANTRY MOTOR 19 BUILD-ON BRAKE RELEASE ORDER Q201.6 =040.C/29.8	
 ¹⁹ ⁷ MT/BH/GA MOTOR MODULE 2 STO OFF ACKNOWLEDGE I201.7 =040.M/33.2		 ¹⁹ ⁷ GANTRY MOTOR 20 BUILD-ON BRAKE CIRCUIT BREAKER ON I203.7 =040.C/30.5		 ¹⁹ ⁷ GANTRY MOTOR 20 BUILD-ON BRAKE RELEASED ACKNOWLEDGE I205.7 =040.C/30.5		 ¹⁹ ⁷ GANTRY MOTOR 16 CIRCUIT BREAKER ON I207.7 =040.M/2.6		 ¹⁹ ⁷ GANTRY MOTOR 20 BUILD-ON BRAKE RELEASE ORDER Q201.7 =040.C/30.8	
24VDC Digital Input 6ES7321-1BH02-0AA0		24VDC Digital Input 6ES7321-1BH02-0AA0		24VDC Digital Input 6ES7321-1BH02-0AA0		24VDC Digital Input 6ES7321-1BH02-0AA0		120V/230VAC RELAY Digital Output 6ES7322-1HH01-0AA0	

=040.G/1.3 / =040.G-FC111_ + $\rightarrow$ 040G0111
 =040.G/1.3 / =040.G-FC111 - $\rightarrow$ 040G0102

We reserve all rights in this document and in the information contained therein
 Reproduction, use or disclosure to third parties without express authority is strictly forbidden
 ©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

0	1	2	3	4	5	6	7	8	9																																															
-KP2-5 /7.3 SIEMENS <table><tr><td> 5 0 =040.M/21.2 1820.0 </td><td> 25 4 =040.M/23.2 1821.4 </td></tr><tr><td> 6 1 =040.M/21.3 1820.1 </td><td> 26 5 =040.M/23.3 1821.5 </td></tr><tr><td> 7 2 MT/BH/GA MOTOR MODULE 1 FAULT ON ACKNOWLEDGE =040.M/21.3 1820.2 </td><td> 27 6 MT/BH/GA MOTOR MODULE 1 FAULT ON ACKNOWLEDGE =040.M/23.3 1821.6 </td></tr><tr><td> 8 3 MT/BH/GAT MOTOR MODULE 2 FAULT ON ACKNOWLEDGE =040.M/21.4 1820.3 </td><td> 28 7 MT/BH/GAT MOTOR MODULE 2 FAULT ON ACKNOWLEDGE =040.M/23.4 1821.7 </td></tr><tr><td> 9 4 =040.M/21.5 1820.4 </td><td> 29 0 =040.M/23.5 1822.0 </td></tr><tr><td> 10 5 =040.M/21.6 1820.5 </td><td> 30 1 =040.M/23.6 1822.1 </td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td> 12 6 =040.M/22.2 1820.6 </td><td> 32 2 =040.M/24.2 1822.2 </td></tr><tr><td> 13 7 =040.M/22.3 1820.7 </td><td> 33 3 =040.M/24.3 1822.3 </td></tr><tr><td> 14 0 =040.M/22.3 1821.0 </td><td> 34 4 =040.M/24.3 1822.4 </td></tr><tr><td> 15 1 =040.M/22.4 1821.1 </td><td> 35 5 =040.M/24.4 1822.5 </td></tr><tr><td> 16 2 =040.M/22.5 1821.2 </td><td> 36 6 =040.M/24.5 1822.6 </td></tr><tr><td> 17 3 =040.M/22.6 1821.3 </td><td> 37 7 =040.M/24.6 1822.7 </td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td colspan="2"> 24VDC Digital Input 6ES7326-1BK02-0AB0 </td><td colspan="2"> on 9 8 7 6 5 4 3 2 1 0 </td></tr></table>										5 0 =040.M/21.2 1820.0	25 4 =040.M/23.2 1821.4	6 1 =040.M/21.3 1820.1	26 5 =040.M/23.3 1821.5	7 2 MT/BH/GA MOTOR MODULE 1 FAULT ON ACKNOWLEDGE =040.M/21.3 1820.2	27 6 MT/BH/GA MOTOR MODULE 1 FAULT ON ACKNOWLEDGE =040.M/23.3 1821.6	8 3 MT/BH/GAT MOTOR MODULE 2 FAULT ON ACKNOWLEDGE =040.M/21.4 1820.3	28 7 MT/BH/GAT MOTOR MODULE 2 FAULT ON ACKNOWLEDGE =040.M/23.4 1821.7	9 4 =040.M/21.5 1820.4	29 0 =040.M/23.5 1822.0	10 5 =040.M/21.6 1820.5	30 1 =040.M/23.6 1822.1							12 6 =040.M/22.2 1820.6	32 2 =040.M/24.2 1822.2	13 7 =040.M/22.3 1820.7	33 3 =040.M/24.3 1822.3	14 0 =040.M/22.3 1821.0	34 4 =040.M/24.3 1822.4	15 1 =040.M/22.4 1821.1	35 5 =040.M/24.4 1822.5	16 2 =040.M/22.5 1821.2	36 6 =040.M/24.5 1822.6	17 3 =040.M/22.6 1821.3	37 7 =040.M/24.6 1822.7					24VDC Digital Input 6ES7326-1BK02-0AB0		on 9 8 7 6 5 4 3 2 1 0										
5 0 =040.M/21.2 1820.0	25 4 =040.M/23.2 1821.4																																																							
6 1 =040.M/21.3 1820.1	26 5 =040.M/23.3 1821.5																																																							
7 2 MT/BH/GA MOTOR MODULE 1 FAULT ON ACKNOWLEDGE =040.M/21.3 1820.2	27 6 MT/BH/GA MOTOR MODULE 1 FAULT ON ACKNOWLEDGE =040.M/23.3 1821.6																																																							
8 3 MT/BH/GAT MOTOR MODULE 2 FAULT ON ACKNOWLEDGE =040.M/21.4 1820.3	28 7 MT/BH/GAT MOTOR MODULE 2 FAULT ON ACKNOWLEDGE =040.M/23.4 1821.7																																																							
9 4 =040.M/21.5 1820.4	29 0 =040.M/23.5 1822.0																																																							
10 5 =040.M/21.6 1820.5	30 1 =040.M/23.6 1822.1																																																							
12 6 =040.M/22.2 1820.6	32 2 =040.M/24.2 1822.2																																																							
13 7 =040.M/22.3 1820.7	33 3 =040.M/24.3 1822.3																																																							
14 0 =040.M/22.3 1821.0	34 4 =040.M/24.3 1822.4																																																							
15 1 =040.M/22.4 1821.1	35 5 =040.M/24.4 1822.5																																																							
16 2 =040.M/22.5 1821.2	36 6 =040.M/24.5 1822.6																																																							
17 3 =040.M/22.6 1821.3	37 7 =040.M/24.6 1822.7																																																							
24VDC Digital Input 6ES7326-1BK02-0AB0		on 9 8 7 6 5 4 3 2 1 0																																																						
8	10																																																							
			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	振华电气集团 ZPMC ELECTRIC GROUP	Page description:	Resp dep. : EZ Design	Plant Function:=910.M	Page Number: 9																																														
			Designer	Di Ke			I/O SLAVE 2 GANTRY CONTROL PANEL	Drawing.NR: 1002000544																																																
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F14	Total Page: 753																																														
Rev.Ind	Language	EN	Check	Zijiang Ge																																																				

36¹
Q919.1

on

24VDC



			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: I/O SLAVE GANTRY/SPREADER CABLE REEL CONTROL PANEL	Resp dep. : EZ Design	Plant Function:=911.M	Page Number: 3
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F18	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: I/O SLAVE GANTRY/SPREADER CABLE REEL CONTROL PANEL	Resp dep.: EZ Design	Plant Function:=911.M	Page Number: 4
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F18	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---

=918.M-KP1-6 /3.3	=918.M-KP1-7 /3.4	=918.M-KP1-8 /3.5
SIEMENS	SIEMENS	
 ² 0 SPREADER CABLE REEL MOTOR MODULE POWER SUPPLY CIRCUIT BREAKER ON I330.0 =056.C/1.5	 ² 0	 ² 0 SPREADER CABLE REEL MOTOR MODULE MAIN CONTACTOR ON ORDER Q330.0 =056.C/1.8
 ³ 1 SPREADER CABLE REEL MOTOR BRAKE CIRCUIT BREAKER ON I330.1 =056.C/4.4	 ³ 1 I332.1	 ³ 1 SPREADER CABLE REEL MOTOR BRAKE RELEASE ORDER Q330.1 =056.C/4.8
 ⁴ 2 SPREADER CABLE REEL MOTOR BRAKE CIRCUIT BREAKER ON I330.2 =056.C/4.5	 ⁴ 2 I332.2	 ⁴ 2 SPREADER CABLE REEL EMERGENCY STOP PROTECTION ON ORDER Q330.2 =056.C/4.9
 ⁵ 3 I330.3	 ⁵ 3 I332.3	 ⁵ 3 Q330.3
 ⁶ 4 I330.4	 ⁶ 4 SPREADER CABLE REEL MOTOR BRAKE RELEASED ACKNOWLEDGE I332.4 =056.C/4.6	 ⁶ 4 Q330.4
 ⁷ 5 I330.5	 ⁷ 5 SPREADER CABLE REEL MOTOR BRAKE RELEASED ACKNOWLEDGE I332.5 =056.C/4.6	 ⁷ 5 Q330.5
 ⁸ 6 I330.6	 ⁸ 6 SPREADER CABLE REEL MOTOR MODULE FAULT ACKNOWLEDGE I332.6 =056.J/2.1	 ⁸ 6 Q330.6
 ⁹ 7 I330.7	 ⁹ 7 SPREADER CABLE REEL MOTOR MODULE RUNNING ACKNOWLEDGE I332.7 =056.J/2.2	 ⁹ 7 Q330.7
 ¹² 0 I331.0	 ¹² 0 I333.0	 ¹² 0 SPREADER CABLE REEL MOTOR MODULE EMERGENCY STOP ON ORDER Q331.0 =056.J/2.7
 ¹³ 1 I331.1	 ¹³ 1 I333.1	 ¹³ 1 SPREADER CABLE REEL MOTOR MODULE FAULT RESET ORDER Q331.1 =056.J/2.8
 ¹⁴ 2 I331.2	 ¹⁴ 2 I333.2	 ¹⁴ 2 Q331.2
 ¹⁵ 3 I331.3	 ¹⁵ 3 I333.3	 ¹⁵ 3 Q331.3
 ¹⁶ 4 SPREADER CABLE REEL MOTOR MODULE POWER SUPPLY FUSE ON I331.4 =056.C/1.5	 ¹⁶ 4 I333.4	 ¹⁶ 4 Q331.4
 ¹⁷ 5 I331.5	 ¹⁷ 5 I333.5	 ¹⁷ 5 Q331.5
 ¹⁸ 6 I331.6	 ¹⁸ 6 I333.6	 ¹⁸ 6 Q331.6
 ¹⁹ 7 I331.7	 ¹⁹ 7 I333.7	 ¹⁹ 7 Q331.7
24VDC Digital Input 6ES7321-1BH02-0AA0	24VDC Digital Input 6ES7321-1BH02-0AA0	120V/230VAC RELAY Digital Output 6ES7322-1HH01-0AA0

SIEMENS

6ES7153-4BA00-0XB0

Legend:

- SF
- BF
- MT
- ON

Terminal Block Connections:

	LINK	RX / TX
P2	☐	☐
P1	☐	☐

Wiring Diagram:

A 24VDC source is connected to the P2 and P1 terminals. The P2 terminal is connected to the PE (Protective Earth) terminal. The P1 terminal is connected to the 2M terminal. The L+ terminal is connected to the 1M terminal.

Terminal Block Labels:


- PE
- 2M
- L+
- 1M

Terminal Block Type: X1 PN (LAN)

PROFINET


030G0111
030G0102

24VDC



We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---



5			Mod.Date	2020/9/29
			Designer	Di Ke
	Original	ZPMC	Review	Jianyue Zhang
Rev.Ind	Language	EN	Check	Zijiang Ge

Project: CIT Abidjan 6 STS

Location: CIT Abidjan Côte d'Ivoire



Page description:

I/O SLAVE 1 BOOM HOIST CONTROL PANEL

Resp dep. : EZ Design

Drawing.NR: 1002000544

DQ1002000544-YL001A-EN

Plant Function:=912.M

Object Loc.: +01F16

Page Number: 7

Total Page: 753

			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: I/O SLAVE 1 BOOM HOIST CONTROL PANEL	Resp dep. : EZ Design	Plant Function:=912.M	Page Number: 8
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +01F16	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

[illegible]

SIEMENS

6ES7153-4AA01-0XB0

	LINK	RX / TX
P2	☐	☐
P1	☐	☐

PUSH

X1 PN (LAN)

PE

2M

L+

1M

PE-BAR

PE

PROFINET

PROFINET


6.1 / -KP2-2_PN ➡

21.1 / -KP1-2_PN ➡

=003.G/21.3 / =003.G-FC111_ + $\rightarrow$ 003G2111
 =003.G/21.3 / =003.G-FC111_ - $\rightarrow$ 003G2102

24VDC

			Mod.Date	2020/12/30	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: I/O SLAVE 1 OPERATOR CAIBN CONTROL PANEL	Resp dep.: EZ Design	Plant Function:=917.M	Page Number: 2
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						




5

-KP1-8 /3.5	-KP1-9 /3.6	-KP1-10 /3.7
SIEMENS	SIEMENS	SIEMENS
 $\frac{2}{0}$ CABIN ACCESS CABIN SIDE ACCESS GATE OPEN REQUEST I280.0 =020.M/53.1	 $\frac{2}{0}$ MAIN TROLLEY SPREADER MAIN POWER SUPPLY ON ACKNOWLEDGE I282.0 =050.C/1.6	 $\frac{2}{0}$
 $\frac{3}{1}$ FOOT SWITCH FOR HORN =020.M/53.2	 $\frac{3}{1}$	 $\frac{3}{1}$ Q270.1
 $\frac{4}{2}$ =020.M/53.3 I280.2	 $\frac{4}{2}$ I282.2	 $\frac{4}{2}$ Q270.2
 $\frac{5}{3}$ =020.M/53.3 I280.3	 $\frac{5}{3}$ MAIN TROLLEY HEADBLOCK LEFT SLACK ROPE LIMIT SWITCH I282.3 =050.R/3.5	 $\frac{5}{3}$ Q270.3
 $\frac{6}{4}$ =020.M/53.4 I280.4	 $\frac{6}{4}$ MAIN TROLLEY HEADBLOCK RIGHT SLACK ROPE LIMIT SWITCH I282.4 =050.R/3.6	 $\frac{6}{4}$ CABIN ACCESS CABIN SIDE ACCESS GATE SOLENOID ON ORDER Q270.4 =020.R/41.6
 $\frac{7}{5}$ =020.M/53.5 I280.5	 $\frac{7}{5}$ MAIN TROLLEY HEADBLOCK CONNECTED LIMIT SWITCH I282.5 =050.R/3.7	 $\frac{7}{5}$ CABIN ACCESS CABIN SIDE ACCESS GATE OPEN INDICATION Q270.5 =020.R/41.7
 $\frac{8}{6}$ CONSOLE SEATER SWITCH SENSOR =082.R/51.7 I280.6	 $\frac{8}{6}$ MAIN TROLLEY HEADBLOCK DISCONNECTED LIMIT SWITCH I282.6 =050.R/3.8	 $\frac{8}{6}$ CABIN ACCESS CABIN SIDE ACCESS GATE CLOSED INDICATION Q270.6 =020.R/41.8
 $\frac{9}{7}$ I280.7	 $\frac{9}{7}$ MAIN TROLLEY HEADBLOCK OVERTENSION LIMIT SWITCH I282.7 =050.R/4.5	 $\frac{9}{7}$ Q270.7
 $\frac{12}{0}$ =020.M/54.1 I281.0	 $\frac{12}{0}$ MAIN TROLLEY SPREADER CONNECTED RELAY I283.0 =050.R/4.6	 $\frac{12}{0}$ MAIN TROLLEY SPREADER MAIN POWER SUPPLY ON ORDER Q271.0 =050.C/1.8
 $\frac{13}{1}$ =020.M/54.2 I281.1	 $\frac{13}{1}$ SPARE =050.R/4.7 I283.1	 $\frac{13}{1}$ Q271.1
 $\frac{14}{2}$ =020.M/54.3 I281.2	 $\frac{14}{2}$ SPARE =050.R/4.8 I283.2	 $\frac{14}{2}$ Q271.2
 $\frac{15}{3}$ =020.M/54.3 I281.3	 $\frac{15}{3}$ SPARE =050.R/5.7 I283.3	 $\frac{15}{3}$ SPREADER CABLE REEL MOTOR HEATER CONTACTOR ON ORDER Q271.3 =056.C/12.8
 $\frac{16}{4}$ =020.M/54.4 I281.4	 $\frac{16}{4}$ SPARE =050.R/5.8 I283.4	 $\frac{16}{4}$ MAIN TROLLEY SIREN ON ORDER =082.R/46.8 Q271.4
 $\frac{17}{5}$ =020.M/54.5 I281.5	 $\frac{17}{5}$ I283.5	 $\frac{17}{5}$ Q271.5
 $\frac{18}{6}$ =020.M/54.6 I281.6	 $\frac{18}{6}$ I283.6	 $\frac{18}{6}$ Q271.6
 $\frac{19}{7}$ =020.M/54.6 I281.7	 $\frac{19}{7}$ I283.7	 $\frac{19}{7}$ Q271.7
24VDC Digital Input 6ES7321-1BH02-0AA0	24VDC Digital Input 6ES7321-1BH02-0AA0	120V/230VAC RELAY Digital Output 6ES7322-1HH01-0AA0

24VDC


We reserve all rights in this document and in the information contained therein
 Reproduction, use or disclosure to third parties without express authority is strictly forbidden
 © ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/12/30	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: I/O SLAVE 2 OPERATOR CAIBN CONTROL PANEL	Resp dep. : EZ Design	Plant Function:=917.M	Page Number: 7
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

=918.M-KP2-3 /7.2	-KP2-5 /7.2	-KP2-6 /7.3	-KP2-8 /7.4
SIEMENS	SIEMENS	SIEMENS	SIEMENS
2 0 SPREADER CABLE REEL MANUAL MODE ON SELECTED +13S02 I340.0 =056.M/1.1	2 0 LIFTING MODE SPREADER SELECTED REQUEST +10S03 I284.0 =100.M/21.1	2 0 SPREADER 45 FEET REQUEST +10S03 I286.0 =100.M/24.2	2 0 FAULT RESET INDICATION +10S03 Q280.0 =100.M/22.5
3 1 SPREADER CABLE REEL FAULT RESET REQUEST +13S02 I340.1 =056.M/1.2	3 1 LIFTING MODE MAN LIFT SELECTED REQUEST +10S03 I284.1 =100.M/21.2	3 1 LEFT FLIPPERS REQUEST +10S03 I286.1 =100.M/24.3	3 1 SPARE INDICATION +10S03 Q280.1 =100.M/22.6
4 2 SPREADER CABLE REEL CABLE REEL UP REQUEST +13S02 I340.2 =056.M/1.3	4 2 LIFTING MODE MAINTENANCE SELECTED REQUEST +10S03 I284.2 =100.M/21.3	4 2 WATERSIDE FLIPPERS REQUEST +10S03 I286.2 =100.M/24.3	4 2 SPARE INDICATION +10S03 Q280.2 =100.M/22.7
5 3 SPREADER CABLE REEL CABLE REEL DOWN REQUEST +13S02 I340.3 =056.M/1.3	5 3 LIFTING MODE CARGO SELECTED REQUEST +10S03 I284.3 =100.M/21.3	5 3 RIGHT FLIPPERS REQUEST +10S03 I286.3 =100.M/25.1	5 3 SPARE INDICATION +10S03 Q280.3 =100.M/22.8
6 4	6 4 SPREADER MODE SINGLE SELECTED REQUEST +10S03 I284.4 =100.M/21.4	6 4 LANDSIDE FLIPPERS REQUEST +10S03 I286.4 =100.M/25.2	6 4 SPREADER HEIGHT INDICATION ON INDICATION +10S03 Q280.4 =100.M/23.5
7 5	7 5 SPREADER MODE TWIN SELECTED REQUEST +10S03 I284.5 =100.M/21.5	7 5 LANDED PIN BYPASS REQUEST +10S03 I286.5 =100.M/25.3	7 5 =100.M/23.6 Q280.5
8 6	8 6 SPREADER MODE SPARE SELECTED REQUEST +10S03 I284.6 =100.M/21.6	8 6 SKEW OVERLOAD BYPASS REQUEST +10S03 I286.6 =100.M/25.3	8 6 SPREADER 20 FEET INDICAITON +10S03 Q280.6 =100.M/23.7
9 7	9 7 FAULT RESET REQUEST +10S03 I284.7 =100.M/22.1	9 7	9 7 SPARE INDICAITON +10S03 Q280.7 =100.M/23.8
12 0 =056.M/1.4 I341.0	12 0 SPARE REQUEST +10S03 I285.0 =100.M/22.2	12 0	12 0 SPREADER 40 FEET INDICATION +10S03 Q281.0 =100.M/24.5
13 1 =056.M/1.5 I341.1	13 1 SPARE REQUEST +10S03 I285.1 =100.M/22.3	13 1	13 1 SPREADER 45 FEET INDICATION +10S03 Q281.1 =100.M/24.6
14 2 SPREADER CABLE REEL CAM SWITCH CABLE FULL LIMIT SWITCH I341.2 =056.M/2.1	14 2 SPARE REQUEST +10S03 I285.2 =100.M/22.3	14 2	14 2 LEFT FLIPPERS INDICAITON +10S03 Q281.2 =100.M/24.7
15 3 SPREADER CABLE REEL CAM SWITCH CABLE EMPTY LIMIT SWITCH I341.3 =056.M/2.2	15 3 SPREADER HEIGHT INDICATION ON REQUEST +10S03 I285.3 =100.M/23.1	15 3	15 3 WATERSIDE FLIPPERS INDICAITON +10S03 Q281.3 =100.M/24.8
16 4 =056.M/2.3 I341.4	16 4 TTDS BYPASS REQUEST +10S03 I285.4 =100.M/23.2	16 4	16 4 RIGHT FLIPPERS INDICATION +10S03 Q281.4 =100.M/25.7
17 5 =056.M/2.3 I341.5	17 5 SPREADER 20 FEET REQUEST +10S03 I285.5 =100.M/23.3	17 5	17 5 LANDSIDE FLIPPERS INDICATION +10S03 Q281.5 =100.M/25.8
18 6 I341.6	18 6 SPARE REQUEST +10S03 I285.6 =100.M/23.3	18 6	18 6
19 7 SPREADER CABLE REEL MOTOR TEMPERATURE SENSOR I341.7 =056.R/2.8	19 7 SPREADER 40 FEET REQUEST +10S03 I285.7 =100.M/24.1	19 7	19 7
24VDC Digital Input 6ES7321-1BH02-0AA0	24VDC Digital Input 6ES7321-1BH02-0AA0	24VDC Digital Input 6ES7321-1BH02-0AA0	120V/230VAC RELAY Digital Output 6ES7322-1HH01-0AA0

			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: I/O SLAVE 2 OPERATOR CAIBN CONTROL PANEL	Resp dep. : EZ Design	Plant Function:=917.M	Page Number: 9
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---

-KP3-3 /11.2	-KP3-4 /11.2	-KP3-5 /11.3	-KP3-6 /11.4	-KP3-7 /11.5
SIEMENS	SIEMENS	SIEMENS	SIEMENS	SIEMENS
 ² ₀ OVER HEIGHT FRAME ON +10S04 =100.M/31.1 I300.0	 ² ₀ ALL FLIPPERS UP REQUEST +10S02 =100.M/17.1 I302.0	 ² ₀ MAIN TROLLEY MASTER SWITCH GRAY CODE BIT 0 +10S01 =100.M/7.1 I304.0	 ² ₀ SPARE REQUEST +10S02 =100.M/11.1 I306.0	 ² ₀ MAIN HOIST MASTER SWITCH GRAY CODE BIT 0 +10S02 =100.M/15.1 I308.0
 ³ ₁ CONTROL OFF REQUEST +10S04 =100.M/31.2 I300.1	 ³ ₁ ALL FLIPPERS DOWN REQUEST +10S02 =100.M/17.2 I302.1	 ³ ₁ MAIN TROLLEY MASTER SWITCH GRAY CODE BIT 1 +10S01 =100.M/7.2 I304.1	 ³ ₁ =100.M/11.2 I306.1	 ³ ₁ MAIN HOIST MASTER SWITCH GRAY CODE BIT 1 +10S02 =100.M/15.2 I308.1
 ⁴ ₂ CONTROL ON REQUEST +10S04 =100.M/31.3 I300.2	 ⁴ ₂ =100.M/17.3 I302.2	 ⁴ ₂ MAIN TROLLEY MASTER SWITCH GRAY CODE BIT 2 +10S01 =100.M/7.3 I304.2	 ⁴ ₂ TWIN RETRACT REQUEST +10S02 =100.M/11.3 I306.2	 ⁴ ₂ MAIN HOIST MASTER SWITCH GRAY CODE BIT 2 +10S02 =100.M/15.3 I308.2
 ⁵ ₃ SPARE REQUEST +10S04 =100.M/31.3 I300.3	 ⁵ ₃ =100.M/17.3 I302.3	 ⁵ ₃ MAIN TROLLEY MASTER SWITCH GRAY CODE BIT 3 +10S01 =100.M/7.3 I304.3	 ⁵ ₃ TWIN EXTEND REQUEST +10S02 =100.M/11.3 I306.3	 ⁵ ₃ MAIN HOIST MASTER SWITCH GRAY CODE BIT 3 +10S02 =100.M/15.3 I308.3
 ⁶ ₄ I300.4	 ⁶ ₄ TROLLEY STOP REQUEST +10S01 =100.M/5.1 I302.4	 ⁶ ₄ MAIN TROLLEY MASTER SWITCH GRAY CODE BIT 4 +10S01 =100.M/7.4 I304.4	 ⁶ ₄ =100.M/12.1 I306.4	 ⁶ ₄ MAIN HOIST MASTER SWITCH GRAY CODE BIT 4 +10S02 =100.M/15.4 I308.4
 ⁷ ₅ I300.5	 ⁷ ₅ TROLLEY FORWARD REQUEST +10S01 =100.M/5.2 I302.5	 ⁷ ₅ MAIN TROLLEY MASTER SWITCH GRAY CODE BIT 5 +10S01 =100.M/7.5 I304.5	 ⁷ ₅ MAIN HOIST STOP REQUEST +10S02 =100.M/13.1 I306.5	 ⁷ ₅ MAIN HOIST MASTER SWITCH GRAY CODE BIT 5 +10S02 =100.M/15.5 I308.5
 ⁸ ₆ I300.6	 ⁸ ₆ TROLLEY REVERSE REQUEST +10S01 =100.M/5.3 I302.6	 ⁸ ₆ MAIN TROLLEY MASTER SWITCH GRAY CODE BIT 6 +10S01 =100.M/7.6 I304.6	 ⁸ ₆ MAIN HOIST UP REQUEST +10S02 =100.M/13.2 I306.6	 ⁸ ₆ MAIN HOIST MASTER SWITCH GRAY CODE BIT 6 +10S02 =100.M/15.6 I308.6
 ⁹ ₇ I300.7	 ⁹ ₇ GANTRY STOP REQUEST +10S02 =100.M/13.3 I302.7	 ⁹ ₇ MAIN TROLLEY MASTER SWITCH GRAY CODE BIT 7 +10S01 =100.M/7.6 I304.7	 ⁹ ₇ MAIN HOIST DOWN REQUEST +10S02 =100.M/13.3 I306.7	 ⁹ ₇ MAIN HOIST MASTER SWITCH GRAY CODE BIT 7 +10S02 =100.M/15.6 I308.7
 ¹² ₀ LIST FORWARD REQUEST +10S01 =100.M/2.1 I301.0	 ¹² ₀ GANTRY LEFT REQUEST +10S02 =100.M/13.4 I303.0	 ¹² ₀ GANTRY MASTER SWITCH GRAY CODE BIT 0 +10S02 =100.M/16.1 I305.0	 ¹² ₀ SPARE REQUEST +10S02 =100.M/14.1 I307.0	 ¹² ₀ LAMP TEST REQUEST +10S04 =100.M/32.1 I309.0
 ¹³ ₁ LIST REVERSE REQUEST +10S01 =100.M/2.2 I301.1	 ¹³ ₁ GANTRY RIGHT REQUEST +10S02 =100.M/13.5 I303.1	 ¹³ ₁ GANTRY MASTER SWITCH GRAY CODE BIT 1 +10S02 =100.M/16.2 I305.1	 ¹³ ₁ SPARE REQUEST +10S02 =100.M/14.2 I307.1	 ¹³ ₁ WHEEL BRAKE SET REQUEST +10S04 =100.M/32.2 I309.1
 ¹⁴ ₂ TRIM LEFT REQUEST +10S01 =100.M/2.3 I301.2	 ¹⁴ ₂ SPARE REQUEST +10S01 =100.M/6.1 I303.2	 ¹⁴ ₂ GANTRY MASTER SWITCH GRAY CODE BIT 2 +10S02 =100.M/16.3 I305.2	 ¹⁴ ₂ TWISTLOCK UNLOCK REQUEST +10S02 =100.M/14.3 I307.2	 ¹⁴ ₂ WHEEL BRAKE RELEASE REQUEST +10S04 =100.M/32.3 I309.2
 ¹⁵ ₃ TRIM RIGHT REQUEST +10S01 =100.M/2.3 I301.3	 ¹⁵ ₃ SPARE REQUEST +10S01 =100.M/6.2 I303.3	 ¹⁵ ₃ GANTRY MASTER SWITCH GRAY CODE BIT 3 +10S02 =100.M/16.3 I305.3	 ¹⁵ ₃ TWISTLOCK LOCK REQUEST +10S02 =100.M/14.3 I307.3	 ¹⁵ ₃ ALARM SILENCE REQUEST +10S04 =100.M/32.3 I309.3
 ¹⁶ ₄ SKEW ZERO POSITION REQUEST +10S01 =100.M/3.1 I301.4	 ¹⁶ ₄ FLIPPER UP REQUEST +10S01 =100.M/6.3 I303.4	 ¹⁶ ₄ GANTRY MASTER SWITCH GRAY CODE BIT 4 +10S02 =100.M/16.4 I305.4	 ¹⁶ ₄ SPARE REQUEST +10S02 =100.M/14.4 I307.4	 ¹⁶ ₄ SPREADER OFF REQUEST +10S04 =100.M/32.4 I309.4
 ¹⁷ ₅ SKEW CLOCKWISE REQUEST +10S01 =100.M/3.2 I301.5	 ¹⁷ ₅ FLIPPER DOWN REQUEST +10S01 =100.M/6.3 I303.5	 ¹⁷ ₅ GANTRY MASTER SWITCH GRAY CODE BIT 5 +10S02 =100.M/16.5 I305.5	 ¹⁷ ₅ I307.5	 ¹⁷ ₅ SPARE SELECTED +10S04 =100.M/32.5 I309.5
 ¹⁸ ₆ SKEW ANTI-CLOCKWISE REQUEST +10S01 =100.M/3.3 I301.6	 ¹⁸ ₆ SPARE REQUEST +10S01 =100.M/6.4 I303.6	 ¹⁸ ₆ GANTRY MASTER SWITCH GRAY CODE BIT 6 +10S02 =100.M/16.6 I305.6	 ¹⁸ ₆ I307.6	 ¹⁸ ₆ SPREADER ON REQUEST +10S04 =100.M/33.1 I309.6
 ¹⁹ ₇ TRIM/LIST ZERO POSITION REQUEST +10S01 =100.M/3.3 I301.7	 ¹⁹ ₇ I303.7	 ¹⁹ ₇ GANTRY MASTER SWITCH GRAY CODE BIT 7 +10S02 =100.M/16.6 I305.7	 ¹⁹ ₇ I307.7	 ¹⁹ ₇ AUTO-PARK REQUEST +10S04 =100.M/33.2 I309.7
24VDC Digital Input 6ES7321-1BH02-0AA0	24VDC Digital Input 6ES7321-1BH02-0AA0	24VDC Digital Input 6ES7321-1BH02-0AA0	24VDC Digital Input 6ES7321-1BH02-0AA0	24VDC Digital Input 6ES7321-1BH02-0AA0

			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: I/O SLAVE 3 OPERATOR CAIBN CONTROL PANEL	Resp dep. : EZ Design	Plant Function:=917.M	Page Number: 12
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						


We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: SWITCH OPERATOR CABIN CONTROL PANEL	Resp dep.: EZ Design	Plant Function:=917.M	Page Number: 21		
			Designer	Di Ke				Drawing.NR: 1002000544				
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +10F01	Total Page: 753		
Rev.Ind	Language	EN	Check	Zijiang Ge								

24VDC

We reserve all rights in this document and in the information contained therein
 Reproduction, use or disclosure to third parties without express authority is strictly forbidden
 © ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.




0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---

SIEMENS	SIEMENS
 ⁰ +08S01 PANEL DC POWER SUPPLY CIRCUIT BREAKER ON I390.0 =040.C/72.6	 ⁰ GANTRY MOTOR 1 BUILD-ON BRAKE RELEASED LIMIT SWITCH I392.0 =040.M/61.1
 ¹ +08S01 PANEL INTERNAL POWER SUPPLY CIRCUIT BREAKER ON I390.1 =040.C/72.7	 ¹ GANTRY MOTOR 2 BUILD-ON BRAKE RELEASED LIMIT SWITCH I392.1 =040.M/61.2
 ² +08S01 PANEL EXTERNAL POWER SUPPLY CIRCUIT BREAKER ON I390.2 =040.C/72.8	 ² GANTRY MOTOR 3 BUILD-ON BRAKE RELEASED LIMIT SWITCH I392.2 =040.M/61.3
 ³ +08S01 PANEL CONTROL POWER SURGE PROTECTION CIRCUIT BREAKER ON I390.3 =040.C/73.7	 ³ GANTRY MOTOR 4 BUILD-ON BRAKE RELEASED LIMIT SWITCH I392.3 =040.M/61.3
 ⁴ +08S01 PANEL INTERNAL I/O POWER SUPPLY CIRCUIT BREAKER ON I390.4 =040.G/21.7	 ⁴ GANTRY MOTOR 5 BUILD-ON BRAKE RELEASED LIMIT SWITCH I392.4 =040.M/61.4
 ⁵ +08S01 PANEL EXTERNAL I/O POWER SUPPLY CIRCUIT BREAKER ON I390.5 =040.G/21.8	 ⁵ GANTRY MOTOR 6 BUILD-ON BRAKE RELEASED LIMIT SWITCH I392.5 =040.M/61.5
 ⁶ GANTRY CABLE REEL ABSOLUTE ENCODER POWER SUPPLY CIRCUIT BREAKER ON I390.6 =040.G/22.6	 ⁶ GANTRY MOTOR 7 BUILD-ON BRAKE RELEASED LIMIT SWITCH I392.6 =040.M/61.6
 ⁷ GANTRY WATERSIDE HYDRAULIC STATION SOLENOID POWER SUPPLY CIRCUIT BREAKER ON I390.7 =040.G/22.7	 ⁷ GANTRY MOTOR 8 BUILD-ON BRAKE RELEASED LIMIT SWITCH I392.7 =040.M/61.6
 ⁰ SWITCH POWER SUPPLY CIRCUIT BREAKER ON I391.0 =040.G/22.8	 ⁰ GANTRY MOTOR 9 BUILD-ON BRAKE RELEASED LIMIT SWITCH I393.0 =040.M/62.1
 ¹	 ¹ GANTRY MOTOR 10 BUILD-ON BRAKE RELEASED LIMIT SWITCH I393.1 =040.M/62.2
 ²	 ² GANTRY MOTOR 11 BUILD-ON BRAKE RELEASED LIMIT SWITCH I393.2 =040.M/62.3
 ³	 ³ GANTRY MOTOR 12 BUILD-ON BRAKE RELEASED LIMIT SWITCH I393.3 =040.M/62.3
 ⁴ +08S01 PANEL CONTROL POWER SURGE PROTECTION ON ACKNOWLEDGE I391.4 =040.C/73.8	 ⁴ =040.M/62.4 I393.4
 ⁵ CPS POWER SUPPLY CIRCUIT BREAKER ON I391.5 =070.C/11.8	 ⁵ =040.M/62.5 I393.5
 ⁶ CPS DC POWER SUPPLY CIRCUIT BREAKER ON I391.6 =070.G/11.8	 ⁶ =040.M/62.6 I393.6
 ⁷ GANTRY WATERSIDE HYDRAULIC STATION SOLENOID OFF ACKNOWLEDGE I391.7 =045.G/15.7	 ⁷ =040.M/62.6 I393.7
24VDC Digital Input 6ES7321-1BH02-0AA0	24VDC Digital Input 6ES7321-1BH02-0AA0

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

0	1	2	3	4	5	6	7	8	9																																																																																
<table><tr><td>-KP1-8 /3.3</td><td>-KP1-9 /3.4</td><td>=911.M-KP1-10 /3.5</td><td>-KP1-11 /3.5</td></tr><tr><td>SIEMENS</td><td>SIEMENS</td><td>SIEMENS</td><td>SIEMENS</td></tr><tr><td> 2⁰ GANTRY WATERSIDE ANCHOR PIN RELEASED LIMIT SWITCH I400.0 =040.M/67.1</td><td> 2⁰</td><td> 2⁰</td><td> 2⁰ GANTRY MOTOR 1 TEMPERATURE SENSOR I398.0 =040.M/69.1</td></tr><tr><td> 3¹ =040.M/67.2 I400.1</td><td> 3¹ I402.1</td><td> 3¹ I240.1</td><td> 3¹ GANTRY MOTOR 2 TEMPERATURE SENSOR I398.1 =040.M/69.2</td></tr><tr><td> 4² =040.M/67.3 I400.2</td><td> 4² I402.2</td><td> 4² I240.2</td><td> 4² GANTRY MOTOR 3 TEMPERATURE SENSOR I398.2 =040.M/69.3</td></tr><tr><td> 5³ =040.M/67.3 I400.3</td><td> 5³ I402.3</td><td> 5³ I240.3</td><td> 5³ GANTRY MOTOR 4 TEMPERATURE SENSOR I398.3 =040.M/69.3</td></tr><tr><td> 6⁴ GANTRY WATERSIDE LEFT SLOWDOWN SENSOR I400.4 =040.M/67.4</td><td> 6⁴ GANTRY WATERSIDE HYDRAULIC STATION PUMP MOTOR TEMPERATURE SENSOR I402.4 =045.M/31.1</td><td> 6⁴ GANTRY CABLE REEL MANUAL MODE ON SELECTED +08S05 I240.4 =046.M/1.1</td><td> 6⁴ GANTRY MOTOR 5 TEMPERATURE SENSOR I398.4 =040.M/69.4</td></tr><tr><td> 7⁵ GANTRY WATERSIDE LEFT STOP SENSOR =040.M/67.5 I400.5</td><td> 7⁵ GANTRY WATERSIDE HYDRAULIC STATION PRESSURE SWITCH I402.5 =045.M/31.2</td><td> 7⁵ GANTRY CABLE REEL FAULT RESET REQUEST +08S05 I240.5 =046.M/1.2</td><td> 7⁵ GANTRY MOTOR 6 TEMPERATURE SENSOR I398.5 =040.M/69.5</td></tr><tr><td> 8⁶ GANTRY WATERSIDE RIGHT SLOWDOWN SENSOR I400.6 =040.M/67.6</td><td> 8⁶ =045.M/31.3 I402.6</td><td> 8⁶ GANTRY CABLE REEL CABLE REEL UP REQUEST +08S05 I240.6 =046.M/1.3</td><td> 8⁶ GANTRY MOTOR 7 TEMPERATURE SENSOR I398.6 =040.M/69.6</td></tr><tr><td> 9⁷ GANTRY WATERSIDE RIGHT STOP SENSOR I400.7 =040.M/67.6</td><td> 9⁷ GANTRY WATERSIDE HYDRAULIC STATION OIL TEMPERATURE TOO HIGH I402.7 =045.M/31.3</td><td> 9⁷ GANTRY CABLE REEL CABLE REEL DOWN REQUEST +08S05 I240.7 =046.M/1.3</td><td> 9⁷ GANTRY MOTOR 8 TEMPERATURE SENSOR I398.7 =040.M/69.6</td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td> 12⁰ CONTROL ON REQUEST +08S03 =101.M/21.1 I401.0</td><td> 12⁰ GANTRY WATERSIDE HYDRAULIC STATION OIL LEVEL LOW I403.0 =045.M/31.4</td><td> 12⁰ GANTRY CABLE REEL CAM SWITCH CABLE PRE. FULL LIMIT SWITCH I241.0 =046.M/2.1</td><td> 12⁰ GANTRY MOTOR 9 TEMPERATURE SENSOR I399.0 =040.M/70.1</td></tr><tr><td> 13¹ CONTROL OFF REQUEST +08S03 =101.M/21.2 I401.1</td><td> 13¹ =045.M/31.5 I403.1</td><td> 13¹ GANTRY CABLE REEL CAM SWITCH CABLE FULL LIMIT SWITCH I241.1 =046.M/2.2</td><td> 13¹ GANTRY MOTOR 10 TEMPERATURE SENSOR I399.1 =040.M/70.2</td></tr><tr><td> 14² FAULT RESET REQUEST +08S03 =101.M/21.3 I401.2</td><td> 14² I403.2</td><td> 14² GANTRY CABLE REEL CAM SWITCH CABLE PRE. EMPTY LIMIT SWITCH I241.2 =046.M/2.3</td><td> 14² GANTRY MOTOR 11 TEMPERATURE SENSOR I399.2 =040.M/70.3</td></tr><tr><td> 15³ GANTRY SPEED FAST SELECTED +08S03 =101.M/21.3 I401.3</td><td> 15³ I403.3</td><td> 15³ GANTRY CABLE REEL CAM SWITCH CABLE EMPTY LIMIT SWITCH I241.3 =046.M/2.3</td><td> 15³ GANTRY MOTOR 12 TEMPERATURE SENSOR I399.3 =040.M/70.3</td></tr><tr><td> 16⁴ GANTRY TRAVEL LEFT REQUEST +08S03 =101.M/21.4 I401.4</td><td> 16⁴ GANTRY WATERSIDE WHEEL BRAKE RELEASED LIMIT SWITCH 1 I403.4 =045.M/32.1</td><td> 16⁴ GANTRY CABLE REEL LEFT DIRECTION LIMIT SWITCH I241.4 =046.M/2.4</td><td> 16⁴ =040.M/70.4 I399.4</td></tr><tr><td> 17⁵ GANTRY TRAVEL RIGHT REQUEST +08S03 =101.M/21.5 I401.5</td><td> 17⁵ GANTRY WATERSIDE WHEEL BRAKE RELEASED LIMIT SWITCH 2 I403.5 =045.M/32.2</td><td> 17⁵ GANTRY CABLE REEL RIGHT DIRECTION LIMIT SWITCH I241.5 =046.M/2.5</td><td> 17⁵ =040.M/70.5 I399.5</td></tr><tr><td> 18⁶ SPARE REQUEST +08S03 =101.M/21.6 I401.6</td><td> 18⁶ GANTRY WATERSIDE WHEEL BRAKE RELEASED LIMIT SWITCH 3 I403.6 =045.M/32.3</td><td> 18⁶ GANTRY CABLE REEL OVER TENSION LIMIT SWITCH I241.6 =046.M/2.6</td><td> 18⁶ =040.M/70.6 I399.6</td></tr><tr><td> 19⁷ =101.M/21.6 I401.7</td><td> 19⁷ GANTRY WATERSIDE WHEEL BRAKE RELEASED LIMIT SWITCH 4 I403.7 =045.M/32.3</td><td> 19⁷ GANTRY CABLE REEL PRE. SLACK LIMIT SWITCH I241.7 =046.M/2.6</td><td> 19⁷ =040.M/70.6 I399.7</td></tr><tr><td>24VDC Digital Input 6ES7321-1BH02-0AA0</td><td>24VDC Digital Input 6ES7321-1BH02-0AA0</td><td>24VDC Digital Input 6ES7321-1BH02-0AA0</td><td>24VDC Digital Input 6ES7321-1BH02-0AA0</td></tr></table>										-KP1-8 /3.3	-KP1-9 /3.4	=911.M-KP1-10 /3.5	-KP1-11 /3.5	SIEMENS	SIEMENS	SIEMENS	SIEMENS	 2 ⁰ GANTRY WATERSIDE ANCHOR PIN RELEASED LIMIT SWITCH I400.0 =040.M/67.1	 2 ⁰	 2 ⁰	 2 ⁰ GANTRY MOTOR 1 TEMPERATURE SENSOR I398.0 =040.M/69.1	 3 ¹ =040.M/67.2 I400.1	 3 ¹ I402.1	 3 ¹ I240.1	 3 ¹ GANTRY MOTOR 2 TEMPERATURE SENSOR I398.1 =040.M/69.2	 4 ² =040.M/67.3 I400.2	 4 ² I402.2	 4 ² I240.2	 4 ² GANTRY MOTOR 3 TEMPERATURE SENSOR I398.2 =040.M/69.3	 5 ³ =040.M/67.3 I400.3	 5 ³ I402.3	 5 ³ I240.3	 5 ³ GANTRY MOTOR 4 TEMPERATURE SENSOR I398.3 =040.M/69.3	 6 ⁴ GANTRY WATERSIDE LEFT SLOWDOWN SENSOR I400.4 =040.M/67.4	 6 ⁴ GANTRY WATERSIDE HYDRAULIC STATION PUMP MOTOR TEMPERATURE SENSOR I402.4 =045.M/31.1	 6 ⁴ GANTRY CABLE REEL MANUAL MODE ON SELECTED +08S05 I240.4 =046.M/1.1	 6 ⁴ GANTRY MOTOR 5 TEMPERATURE SENSOR I398.4 =040.M/69.4	 7 ⁵ GANTRY WATERSIDE LEFT STOP SENSOR =040.M/67.5 I400.5	 7 ⁵ GANTRY WATERSIDE HYDRAULIC STATION PRESSURE SWITCH I402.5 =045.M/31.2	 7 ⁵ GANTRY CABLE REEL FAULT RESET REQUEST +08S05 I240.5 =046.M/1.2	 7 ⁵ GANTRY MOTOR 6 TEMPERATURE SENSOR I398.5 =040.M/69.5	 8 ⁶ GANTRY WATERSIDE RIGHT SLOWDOWN SENSOR I400.6 =040.M/67.6	 8 ⁶ =045.M/31.3 I402.6	 8 ⁶ GANTRY CABLE REEL CABLE REEL UP REQUEST +08S05 I240.6 =046.M/1.3	 8 ⁶ GANTRY MOTOR 7 TEMPERATURE SENSOR I398.6 =040.M/69.6	 9 ⁷ GANTRY WATERSIDE RIGHT STOP SENSOR I400.7 =040.M/67.6	 9 ⁷ GANTRY WATERSIDE HYDRAULIC STATION OIL TEMPERATURE TOO HIGH I402.7 =045.M/31.3	 9 ⁷ GANTRY CABLE REEL CABLE REEL DOWN REQUEST +08S05 I240.7 =046.M/1.3	 9 ⁷ GANTRY MOTOR 8 TEMPERATURE SENSOR I398.7 =040.M/69.6					 12 ⁰ CONTROL ON REQUEST +08S03 =101.M/21.1 I401.0	 12 ⁰ GANTRY WATERSIDE HYDRAULIC STATION OIL LEVEL LOW I403.0 =045.M/31.4	 12 ⁰ GANTRY CABLE REEL CAM SWITCH CABLE PRE. FULL LIMIT SWITCH I241.0 =046.M/2.1	 12 ⁰ GANTRY MOTOR 9 TEMPERATURE SENSOR I399.0 =040.M/70.1	 13 ¹ CONTROL OFF REQUEST +08S03 =101.M/21.2 I401.1	 13 ¹ =045.M/31.5 I403.1	 13 ¹ GANTRY CABLE REEL CAM SWITCH CABLE FULL LIMIT SWITCH I241.1 =046.M/2.2	 13 ¹ GANTRY MOTOR 10 TEMPERATURE SENSOR I399.1 =040.M/70.2	 14 ² FAULT RESET REQUEST +08S03 =101.M/21.3 I401.2	 14 ² I403.2	 14 ² GANTRY CABLE REEL CAM SWITCH CABLE PRE. EMPTY LIMIT SWITCH I241.2 =046.M/2.3	 14 ² GANTRY MOTOR 11 TEMPERATURE SENSOR I399.2 =040.M/70.3	 15 ³ GANTRY SPEED FAST SELECTED +08S03 =101.M/21.3 I401.3	 15 ³ I403.3	 15 ³ GANTRY CABLE REEL CAM SWITCH CABLE EMPTY LIMIT SWITCH I241.3 =046.M/2.3	 15 ³ GANTRY MOTOR 12 TEMPERATURE SENSOR I399.3 =040.M/70.3	 16 ⁴ GANTRY TRAVEL LEFT REQUEST +08S03 =101.M/21.4 I401.4	 16 ⁴ GANTRY WATERSIDE WHEEL BRAKE RELEASED LIMIT SWITCH 1 I403.4 =045.M/32.1	 16 ⁴ GANTRY CABLE REEL LEFT DIRECTION LIMIT SWITCH I241.4 =046.M/2.4	 16 ⁴ =040.M/70.4 I399.4	 17 ⁵ GANTRY TRAVEL RIGHT REQUEST +08S03 =101.M/21.5 I401.5	 17 ⁵ GANTRY WATERSIDE WHEEL BRAKE RELEASED LIMIT SWITCH 2 I403.5 =045.M/32.2	 17 ⁵ GANTRY CABLE REEL RIGHT DIRECTION LIMIT SWITCH I241.5 =046.M/2.5	 17 ⁵ =040.M/70.5 I399.5	 18 ⁶ SPARE REQUEST +08S03 =101.M/21.6 I401.6	 18 ⁶ GANTRY WATERSIDE WHEEL BRAKE RELEASED LIMIT SWITCH 3 I403.6 =045.M/32.3	 18 ⁶ GANTRY CABLE REEL OVER TENSION LIMIT SWITCH I241.6 =046.M/2.6	 18 ⁶ =040.M/70.6 I399.6	 19 ⁷ =101.M/21.6 I401.7	 19 ⁷ GANTRY WATERSIDE WHEEL BRAKE RELEASED LIMIT SWITCH 4 I403.7 =045.M/32.3	 19 ⁷ GANTRY CABLE REEL PRE. SLACK LIMIT SWITCH I241.7 =046.M/2.6	 19 ⁷ =040.M/70.6 I399.7	24VDC Digital Input 6ES7321-1BH02-0AA0	24VDC Digital Input 6ES7321-1BH02-0AA0	24VDC Digital Input 6ES7321-1BH02-0AA0	24VDC Digital Input 6ES7321-1BH02-0AA0
-KP1-8 /3.3	-KP1-9 /3.4	=911.M-KP1-10 /3.5	-KP1-11 /3.5																																																																																						
SIEMENS	SIEMENS	SIEMENS	SIEMENS																																																																																						
 2 ⁰ GANTRY WATERSIDE ANCHOR PIN RELEASED LIMIT SWITCH I400.0 =040.M/67.1	 2 ⁰	 2 ⁰	 2 ⁰ GANTRY MOTOR 1 TEMPERATURE SENSOR I398.0 =040.M/69.1																																																																																						
 3 ¹ =040.M/67.2 I400.1	 3 ¹ I402.1	 3 ¹ I240.1	 3 ¹ GANTRY MOTOR 2 TEMPERATURE SENSOR I398.1 =040.M/69.2																																																																																						
 4 ² =040.M/67.3 I400.2	 4 ² I402.2	 4 ² I240.2	 4 ² GANTRY MOTOR 3 TEMPERATURE SENSOR I398.2 =040.M/69.3																																																																																						
 5 ³ =040.M/67.3 I400.3	 5 ³ I402.3	 5 ³ I240.3	 5 ³ GANTRY MOTOR 4 TEMPERATURE SENSOR I398.3 =040.M/69.3																																																																																						
 6 ⁴ GANTRY WATERSIDE LEFT SLOWDOWN SENSOR I400.4 =040.M/67.4	 6 ⁴ GANTRY WATERSIDE HYDRAULIC STATION PUMP MOTOR TEMPERATURE SENSOR I402.4 =045.M/31.1	 6 ⁴ GANTRY CABLE REEL MANUAL MODE ON SELECTED +08S05 I240.4 =046.M/1.1	 6 ⁴ GANTRY MOTOR 5 TEMPERATURE SENSOR I398.4 =040.M/69.4																																																																																						
 7 ⁵ GANTRY WATERSIDE LEFT STOP SENSOR =040.M/67.5 I400.5	 7 ⁵ GANTRY WATERSIDE HYDRAULIC STATION PRESSURE SWITCH I402.5 =045.M/31.2	 7 ⁵ GANTRY CABLE REEL FAULT RESET REQUEST +08S05 I240.5 =046.M/1.2	 7 ⁵ GANTRY MOTOR 6 TEMPERATURE SENSOR I398.5 =040.M/69.5																																																																																						
 8 ⁶ GANTRY WATERSIDE RIGHT SLOWDOWN SENSOR I400.6 =040.M/67.6	 8 ⁶ =045.M/31.3 I402.6	 8 ⁶ GANTRY CABLE REEL CABLE REEL UP REQUEST +08S05 I240.6 =046.M/1.3	 8 ⁶ GANTRY MOTOR 7 TEMPERATURE SENSOR I398.6 =040.M/69.6																																																																																						
 9 ⁷ GANTRY WATERSIDE RIGHT STOP SENSOR I400.7 =040.M/67.6	 9 ⁷ GANTRY WATERSIDE HYDRAULIC STATION OIL TEMPERATURE TOO HIGH I402.7 =045.M/31.3	 9 ⁷ GANTRY CABLE REEL CABLE REEL DOWN REQUEST +08S05 I240.7 =046.M/1.3	 9 ⁷ GANTRY MOTOR 8 TEMPERATURE SENSOR I398.7 =040.M/69.6																																																																																						
 12 ⁰ CONTROL ON REQUEST +08S03 =101.M/21.1 I401.0	 12 ⁰ GANTRY WATERSIDE HYDRAULIC STATION OIL LEVEL LOW I403.0 =045.M/31.4	 12 ⁰ GANTRY CABLE REEL CAM SWITCH CABLE PRE. FULL LIMIT SWITCH I241.0 =046.M/2.1	 12 ⁰ GANTRY MOTOR 9 TEMPERATURE SENSOR I399.0 =040.M/70.1																																																																																						
 13 ¹ CONTROL OFF REQUEST +08S03 =101.M/21.2 I401.1	 13 ¹ =045.M/31.5 I403.1	 13 ¹ GANTRY CABLE REEL CAM SWITCH CABLE FULL LIMIT SWITCH I241.1 =046.M/2.2	 13 ¹ GANTRY MOTOR 10 TEMPERATURE SENSOR I399.1 =040.M/70.2																																																																																						
 14 ² FAULT RESET REQUEST +08S03 =101.M/21.3 I401.2	 14 ² I403.2	 14 ² GANTRY CABLE REEL CAM SWITCH CABLE PRE. EMPTY LIMIT SWITCH I241.2 =046.M/2.3	 14 ² GANTRY MOTOR 11 TEMPERATURE SENSOR I399.2 =040.M/70.3																																																																																						
 15 ³ GANTRY SPEED FAST SELECTED +08S03 =101.M/21.3 I401.3	 15 ³ I403.3	 15 ³ GANTRY CABLE REEL CAM SWITCH CABLE EMPTY LIMIT SWITCH I241.3 =046.M/2.3	 15 ³ GANTRY MOTOR 12 TEMPERATURE SENSOR I399.3 =040.M/70.3																																																																																						
 16 ⁴ GANTRY TRAVEL LEFT REQUEST +08S03 =101.M/21.4 I401.4	 16 ⁴ GANTRY WATERSIDE WHEEL BRAKE RELEASED LIMIT SWITCH 1 I403.4 =045.M/32.1	 16 ⁴ GANTRY CABLE REEL LEFT DIRECTION LIMIT SWITCH I241.4 =046.M/2.4	 16 ⁴ =040.M/70.4 I399.4																																																																																						
 17 ⁵ GANTRY TRAVEL RIGHT REQUEST +08S03 =101.M/21.5 I401.5	 17 ⁵ GANTRY WATERSIDE WHEEL BRAKE RELEASED LIMIT SWITCH 2 I403.5 =045.M/32.2	 17 ⁵ GANTRY CABLE REEL RIGHT DIRECTION LIMIT SWITCH I241.5 =046.M/2.5	 17 ⁵ =040.M/70.5 I399.5																																																																																						
 18 ⁶ SPARE REQUEST +08S03 =101.M/21.6 I401.6	 18 ⁶ GANTRY WATERSIDE WHEEL BRAKE RELEASED LIMIT SWITCH 3 I403.6 =045.M/32.3	 18 ⁶ GANTRY CABLE REEL OVER TENSION LIMIT SWITCH I241.6 =046.M/2.6	 18 ⁶ =040.M/70.6 I399.6																																																																																						
 19 ⁷ =101.M/21.6 I401.7	 19 ⁷ GANTRY WATERSIDE WHEEL BRAKE RELEASED LIMIT SWITCH 4 I403.7 =045.M/32.3	 19 ⁷ GANTRY CABLE REEL PRE. SLACK LIMIT SWITCH I241.7 =046.M/2.6	 19 ⁷ =040.M/70.6 I399.7																																																																																						
24VDC Digital Input 6ES7321-1BH02-0AA0	24VDC Digital Input 6ES7321-1BH02-0AA0	24VDC Digital Input 6ES7321-1BH02-0AA0	24VDC Digital Input 6ES7321-1BH02-0AA0																																																																																						
4																																																																																									
			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS		Page description: I/O SLAVE GANTRY WATERSIDE CONTROL STATION	Resp dep. : EZ Design	Plant Function:=925.M	Page Number: 5																																																																															
			Designer	Di Ke				Drawing.NR: 1002000544																																																																																	
	Original	ZPMC	Review	Jianyue Zhang				DQ1002000544-YL001A-EN	Object Loc.: +08S01	Total Page: 753																																																																															
Rev.Ind	Language	EN	Check	Zijiang Ge																																																																																					

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



5			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	




Page description:
SWITCH GANTRY WATERSIDE CONTROL STATION

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=925.M
Object Loc.: +08S01

Page Number: 21
Total Page: 753




			Mod.Date	2020/11/14	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: I/O SLAVE GANTRY WATERSIDE CONTROL STATION	Resp dep. : EZ Design	Plant Function:=926.M	Page Number: 3
			Designer	Di Ke				Drawing.NR: 1002000544		
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +07S01	Total Page: 753
Rev.Ind	Language	EN	Check	Zijiang Ge						

0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---

SIEMENS	SIEMENS
 ² ⁰ +07S01 PANEL DC POWER SUPPLY CIRCUIT BREAKER ON I410.0 =040.C/62.6	 ² ⁰ GANTRY MOTOR 13 BUILD-ON BRAKE RELEASED LIMIT SWITCH I412.0 =040.M/41.1
 ³ ¹ +07S01 PANEL INTERNAL POWER SUPPLY CIRCUIT BREAKER ON I410.1 =040.C/62.7	 ³ ¹ GANTRY MOTOR 14 BUILD-ON BRAKE RELEASED LIMIT SWITCH I412.1 =040.M/41.2
 ⁴ ² +07S01 PANEL EXTERNAL POWER SUPPLY CIRCUIT BREAKER ON I410.2 =040.C/62.8	 ⁴ ² GANTRY MOTOR 15 BUILD-ON BRAKE RELEASED LIMIT SWITCH I412.2 =040.M/41.3
 ⁵ ³ +07S01 PANEL CONTROL POWER SURGE PROTECTION CIRCUIT BREAKER ON I410.3 =040.C/63.7	 ⁵ ³ GANTRY MOTOR 16 BUILD-ON BRAKE RELEASED LIMIT SWITCH I412.3 =040.M/41.3
 ⁶ ⁴ +07S01 PANEL INTERNAL I/O POWER SUPPLY CIRCUIT BREAKER ON I410.4 =040.G/11.7	 ⁶ ⁴ GANTRY MOTOR 17 BUILD-ON BRAKE RELEASED LIMIT SWITCH I412.4 =040.M/41.4
 ⁷ ⁵ +07S01 PANEL EXTERNAL I/O POWER SUPPLY CIRCUIT BREAKER ON I410.5 =040.G/11.8	 ⁷ ⁵ GANTRY MOTOR 18 BUILD-ON BRAKE RELEASED LIMIT SWITCH I412.5 =040.M/41.5
 ⁸ ⁶ GANTRY ABSOLUTE ENCODER POWER SUPPLY CIRCUIT BREAKER ON I410.6 =040.G/12.6	 ⁸ ⁶ GANTRY MOTOR 19 BUILD-ON BRAKE RELEASED LIMIT SWITCH I412.6 =040.M/41.6
 ⁹ ⁷ GANTRY LANDSIDE HYDRAULIC STATION SOLENOID POWER SUPPLY CIRCUIT BREAKER ON I410.7 =040.G/12.7	 ⁹ ⁷ GANTRY MOTOR 20 BUILD-ON BRAKE RELEASED LIMIT SWITCH I412.7 =040.M/41.6
 ¹² ⁰ SWITCH POWER SUPPLY CIRCUIT BREAKER ON I411.0 =040.G/12.8	 ¹² ⁰ GANTRY MOTOR 21 BUILD-ON BRAKE RELEASED LIMIT SWITCH I413.0 =040.M/42.1
 ¹³ ¹	 ¹³ ¹ GANTRY MOTOR 22 BUILD-ON BRAKE RELEASED LIMIT SWITCH I413.1 =040.M/42.2
 ¹⁴ ²	 ¹⁴ ² GANTRY MOTOR 23 BUILD-ON BRAKE RELEASED LIMIT SWITCH I413.2 =040.M/42.3
 ¹⁵ ³	 ¹⁵ ³ GANTRY MOTOR 24 BUILD-ON BRAKE RELEASED LIMIT SWITCH I413.3 =040.M/42.3
 ¹⁶ ⁴ +07S01 PANEL CONTROL POWER SURGE PROTECTION ON ACKNOWLEDGE I411.4 =040.C/63.8	 ¹⁶ ⁴ =040.M/42.4 I413.4
 ¹⁷ ⁵	 ¹⁷ ⁵ EMERGENCY OUTLET TO NEXT CRANE CONNECTED I413.5 =040.M/42.5
 ¹⁸ ⁶	 ¹⁸ ⁶ I413.6
 ¹⁹ ⁷ GANTRY LANDSIDE HYDRAULIC STATION SOLENOID OFF ACKNOWLEDGE I411.7 =045.G/11.7	 ¹⁹ ⁷ I413.7
24VDC Digital Input 6ES7321-1BH02-0AA0	24VDC Digital Input 6ES7321-1BH02-0AA0

-KP1-8 /3.3	-KP1-9 /3.4	-KP1-10 /3.5
SIEMENS	SIEMENS	SIEMENS
 2 ⁰ GANTRY LANDSIDE ANCHOR PIN RELEASED LIMIT SWITCH I420.0 =040.M/47.1	 2 ⁰	 2 ⁰ GANTRY MOTOR 13 TEMPERATURE SENSOR I418.0 =040.M/49.1
 3 ¹ =040.M/47.2	 3 ¹	 3 ¹ GANTRY MOTOR 14 TEMPERATURE SENSOR I418.1 =040.M/49.2
 4 ² GANTRY LANDSIDE CRANE LOCKOUT SWITCH I420.2 =040.M/47.3	 4 ²	 4 ² GANTRY MOTOR 15 TEMPERATURE SENSOR I418.2 =040.M/49.3
 5 ³ =040.M/47.3	 5 ³	 5 ³ GANTRY MOTOR 16 TEMPERATURE SENSOR I418.3 =040.M/49.3
 6 ⁴ GANTRY LANDSIDE LEFT SLOWDOWN SENSOR I420.4 =040.M/47.4	 6 ⁴ GANTRY LANDSIDE HYDRAULIC STATION PUMP MOTOR TEMPERATURE SENSOR I422.4 =045.M/21.1	 6 ⁴ GANTRY MOTOR 17 TEMPERATURE SENSOR I418.4 =040.M/49.4
 7 ⁵ GANTRY LANDSIDE LEFT STOP SENSOR =040.M/47.5	 7 ⁵ GANTRY LANDSIDE HYDRAULIC STATION PRESSURE SWITCH I422.5 =045.M/21.2	 7 ⁵ GANTRY MOTOR 18 TEMPERATURE SENSOR I418.5 =040.M/49.5
 8 ⁶ GANTRY LANDSIDE RIGHT SLOWDOWN SENSOR I420.6 =040.M/47.6	 8 ⁶ =045.M/21.3	 8 ⁶ GANTRY MOTOR 19 TEMPERATURE SENSOR I418.6 =040.M/49.6
 9 ⁷ GANTRY LANDSIDE RIGHT STOP SENSOR =040.M/47.6	 9 ⁷ GANTRY LANDSIDE HYDRAULIC STATION OIL TEMPERATURE TOO HIGH I422.7 =045.M/21.3	 9 ⁷ GANTRY MOTOR 20 TEMPERATURE SENSOR I418.7 =040.M/49.6
 12 ⁰	 12 ⁰ GANTRY LANDSIDE HYDRAULIC STATION OIL LEVEL LOW I423.0 =045.M/21.4	 12 ⁰ GANTRY MOTOR 21 TEMPERATURE SENSOR I419.0 =040.M/50.1
 13 ¹	 13 ¹ =045.M/21.5	 13 ¹ GANTRY MOTOR 22 TEMPERATURE SENSOR I419.1 =040.M/50.2
 14 ²	 14 ²	 14 ² GANTRY MOTOR 23 TEMPERATURE SENSOR I419.2 =040.M/50.3
 15 ³	 15 ³	 15 ³ GANTRY MOTOR 24 TEMPERATURE SENSOR I419.3 =040.M/50.3
 16 ⁴	 16 ⁴ GANTRY LANDSIDE WHEEL BRAKE RELEASED LIMIT SWITCH 1 I423.4 =045.M/22.1	 16 ⁴ =040.M/50.4
 17 ⁵	 17 ⁵ GANTRY LANDSIDE WHEEL BRAKE RELEASED LIMIT SWITCH 2 I423.5 =045.M/22.2	 17 ⁵ =040.M/50.5
 18 ⁶	 18 ⁶ GANTRY LANDSIDE WHEEL BRAKE RELEASED LIMIT SWITCH 3 I423.6 =045.M/22.3	 18 ⁶ =040.M/50.6
 19 ⁷	 19 ⁷ GANTRY LANDSIDE WHEEL BRAKE RELEASED LIMIT SWITCH 4 I423.7 =045.M/22.3	 19 ⁷ =040.M/50.6
24VDC Digital Input 6ES7321-1BH02-0AA0	24VDC Digital Input 6ES7321-1BH02-0AA0	24VDC Digital Input 6ES7321-1BH02-0AA0

24VDC




We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

0	1	2	3	4	5	6	7	8	9																																																																																																																																																																																																								
<table><tr><td colspan="2">-KP2-3 /8.2</td><td colspan="2">-KP2-4 /8.2</td><td colspan="2">-KP2-5 /8.3</td><td colspan="4"></td></tr><tr><td colspan="2">SIEMENS</td><td colspan="2">SIEMENS</td><td colspan="2">SIEMENS</td><td colspan="4"></td></tr><tr><td colspan="2"> ²₀ CONTROL ON REQUEST +07S01 =101.M/1.1</td><td colspan="2"> ²₀ MOTION TROLLEY SELECTED +07S01 =101.M/3.3</td><td colspan="2"> ²₀ SPARE REQUEST +07S01 =101.M/6.1</td><td colspan="4"></td></tr><tr><td colspan="2"> ³₁ CONTROL OFF REQUEST +07S01 =101.M/1.2</td><td colspan="2"> ³₁ MOTION HOIST SELECTED +07S01 =101.M/3.3</td><td colspan="2"> ³₁ SPREADER 40 FT REQUEST +07S01 =101.M/6.2</td><td colspan="4"></td></tr><tr><td colspan="2"> ⁴₂ FAULT RESET REQUEST +07S01 =101.M/1.3</td><td colspan="2"> ⁴₂ LAMP TEST REQUEST +07S01 =101.M/3.4</td><td colspan="2"> ⁴₂ SPREADER 45 FT REQUEST +07S01 =101.M/6.3</td><td colspan="4"></td></tr><tr><td colspan="2"> ⁵₃ SILENCE REQUEST +07S01 =101.M/1.3</td><td colspan="2"> ⁵₃ SPARE SELECTED +07S01 =101.M/3.5</td><td colspan="2"> ⁵₃ SPREADER BYPASS ON SELECTED +07S01 =101.M/6.3</td><td colspan="4"></td></tr><tr><td colspan="2"> ⁶₄</td><td colspan="2"> ⁶₄ BOOM MOTION ON SELECTED +07S01 =101.M/4.1</td><td colspan="2"> ⁶₄ ALL FLIPPERS UP SELECTED +07S01 =101.M/7.1</td><td colspan="4"></td></tr><tr><td colspan="2"> ⁷₅</td><td colspan="2"> ⁷₅ BOOM UP REQUEST +07S01 =101.M/4.2</td><td colspan="2"> ⁷₅ ALL FLIPPERS DOWN SELECTED +07S01 =101.M/7.2</td><td colspan="4"></td></tr><tr><td colspan="2"> ⁸₆</td><td colspan="2"> ⁸₆ BOOM DOWN REQUEST +07S01 =101.M/4.3</td><td colspan="2"> ⁸₆ TWISTLOCK UNLOCKED +07S01 =101.M/7.3</td><td colspan="4"></td></tr><tr><td colspan="2"> ⁹₇</td><td colspan="2"> ⁹₇ BOOM STOP REQUEST +07S01 =101.M/4.3</td><td colspan="2"> ⁹₇ TWISTLOCK LOCKED +07S01 =101.M/7.3</td><td colspan="4"></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="4"></td></tr><tr><td colspan="2"> ¹²₀ GENERAL BYPASS ON SELECTED +07S01 =101.M/2.1</td><td colspan="2"> ¹²₀ COLLISION BYPASS ON SELECTED +07S01 =101.M/4.4</td><td colspan="2"> ¹²₀ OVERLOAD RESET REQUEST +07S01 =101.M/7.4</td><td colspan="4"></td></tr><tr><td colspan="2"> ¹³₁ WHEEL BRAKE SET REQUEST +07S01 =101.M/2.2</td><td colspan="2"> ¹³₁ SPREADER PUMP OFF REQUEST +07S01 =101.M/4.5</td><td colspan="2"> ¹³₁ SPARE SELECTED +07S01 =101.M/7.5</td><td colspan="4"></td></tr><tr><td colspan="2"> ¹⁴₂ WHEEL BRAKE RELEASE REQUEST +07S01 =101.M/2.3</td><td colspan="2"> ¹⁴₂ SPREADER PUMP ON REQUEST +07S01 =101.M/5.1</td><td colspan="2"> ¹⁴₂ BRAKE TEST GROUP 1 SELECTED +07S01 =101.M/8.1</td><td colspan="4"></td></tr><tr><td colspan="2"> ¹⁵₃ GANTRY TRAVEL LEFT REQUEST +07S01 =101.M/2.3</td><td colspan="2"> ¹⁵₃ SPREADER 20 FT REQUEST +07S01 =101.M/5.2</td><td colspan="2"> ¹⁵₃ BRAKE TEST GROUP 2 SELECTED +07S01 =101.M/8.2</td><td colspan="4"></td></tr><tr><td colspan="2"> ¹⁶₄ GANTRY TRAVEL RIGHT REQUEST +07S01 =101.M/2.4</td><td colspan="2"> ¹⁶₄ SPREADER MODE TWIN SELECTED +07S01 =101.M/5.3</td><td colspan="2"> ¹⁶₄ BRAKE TEST GROUP 3 SELECTED +07S01 =101.M/8.3</td><td colspan="4"></td></tr><tr><td colspan="2"> ¹⁷₅ GANTRY SPEED FAST SELECTED +07S01 =101.M/2.5</td><td colspan="2"> ¹⁷₅ TWIN MODE RETRACT SELECTED +07S01 =101.M/5.3</td><td colspan="2"> ¹⁷₅ WHEEL BRAKE TEST SELECTED +07S01 =101.M/8.3</td><td colspan="4"></td></tr><tr><td colspan="2"> ¹⁸₆ UP/FORWARD REQUEST +07S01 =101.M/3.1</td><td colspan="2"> ¹⁸₆ TWIN MODE EXTEND SELECTED +07S01 =101.M/5.4</td><td colspan="2"> ¹⁸₆ BRAKE TEST START REQUEST +07S01 =101.M/8.4</td><td colspan="4"></td></tr><tr><td colspan="2"> ¹⁹₇ DOWN/BACKWARD REQUEST +07S01 =101.M/3.2</td><td colspan="2"> ¹⁹₇</td><td colspan="2"> ¹⁹₇ =101.M/8.5</td><td colspan="4"></td></tr><tr><td colspan="2">24VDC Digital Input 6ES7321-1BH02-0AA0</td><td colspan="2">24VDC Digital Input 6ES7321-1BH02-0AA0</td><td colspan="2">24VDC Digital Input 6ES7321-1BH02-0AA0</td><td colspan="4"></td></tr></table>										-KP2-3 /8.2		-KP2-4 /8.2		-KP2-5 /8.3						SIEMENS		SIEMENS		SIEMENS						 ² ₀ CONTROL ON REQUEST +07S01 =101.M/1.1		 ² ₀ MOTION TROLLEY SELECTED +07S01 =101.M/3.3		 ² ₀ SPARE REQUEST +07S01 =101.M/6.1						 ³ ₁ CONTROL OFF REQUEST +07S01 =101.M/1.2		 ³ ₁ MOTION HOIST SELECTED +07S01 =101.M/3.3		 ³ ₁ SPREADER 40 FT REQUEST +07S01 =101.M/6.2						 ⁴ ₂ FAULT RESET REQUEST +07S01 =101.M/1.3		 ⁴ ₂ LAMP TEST REQUEST +07S01 =101.M/3.4		 ⁴ ₂ SPREADER 45 FT REQUEST +07S01 =101.M/6.3						 ⁵ ₃ SILENCE REQUEST +07S01 =101.M/1.3		 ⁵ ₃ SPARE SELECTED +07S01 =101.M/3.5		 ⁵ ₃ SPREADER BYPASS ON SELECTED +07S01 =101.M/6.3						 ⁶ ₄		 ⁶ ₄ BOOM MOTION ON SELECTED +07S01 =101.M/4.1		 ⁶ ₄ ALL FLIPPERS UP SELECTED +07S01 =101.M/7.1						 ⁷ ₅		 ⁷ ₅ BOOM UP REQUEST +07S01 =101.M/4.2		 ⁷ ₅ ALL FLIPPERS DOWN SELECTED +07S01 =101.M/7.2						 ⁸ ₆		 ⁸ ₆ BOOM DOWN REQUEST +07S01 =101.M/4.3		 ⁸ ₆ TWISTLOCK UNLOCKED +07S01 =101.M/7.3						 ⁹ ₇		 ⁹ ₇ BOOM STOP REQUEST +07S01 =101.M/4.3		 ⁹ ₇ TWISTLOCK LOCKED +07S01 =101.M/7.3																 ¹² ₀ GENERAL BYPASS ON SELECTED +07S01 =101.M/2.1		 ¹² ₀ COLLISION BYPASS ON SELECTED +07S01 =101.M/4.4		 ¹² ₀ OVERLOAD RESET REQUEST +07S01 =101.M/7.4						 ¹³ ₁ WHEEL BRAKE SET REQUEST +07S01 =101.M/2.2		 ¹³ ₁ SPREADER PUMP OFF REQUEST +07S01 =101.M/4.5		 ¹³ ₁ SPARE SELECTED +07S01 =101.M/7.5						 ¹⁴ ₂ WHEEL BRAKE RELEASE REQUEST +07S01 =101.M/2.3		 ¹⁴ ₂ SPREADER PUMP ON REQUEST +07S01 =101.M/5.1		 ¹⁴ ₂ BRAKE TEST GROUP 1 SELECTED +07S01 =101.M/8.1						 ¹⁵ ₃ GANTRY TRAVEL LEFT REQUEST +07S01 =101.M/2.3		 ¹⁵ ₃ SPREADER 20 FT REQUEST +07S01 =101.M/5.2		 ¹⁵ ₃ BRAKE TEST GROUP 2 SELECTED +07S01 =101.M/8.2						 ¹⁶ ₄ GANTRY TRAVEL RIGHT REQUEST +07S01 =101.M/2.4		 ¹⁶ ₄ SPREADER MODE TWIN SELECTED +07S01 =101.M/5.3		 ¹⁶ ₄ BRAKE TEST GROUP 3 SELECTED +07S01 =101.M/8.3						 ¹⁷ ₅ GANTRY SPEED FAST SELECTED +07S01 =101.M/2.5		 ¹⁷ ₅ TWIN MODE RETRACT SELECTED +07S01 =101.M/5.3		 ¹⁷ ₅ WHEEL BRAKE TEST SELECTED +07S01 =101.M/8.3						 ¹⁸ ₆ UP/FORWARD REQUEST +07S01 =101.M/3.1		 ¹⁸ ₆ TWIN MODE EXTEND SELECTED +07S01 =101.M/5.4		 ¹⁸ ₆ BRAKE TEST START REQUEST +07S01 =101.M/8.4						 ¹⁹ ₇ DOWN/BACKWARD REQUEST +07S01 =101.M/3.2		 ¹⁹ ₇		 ¹⁹ ₇ =101.M/8.5						24VDC Digital Input 6ES7321-1BH02-0AA0		24VDC Digital Input 6ES7321-1BH02-0AA0		24VDC Digital Input 6ES7321-1BH02-0AA0					
-KP2-3 /8.2		-KP2-4 /8.2		-KP2-5 /8.3																																																																																																																																																																																																													
SIEMENS		SIEMENS		SIEMENS																																																																																																																																																																																																													
 ² ₀ CONTROL ON REQUEST +07S01 =101.M/1.1		 ² ₀ MOTION TROLLEY SELECTED +07S01 =101.M/3.3		 ² ₀ SPARE REQUEST +07S01 =101.M/6.1																																																																																																																																																																																																													
 ³ ₁ CONTROL OFF REQUEST +07S01 =101.M/1.2		 ³ ₁ MOTION HOIST SELECTED +07S01 =101.M/3.3		 ³ ₁ SPREADER 40 FT REQUEST +07S01 =101.M/6.2																																																																																																																																																																																																													
 ⁴ ₂ FAULT RESET REQUEST +07S01 =101.M/1.3		 ⁴ ₂ LAMP TEST REQUEST +07S01 =101.M/3.4		 ⁴ ₂ SPREADER 45 FT REQUEST +07S01 =101.M/6.3																																																																																																																																																																																																													
 ⁵ ₃ SILENCE REQUEST +07S01 =101.M/1.3		 ⁵ ₃ SPARE SELECTED +07S01 =101.M/3.5		 ⁵ ₃ SPREADER BYPASS ON SELECTED +07S01 =101.M/6.3																																																																																																																																																																																																													
 ⁶ ₄		 ⁶ ₄ BOOM MOTION ON SELECTED +07S01 =101.M/4.1		 ⁶ ₄ ALL FLIPPERS UP SELECTED +07S01 =101.M/7.1																																																																																																																																																																																																													
 ⁷ ₅		 ⁷ ₅ BOOM UP REQUEST +07S01 =101.M/4.2		 ⁷ ₅ ALL FLIPPERS DOWN SELECTED +07S01 =101.M/7.2																																																																																																																																																																																																													
 ⁸ ₆		 ⁸ ₆ BOOM DOWN REQUEST +07S01 =101.M/4.3		 ⁸ ₆ TWISTLOCK UNLOCKED +07S01 =101.M/7.3																																																																																																																																																																																																													
 ⁹ ₇		 ⁹ ₇ BOOM STOP REQUEST +07S01 =101.M/4.3		 ⁹ ₇ TWISTLOCK LOCKED +07S01 =101.M/7.3																																																																																																																																																																																																													
 ¹² ₀ GENERAL BYPASS ON SELECTED +07S01 =101.M/2.1		 ¹² ₀ COLLISION BYPASS ON SELECTED +07S01 =101.M/4.4		 ¹² ₀ OVERLOAD RESET REQUEST +07S01 =101.M/7.4																																																																																																																																																																																																													
 ¹³ ₁ WHEEL BRAKE SET REQUEST +07S01 =101.M/2.2		 ¹³ ₁ SPREADER PUMP OFF REQUEST +07S01 =101.M/4.5		 ¹³ ₁ SPARE SELECTED +07S01 =101.M/7.5																																																																																																																																																																																																													
 ¹⁴ ₂ WHEEL BRAKE RELEASE REQUEST +07S01 =101.M/2.3		 ¹⁴ ₂ SPREADER PUMP ON REQUEST +07S01 =101.M/5.1		 ¹⁴ ₂ BRAKE TEST GROUP 1 SELECTED +07S01 =101.M/8.1																																																																																																																																																																																																													
 ¹⁵ ₃ GANTRY TRAVEL LEFT REQUEST +07S01 =101.M/2.3		 ¹⁵ ₃ SPREADER 20 FT REQUEST +07S01 =101.M/5.2		 ¹⁵ ₃ BRAKE TEST GROUP 2 SELECTED +07S01 =101.M/8.2																																																																																																																																																																																																													
 ¹⁶ ₄ GANTRY TRAVEL RIGHT REQUEST +07S01 =101.M/2.4		 ¹⁶ ₄ SPREADER MODE TWIN SELECTED +07S01 =101.M/5.3		 ¹⁶ ₄ BRAKE TEST GROUP 3 SELECTED +07S01 =101.M/8.3																																																																																																																																																																																																													
 ¹⁷ ₅ GANTRY SPEED FAST SELECTED +07S01 =101.M/2.5		 ¹⁷ ₅ TWIN MODE RETRACT SELECTED +07S01 =101.M/5.3		 ¹⁷ ₅ WHEEL BRAKE TEST SELECTED +07S01 =101.M/8.3																																																																																																																																																																																																													
 ¹⁸ ₆ UP/FORWARD REQUEST +07S01 =101.M/3.1		 ¹⁸ ₆ TWIN MODE EXTEND SELECTED +07S01 =101.M/5.4		 ¹⁸ ₆ BRAKE TEST START REQUEST +07S01 =101.M/8.4																																																																																																																																																																																																													
 ¹⁹ ₇ DOWN/BACKWARD REQUEST +07S01 =101.M/3.2		 ¹⁹ ₇		 ¹⁹ ₇ =101.M/8.5																																																																																																																																																																																																													
24VDC Digital Input 6ES7321-1BH02-0AA0		24VDC Digital Input 6ES7321-1BH02-0AA0		24VDC Digital Input 6ES7321-1BH02-0AA0																																																																																																																																																																																																													
8	10																																																																																																																																																																																																																
			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS		Page description: I/O SLAVE GANTRY WATERSIDE CONTROL STATION	Resp dep. : EZ Design	Plant Function:=926.M	Page Number: 9																																																																																																																																																																																																							
			Designer	Di Ke				Drawing.NR: 1002000544																																																																																																																																																																																																									
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +07S01	Total Page: 753																																																																																																																																																																																																							
Rev.Ind	Language	EN	Check	Zijiang Ge																																																																																																																																																																																																													

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.


0	1	2	3	4	5	6	7	8	9																																								
<table><tr><td>-KP2-7 /8.4</td><td>-KP2-8 /8.5</td></tr><tr><td>SIEMENS</td><td>SIEMENS</td></tr><tr><td> 2 0 CONTROL ON INDICATION +07S01 =101.M/1.7 Q430.0 </td><td> 2 0 OVERLOAD RESET INDICATION +070S1 =101.M/7.8 Q432.0 </td></tr><tr><td> 3 1 FAULT RESET INDICATION +07S01 =101.M/1.8 Q430.1 </td><td> 3 1 HIGH WIND WARNING INDICATION +07S01 =101.M/11.3 Q432.1 </td></tr><tr><td> 4 2 WHEEL BRAKE SET INDICATION +070S1 =101.M/2.7 Q430.2 </td><td> 4 2 HIGH WIND ALARM INDICATION +07S01 =101.M/11.4 Q432.2 </td></tr><tr><td> 5 3 WHEEL BRAKE RELEASE INDICATION +070S1 =101.M/2.8 Q430.3 </td><td> 5 3 AUDIO ALARM BUZZER ON +07S01 =101.M/11.5 Q432.3 </td></tr><tr><td> 6 4 ANCHOR READY INDICATION +07S01 =101.M/2.8 Q430.4 </td><td> 6 4 BRAKE TEST ENABLE INDICATION +07S01 =101.M/11.5 Q432.4 </td></tr><tr><td> 7 5 TROLLEY PARKED INDICATION +07S01 =101.M/3.8 Q430.5 </td><td> 7 5 BRAKE TEST START INDICATION +07S01 =101.M/11.6 Q432.5 </td></tr><tr><td> 8 6 BOOM UP INDICATION +07S01 =101.M/4.7 Q430.6 </td><td> 8 6 BRAKE TEST COMPLETE INDICATION +07S01 =101.M/11.7 Q432.6 </td></tr><tr><td> 9 7 BOOM DOWN INDICATION +07S01 =101.M/4.8 Q430.7 </td><td> 9 7 =101.M/11.8 Q432.7 </td></tr><tr><td></td><td></td></tr><tr><td> 12 0 BOOM LEVEL INDICATION +07S01 =101.M/5.6 Q431.0 </td><td> 12 0 Q433.0 </td></tr><tr><td> 13 1 SPREADER PUMP ON INDICATION +07S01 =101.M/5.7 Q431.1 </td><td> 13 1 Q433.1 </td></tr><tr><td> 14 2 SPREADER 20 FT INDICATION +07S01 =101.M/5.8 Q431.2 </td><td> 14 2 Q433.2 </td></tr><tr><td> 15 3 SPARE INDICATION +07S01 =101.M/6.6 Q431.3 </td><td> 15 3 Q433.3 </td></tr><tr><td> 16 4 SPREADER 40 FT INDICATION +07S01 =101.M/6.7 Q431.4 </td><td> 16 4 Q433.4 </td></tr><tr><td> 17 5 SPREADER 45 FT INDICATION +07S01 =101.M/6.8 Q431.5 </td><td> 17 5 Q433.5 </td></tr><tr><td> 18 6 TWISTLOCK UNLOCKED INDICATION +07S01 =101.M/7.7 Q431.6 </td><td> 18 6 Q433.6 </td></tr><tr><td> 19 7 TWISTLOCK LOCKED INDICATION +070S1 =101.M/7.8 Q431.7 </td><td> 19 7 Q433.7 </td></tr><tr><td>120V/230VAC RELAY Digital Output 6ES7322-1HH01-0AA0</td><td>120V/230VAC RELAY Digital Output 6ES7322-1HH01-0AA0</td></tr></table>										-KP2-7 /8.4	-KP2-8 /8.5	SIEMENS	SIEMENS	2 0 CONTROL ON INDICATION +07S01 =101.M/1.7 Q430.0	2 0 OVERLOAD RESET INDICATION +070S1 =101.M/7.8 Q432.0	3 1 FAULT RESET INDICATION +07S01 =101.M/1.8 Q430.1	3 1 HIGH WIND WARNING INDICATION +07S01 =101.M/11.3 Q432.1	4 2 WHEEL BRAKE SET INDICATION +070S1 =101.M/2.7 Q430.2	4 2 HIGH WIND ALARM INDICATION +07S01 =101.M/11.4 Q432.2	5 3 WHEEL BRAKE RELEASE INDICATION +070S1 =101.M/2.8 Q430.3	5 3 AUDIO ALARM BUZZER ON +07S01 =101.M/11.5 Q432.3	6 4 ANCHOR READY INDICATION +07S01 =101.M/2.8 Q430.4	6 4 BRAKE TEST ENABLE INDICATION +07S01 =101.M/11.5 Q432.4	7 5 TROLLEY PARKED INDICATION +07S01 =101.M/3.8 Q430.5	7 5 BRAKE TEST START INDICATION +07S01 =101.M/11.6 Q432.5	8 6 BOOM UP INDICATION +07S01 =101.M/4.7 Q430.6	8 6 BRAKE TEST COMPLETE INDICATION +07S01 =101.M/11.7 Q432.6	9 7 BOOM DOWN INDICATION +07S01 =101.M/4.8 Q430.7	9 7 =101.M/11.8 Q432.7			12 0 BOOM LEVEL INDICATION +07S01 =101.M/5.6 Q431.0	12 0 Q433.0	13 1 SPREADER PUMP ON INDICATION +07S01 =101.M/5.7 Q431.1	13 1 Q433.1	14 2 SPREADER 20 FT INDICATION +07S01 =101.M/5.8 Q431.2	14 2 Q433.2	15 3 SPARE INDICATION +07S01 =101.M/6.6 Q431.3	15 3 Q433.3	16 4 SPREADER 40 FT INDICATION +07S01 =101.M/6.7 Q431.4	16 4 Q433.4	17 5 SPREADER 45 FT INDICATION +07S01 =101.M/6.8 Q431.5	17 5 Q433.5	18 6 TWISTLOCK UNLOCKED INDICATION +07S01 =101.M/7.7 Q431.6	18 6 Q433.6	19 7 TWISTLOCK LOCKED INDICATION +070S1 =101.M/7.8 Q431.7	19 7 Q433.7	120V/230VAC RELAY Digital Output 6ES7322-1HH01-0AA0	120V/230VAC RELAY Digital Output 6ES7322-1HH01-0AA0
-KP2-7 /8.4	-KP2-8 /8.5																																																
SIEMENS	SIEMENS																																																
2 0 CONTROL ON INDICATION +07S01 =101.M/1.7 Q430.0	2 0 OVERLOAD RESET INDICATION +070S1 =101.M/7.8 Q432.0																																																
3 1 FAULT RESET INDICATION +07S01 =101.M/1.8 Q430.1	3 1 HIGH WIND WARNING INDICATION +07S01 =101.M/11.3 Q432.1																																																
4 2 WHEEL BRAKE SET INDICATION +070S1 =101.M/2.7 Q430.2	4 2 HIGH WIND ALARM INDICATION +07S01 =101.M/11.4 Q432.2																																																
5 3 WHEEL BRAKE RELEASE INDICATION +070S1 =101.M/2.8 Q430.3	5 3 AUDIO ALARM BUZZER ON +07S01 =101.M/11.5 Q432.3																																																
6 4 ANCHOR READY INDICATION +07S01 =101.M/2.8 Q430.4	6 4 BRAKE TEST ENABLE INDICATION +07S01 =101.M/11.5 Q432.4																																																
7 5 TROLLEY PARKED INDICATION +07S01 =101.M/3.8 Q430.5	7 5 BRAKE TEST START INDICATION +07S01 =101.M/11.6 Q432.5																																																
8 6 BOOM UP INDICATION +07S01 =101.M/4.7 Q430.6	8 6 BRAKE TEST COMPLETE INDICATION +07S01 =101.M/11.7 Q432.6																																																
9 7 BOOM DOWN INDICATION +07S01 =101.M/4.8 Q430.7	9 7 =101.M/11.8 Q432.7																																																
12 0 BOOM LEVEL INDICATION +07S01 =101.M/5.6 Q431.0	12 0 Q433.0																																																
13 1 SPREADER PUMP ON INDICATION +07S01 =101.M/5.7 Q431.1	13 1 Q433.1																																																
14 2 SPREADER 20 FT INDICATION +07S01 =101.M/5.8 Q431.2	14 2 Q433.2																																																
15 3 SPARE INDICATION +07S01 =101.M/6.6 Q431.3	15 3 Q433.3																																																
16 4 SPREADER 40 FT INDICATION +07S01 =101.M/6.7 Q431.4	16 4 Q433.4																																																
17 5 SPREADER 45 FT INDICATION +07S01 =101.M/6.8 Q431.5	17 5 Q433.5																																																
18 6 TWISTLOCK UNLOCKED INDICATION +07S01 =101.M/7.7 Q431.6	18 6 Q433.6																																																
19 7 TWISTLOCK LOCKED INDICATION +070S1 =101.M/7.8 Q431.7	19 7 Q433.7																																																
120V/230VAC RELAY Digital Output 6ES7322-1HH01-0AA0	120V/230VAC RELAY Digital Output 6ES7322-1HH01-0AA0																																																
9																																																	
			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS		振华电气集团 ZPMC ELECTRIC GROUP	Page description:		Resp dep. : EZ Design		Plant Function:=926.M	Page Number: 10																																				
			Designer	Di Ke				I/O SLAVE GANTRY WATERSIDE CONTROL STATION		Drawing.NR: 1002000544																																							
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire					DQ1002000544-YL001A-EN		Object Loc.: +07S01	Total Page: 753																																				
Rev.Ind	Language	EN	Check	Zijiang Ge																																													

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
Rev.Ind	Language	EN	Check	Zijiang Ge	





We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.

0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---


-KP1-7
/3.5

-KP1-8
/3.5

SIEMENS	SIEMENS
 ² ₀ CONTROL ON INDICATION +14S01 =102.M/1.5 Q470.0	 ² ₀ CONTROL ON INDICATION +14S01 =108.M/1.5 Q472.0
 ³ ₁ FAULT RESET INDICATION +14S01 =102.M/1.6 Q470.1	 ³ ₁ FAULT RESET INDICATION +14S01 =108.M/1.6 Q472.1
 ⁴ ₂ BOOM READY INDICATION +14S01 =102.M/1.7 Q470.2	 ⁴ ₂ BOOM READY INDICATION +14S01 =108.M/1.7 Q472.2
 ⁵ ₃ AUDIO ALARM BUZZER ON +14S01 =102.M/1.8 Q470.3	 ⁵ ₃ BOOM UP STOP INDICATION +14S01 =108.M/1.8 Q472.3
 ⁶ ₄ BOOM UP INDICATION +14S01 =102.M/2.5 Q470.4	 ⁶ ₄ BOOM UP INDICATION +03S01 =108.M/2.5 Q472.4
 ⁷ ₅ BOOM PIN OUT INDICATION +14S01 =102.M/2.6 Q470.5	 ⁷ ₅ BOOM DOWN INDICATION +03S01 =108.M/2.6 Q472.5
 ⁸ ₆ BOOM PIN IN INDICATION +14S01 =102.M/2.7 Q470.6	 ⁸ ₆ BOOM LEVEL INDICATION +03S01 =108.M/2.7 Q472.6
 ⁹ ₇ BOOM DOWN INDICATION +14S01 =102.M/2.8 Q470.7	 ⁹ ₇ =108.M/2.8 Q472.7
 ¹² ₀ BOOM UP STOP INDICATION +14S01 =102.M/3.5 Q471.0	 ¹² ₀ Q473.0
 ¹³ ₁ TROLLEY PARKED INDICATION +14S01 =102.M/3.6 Q471.1	 ¹³ ₁ Q473.1
 ¹⁴ ₂ BOOM LEVEL INDICATION +14S01 =102.M/3.7 Q471.2	 ¹⁴ ₂ Q473.2
 ¹⁵ ₃ =102.M/3.8 Q471.3	 ¹⁵ ₃ Q473.3
 ¹⁶ ₄ Q471.4	 ¹⁶ ₄ Q473.4
 ¹⁷ ₅ Q471.5	 ¹⁷ ₅ Q473.5
 ¹⁸ ₆ Q471.6	 ¹⁸ ₆ Q473.6
 ¹⁹ ₇ Q471.7	 ¹⁹ ₇ Q473.7
120V/230VAC RELAY Digital Output 6ES7322-1HH01-0AA0	120V/230VAC RELAY Digital Output 6ES7322-1HH01-0AA0

			Mod.Date	2020/9/29	Project: CIT Abidjan 6 STS	 振华电气集团 ZPMC ELECTRIC GROUP	Page description: I/O SLAVE BOOM CONTROL STATION	Resp dep. : EZ Design	Plant Function:=928.M	Page Number: 5		
			Designer	Di Ke				Drawing.NR: 1002000544				
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire			DQ1002000544-YL001A-EN	Object Loc.: +14S01	Total Page: 753		
Rev.Ind	Language	EN	Check	Zijiang Ge								

We reserve all rights in this document and in the information contained therein
Reproduction, use or disclosure to third parties without express authority is strictly forbidden
©ZPMC, Shanghai Zhenhua Heavy Industries Co.,Ltd.



5			Mod.Date	2020/11/23	Project: CIT Abidjan 6 STS
			Designer	Di Ke	
	Original	ZPMC	Review	Jianyue Zhang	Location: CIT Abidjan Côte d'Ivoire
	Rev.Ind	Language	Check	Zijiang Ge	



Page description:
SWITCH BOOM CONTROL STATION

Resp dep. : EZ Design
Drawing.NR: 1002000544
DQ1002000544-YL001A-EN

Plant Function:=928.M
Object Loc.: +14S01

Page Number: 21
Total Page: 753

