WI-QA-021 | Vendor and Incoming Material Data Review

Version 1.0 • DRAFT • Example workflow, not a release authorization

TRAINING EXAMPLE ONLY — Fictional organization, synthetic records, and invented personnel. Not a validated procedure, production instruction, executed approval, or assertion of regulatory compliance.

Document metadata

Field	Entry
Process	Material master-data and incoming-material document QC
Owner	QA Operations / Supplier Quality (fictional)
Reviewers	QC, Procurement, Receiving, Manufacturing
Systems used in simulation	Synthetic vendor master register, receiving log, material status tracker
Data classification	Synthetic only; no customer, patient, or real vendor data
Status	DRAFT, no approvals or effective date

1. Purpose and scope

Provide a role-based workflow for verifying vendor identity, material identification, incoming documentation, changed specifications, and alignment of purchasing/receiving data with controlled approved supplier information. The sample illustrates quality-data integrity and cross-functional resolution; it does not define pharmaceutical release specifications or approve materials for use.

2. Input source records

- Approved supplier list / vendor master with status and permitted sites.
- Purchase order, packing slip, delivery/receipt record, material ID, lot number, quantity and revision where applicable.
- Controlled material specification, certificate of analysis or other required supplier document according to material risk.
- Pending material-change request, proposed substitute or discontinued-product notification.
- Warehouse material status and ERP transaction record; QC sample/test references if required.

3. Responsibilities

Team	Responsibilities
Procurement	Confirms requested vendor, sourcing/approved vendor status and proposed substitute/product changes.
Receiving / Warehouse	Records physical arrival, lot, quantities, packing-slip details and hold/release status.
QA / Supplier Quality	Confirms vendor identity against controlled records; checks required evidence and change approval; issues exceptions and ensures appropriate disposition.
QC	Reviews laboratory test requirements, supplier lab reports and analytical discrepancies when relevant.
Manufacturing	Confirms intended use and approved operational specifications for affected material.
Master Data / IT	Investigates source-to-ERP inconsistencies and preserves change history.

4. Procedure: receiving-data quality check

1. Locate active approved supplier identity and permitted material/site scope; do not infer approval from vendor name similarity.
2. Compare receiving slip, PO and material master: vendor legal name/ID, material code, description, lot, order number, quantity, unit and current specification revision.
3. Confirm required supplier documentation is present and legible. Flag missing pages, incorrect lot association, outdated form or inconsistent document version.
4. Compare incoming specifications and requested substitution/replacement to the controlled approved specifications; route proposed changes through material change control before unrestricted use.
5. Record discrepancies with unique issue ID, source record, field, observed value, expected value, owner, required follow-up and status.
6. Route vendor/commercial fields to Procurement, test/result matters to QC, intended-use impacts to Manufacturing, and quality/disposition decisions to authorized QA.
7. Recheck corrected source documentation and system values. Maintain links to approvals, record closure evidence, and preserve original record/change history.
8. Only authorized role changes the material disposition/status in the validated business system; this sample does not authorize QA release.

5. Decision matrix

Finding	Likely handoff	Sample treatment
Vendor record not on approved list	Supplier Quality + Procurement	Hold for approval verification; log discrepancy
Lot number mismatch between CoA and receipt	QC + Receiving + QA	Investigate lot identity before use
Replacement product has different specifications	Process owner + QC + QA + Procurement	Initiate change/impact assessment
Quantity mismatch but correct material/lot	Receiving + Procurement	Reconcile source and ERP transaction
No test required under approved material plan	QA + QC	Document approved rationale; do not invent tests
System entry disagrees with controlled source	Master Data / IT + QA	Verify correction, preserve history and retest

6. Synthetic worked example: exception EX-2026-018

Field	Source / observed	Approved / expected
Vendor ID	VND-041 in receipt	VND-014 in approved supplier register
Material code	RM-0078	RM-0078
Supplier name	Northstar Materials Co.	Northstar Materials Co.
Lot	LOT-26-110A	LOT-26-110A
Specification revision	Rev C received	Rev D effective in approved register
Material status	QUALITY HOLD	Remains HOLD pending authorized disposition

Scenario: Receiving enters RM-0078 and QA notices transposed vendor ID and a supplier document citing Rev C while approved specification register lists Rev D. QA opens EX-2026-018, asks Procurement to confirm vendor identity and QC/Process Owner to assess specification differences. No data are overwritten without traceable correction. Example status remains OPEN; release is not presumed.

7. Supporting records and traceability

- Receiving log and purchase order

- Approved supplier and material master snapshots with timestamps
- Supplier file and QC review references
- Change request / specification comparison
- Exception log with owner, ageing and evidence links
- Authorized material disposition, if later granted

8. Metrics and checks

- First-pass completeness = receipts with all required documentation / receipts reviewed.
- Exception ageing = calendar days from recorded issue open until verified closure (show open items separately).
- Source-to-system accuracy = verified matching required fields / all required fields examined.
- Change request turnaround is measured from complete submission to authorized decision; exclude pending cases from completed-cycle averages.

9. Limits of use

This is an independent writing sample. The fictional company, fields, and acceptance steps are illustrative; no real manufacturing QC testing, lab-normal-range management, sponsor EDC, product disposition or regulatory approval is represented.

REGULATORY / TECHNICAL REVIEW ADDENDUM — November 2026

Independent technical writing portfolio enhancement. Additional validation gates and examples are illustrative, not authorized production instructions. Regulated applicability varies by product, process, record and organization.

Decision gate: receipt versus release

Receiving enters the shipment but keeps the lot under a status that prevents use pending approved checks. Data matching alone never releases a regulated component. For finished-drug CGMP contexts, 21 CFR 211.84(a) requires components to be withheld from use until appropriately sampled, tested or examined and released by the quality control unit; the actual sampling plan and tests are governed by applicable procedures.

The quality unit has authority for approval or rejection under 21 CFR 211.22. Procurement may correct a supplier address or PO detail, but cannot authorize use of quarantined material. Manufacturing may confirm intended use but cannot override quality disposition.

Detailed field-level inspection instructions

For each receipt, capture receipt ID, supplier legal entity, supplier approval ID and status, supplier manufacturing site if relevant, purchase order, material ID, current specification revision, supplier lot number, manufacturer lot when distinct, quantity/unit, expiry or retest status, received condition and certificate reference.

Compare each field independently across the physical label, receipt, approved supplier file, PO, controlled specification, ERP and QC record. Mark PASS only when a matching source supports the system value. Record NOT APPLICABLE with reason for fields that are legitimately absent, and record EXCEPTION when records conflict. Never infer a missing lot or manufacture site from a similar historical record.

For certificate data, check document authenticity and lot linkage; refer technical tests, limits and certificate acceptability to QC. Supplier certificates do not universally substitute for required identity tests. Document the current approved specification before evaluating a proposed new/replacement/discontinued material.

Worked exception: full disposition trace

EX-2026-018 opened: approved supplier SUP-0042 is linked to material RM-0078, while the packing slip names supplier SUP-0024. The supplier CoA cites specification revision C, but the approved register shows D. Set issue severity as pending quality assessment; do not call the lot approved and do not overwrite the historical value.

Procurement confirms whether the order originated from an approved legal entity; QA assesses whether supplier identity change triggers change control; QC determines whether the certificate and tests remain acceptable; Manufacturing reviews implications for scheduled use. Each owner writes a dated evidence reference and conclusion.

Decision outcomes: (A) source mismatch corrected with preserved audit trail and QA-accepted evidence; (B) supplier/material change requires formal review before use; or (C) material remains rejected/on hold. The sample case does not assert final release.

Good documentation and objective metrics

Record date/time of intake, reviewer identity, source filename and revision, observed discrepancy, exact value pair, assigned owner, due date, evidence of response and closure decision. Separate time-to-investigate from time-to-authorize release.

Illustrative process metrics: first-pass document completeness, mean exception age, number of supplier identity mismatches and percentage of receipts requiring change-control review. Do not label fictional results as production performance.

Document-specific reference basis and status

FDA 21 CFR 211.22 — quality unit authority (full URL in portfolio review report)

FDA 21 CFR 211.84 — component sampling/testing/release (full URL in portfolio review report)

FDA 21 CFR Part 11 — electronic records and e-signatures (full URL in portfolio review report)

FDA Part 11 scope and application guidance (full URL in portfolio review report)

FDA Data Integrity and Compliance With Drug CGMP (2018) (full URL in portfolio review report)

ICH Q9(R1) Quality Risk Management (2023) (full URL in portfolio review report)

ICH Q10 Pharmaceutical Quality System (full URL in portfolio review report)

ICH Q8/Q9/Q10 Q&A R5 (May 2026) (full URL in portfolio review report)

Status: technical/editorial review against publicly available references completed at a portfolio-example level; no licensed-standard full-text conformance audit, live environment testing, site QA approval or legal certification performed.

Appendix: November 2026 standards and documentation applicability review

PUBLIC SYNTHETIC PORTFOLIO SAMPLE — This appendix records source-checking and editorial scope boundaries. It does not make the fictional organization regulated, certify a system, or replace actual company policies and competent quality/legal review.

Pharmaceutical regulatory scope and data-integrity editorial verification

- 21 CFR 211.22: fictional QA unit responsibility is distinct from QC testing and procurement approval; incoming component disposition must not be inferred from data-field reconciliation alone.
- 21 CFR 211.84: describe quarantine, identity testing and QC release expectations only to the extent that the hypothetical material falls under the rule; signed review of a supplier certificate is not automatic approval.
- 21 CFR 211.180/211.192 and FDA data-integrity guidance: reconcile original records, trace corrections, record investigations, preserve legibility and demonstrate review of unexplained discrepancies.
- 21 CFR Part 11: evaluate record and electronic-signature predicate-rule scope; do not claim that every spreadsheet or SOP falls under Part 11.
- ICH Q9(R1)/Q10 and FDA May 2026 Q8/Q9/Q10 Q&A: risk-based investigation, change control, oversight, effectiveness checks and management review are guidance/model concepts, not blanket product approvals.
- 2026 FDA QMSR/21 CFR 820 and February 2026 Computer Software Assurance: relevant to in-scope medical-device workflows; not universally required for this hypothetical drug-component process.
- Document design check: explicit document ID/version/status, role-based responsibilities, objective acceptance criteria, accurate dates, no invented e-signatures or final QA approvals, and clear synthetic label.

Reference links and recheck notes

https://www.ecfr.gov/current/title-21/chapter-I/subchapter-C/part-211

https://www.ecfr.gov/current/title-21/chapter-I/subchapter-A/part-11

https://www.fda.gov/regulatory-information/search-fda-guidance-documents/data-integrity-and-compliance-drug-cgmp-questions-and-answers-guidance-industry

https://www.fda.gov/medical-devices/postmarket-requirements-devices/quality-management-system-regulation-qmsr

Verified against published authoritative source pages as of November 2, 2026. No proprietary standards were audited clause-by-clause. Actual application must be assessed based on product, system use, region, and record type. Proposed procedures have not been executed in a production environment.

Independent second-pass document review | November 2, 2026

REVIEWED PORTFOLIO DEMONSTRATION — this appendix records a document-specific editorial and source-scope check. The main procedure and forms are fictional and not approved for production, executed testing or regulated use. Original source versions are retained as editable files in this portfolio.

A. Document-specific findings and checks

Review objective	2026 reviewer correction / expectation	Verification evidence
Supplier verification	Match vendor approved status, receiving slip, PO, material description, revision, lot, CoA and expected receipt; log each mismatch and reviewer.	A match is a QA documentation check only; not permission to consume or issue a lot.
Quality-unit disposition	Maintain quarantine/withhold pending required sampling, QC examination/testing and authorized release when 211.84 is applicable.	Test case: matching paper but missing identity-test evidence stays HOLD.
Material change	Classify replacement/discontinued/new materials by impact and trigger written procurement, QC, manufacturing and QA review before purchase/use.	Record revision, new/spec identity, risk and traceable approval; do not authorize process change via informal chat.

B. Applicable regulatory / guidance boundaries

Review objective	2026 reviewer correction / expectation	Verification evidence
Drug CGMP / Quality unit	21 CFR 211.22, 211.80, 211.84, 211.100, 211.160 as relevant	Mandatory only when the fictional activities actually fall within covered finished-drug operations; paperwork precheck is not QC material disposition.
Records integrity / electronic signature	21 CFR 211.180, 211.188, 211.194; Part 11 conditional	Trace data to author, time, source and approved version; do not assume that every spreadsheet is a Part 11 record.
Risk and change	ICH Q9(R1), ICH Q10; FDA 2018 final data integrity guidance	Nonbinding guidance/system model as adopted or implemented; distinguish a risk-based recommendation from regulation.

C. Evidence and sign-off boundaries

Status: Editorial second-pass reviewed; technical procedure not executed; company-specific SOP approval not obtained.

All tests, screenshots, users, suppliers, dates, IDs, incident observations, performance metrics and signatures in the demonstration are synthetic.

Next practitioner action: confirm source applicability for the actual jurisdiction and product; conduct SME/user testing and accessibility review; update controlled revision and approval fields.

No color, watermark, revision number, PDF export or reference link by itself demonstrates regulatory compliance.

D. Authoritative primary-source references

FDA drug CGMP 21 CFR Part 211: https://www.ecfr.gov/current/title-21/chapter-I/subchapter-C/part-211

FDA 21 CFR Part 11 scope: https://www.fda.gov/regulatory-information/search-fda-guidance-documents/part-11-electronic-records-electronic-signatures-scope-and-application

FDA drug CGMP final data integrity: https://www.fda.gov/regulatory-information/search-fda-guidance-documents/data-integrity-and-compliance-drug-cgmp-questions-and-answers

ICH Q9(R1)/Q10: https://admin.ich.org/page/quality-guidelines

FDA device QMSR Feb 2026: https://www.fda.gov/medical-devices/postmarket-requirements-devices/quality-management-system-regulation-qmsr