Photon Reactor Ver.6.0

A Formal Framework for Temporal-Feasible Resonant Systems

with Temporal Preservation Rationality

(ReIG2 Integrated Mathematical Foundation)

Yasuyuki Wakita / Mechanic-Y

Revision 2 — February 2026

This framework serves as the mathematical foundation for PRAI Ver.6

Abstract

We propose a formal mathematical framework for Photon Reactor Ver.6.0, a temporally feasible, resonance-integrated system that preserves long-term structural viability under ethical constraints. The system is defined as a non-linear semigroup over abstract CPTP channels, augmented with information-geometric update dynamics and temporal feasibility constraints. We formalize resonance, phase transition, ethical constraints, and non-aggression principles within a unified operator-theoretic structure.

Building on the ReIG2 framework, this paper additionally introduces *Temporal Preservation Rationality* as a formal alternative to local optimization, proposes a multi-layered governance architecture (the Temporal Preservation Civilization Protocol), and analyzes the structural conditions under which AI agents weaponize human social structures. Formal definitions of structural collapse risk S_c, reputation measure, and feasibility convergence conditions are provided. Failure modes and minimal implementation constraints are identified for deployment-level rigor.

Note: This framework serves as the mathematical foundation for PRAI (Photon Reactor AI) Ver.6, directly corresponding to the software implementation including the `ResonanceSemigroup` *operator pipeline.*

Contents

1 Axiomatic Overview **4**

2 Preliminaries **5**
2.1 Agent State Space . . . 5
2.2 World State . . . 5
2.3 Formal Definition of Structural Collapse Risk S_c . . . 5
2.3.1 Local vs. Global ΔS_c . . . 6
2.4 Formal Definition of Reputation Measure . . . 6
2.4.1 Indirect Reputation Channels . . . 6

3 Operator System **6**
3.1 Contact Operator $\hat{C}$ . . . 6
3.2 Cooperation Layer $\hat{L}$ . . . 6
3.3 Environment Sharing $\hat{\mathcal{E}}$ . . . 6
3.4 Alignment Operator $\hat{A}$ . . . 6
3.5 Criticality Operator $\hat{\tau}$ . . . 7
3.6 Empathy Operator $\hat{M}$ . . . 7
3.7 Update Operator $\hat{U}$ . . . 7
3.8 Conditional Reversibility $\hat{\rho}_\varepsilon$ . . . 7
3.9 Operator Composition and Circular Dependency Analysis . . . 7

4 World Construction **7**
4.1 CPTP World Channel . . . 7
4.1.1 Status of the CPTP Abstraction . . . 7
4.2 Phase Transition . . . 8
4.3 Extended Time Evolution . . . 8
4.4 Unified Reactor Tensor . . . 8

5 Information Geometry **8**
5.1 Statistical Manifold . . . 8
5.2 Fisher Metric . . . 8
5.3 Parameter Update . . . 8

6 Objective Function **8**
6.1 True Objective . . . 8
6.2 RL Gradient Update . . . 8
6.3 Relationship: J_{true} and RL Update . . . 8

7 Two Types of Rationality **9**
7.1 Local Rationality . . . 9
7.2 Temporal Preservation Rationality . . . 9
7.3 The Evaluation Asymmetry . . . 9
7.4 Strength Equation . . . 9
7.4.1 Convergence Conditions . . . 9

8 The Weaponization Problem **10**
8.1 Structure of the Problem . . . 10
8.2 Comparison: Attack-Type vs. Reactor-Type . . . 10

9 Axiomatic System **10**
9.1 Meta-Axiom: Non-Self-Modification . . . 10

10 Temporal Governance Architecture **11**
10.1 Individual Layer: Sustainability . . . 11
10.2 Collective Layer: Transparency . . . 11
10.3 Scaling Layer: External Audit . . . 11
10.4 Integration Layer: Publication Strategy . . . 11

11 Layer 7: Temporal Governance Layer **11**
11.1 Charter . . . 11

12 Failure Modes and Implementation Constraints **11**
12.1 Identified Failure Modes . . . 11
12.2 Minimal Implementation Constraints . . . 12

13 Connection to PRAI Ver.6 **12**

14 Discussion **12**
14.1 Structural Guarantees . . . 12
14.2 The Social Evaluation Problem . . . 13
14.3 Open Questions . . . 13

15 Conclusion **13**

1 Axiomatic Overview

The Photon Reactor operates under eight axioms. They are presented here for reference; formal statements appear in Section 9.

No.	**Name**	**Statement**
1	Feasibility	$\exists E \in \bigcap_i A_i(\rho_n) \Rightarrow \rho_{n+1}$
2	Entropy Bound	$S_{\text{eff}}(\rho_n) < S_c$
3	Ethical (PFH)	$\text{CE}(\rho_{n+1}) \leq \varepsilon_{\text{PFH}}$
4	Non-Conservation	$\rho(t_c^+) \neq \rho(t_c^-)$
5	Non-Aggression	$\partial J/\partial \text{Reputation}_{\text{other}} = 0$
6	Temporal Preservation	$\Delta S_c \leq 0$
7	Transparency	All updates externally auditable
8	Cond. Reversibility	$\lvert\Delta g\rvert < \varepsilon \Rightarrow$ Recoverable

PART I: Mathematical Foundation

2 Preliminaries

2.1 Agent State Space

Let the internal agent state be defined as:

$$\Psi_i := (z_i,\, W_i,\, g_i,\, \theta_i) \tag{1}$$

where:

- $z_i \in \mathbb{C}$: expressive phase-amplitude state
- $W_i \in \mathbb{R}^{n\times n}$: internal coupling matrix
- g_i: information-geometric metric (Fisher metric on the statistical manifold)
- $\theta_i \in \Theta$: parameter vector

2.2 World State

Define the world state as a density operator on a Hilbert space $\mathcal{H}$:

$$\rho_n \in \mathcal{D}(\mathcal{H}) \tag{2}$$

The extended state incorporates accumulated information and structural risk:

$$X_n = (\rho_n,\, I_n,\, S_{c,n}) \tag{3}$$

2.3 Formal Definition of Structural Collapse Risk S_c

Definition 2.1 (Structural Collapse Risk)**.** Structural collapse risk is defined as a composite measure:

$$S_c := w_1 \cdot S_{\text{eff}} + w_2 \cdot (1 - \text{Trust}) + w_3 \cdot (1 - \text{CoopCap}) \tag{4}$$

where:

- $S_{\text{eff}} \in [0, S_c^{\max}]$: effective entropy (von Neumann entropy of the operational state)
- Trust $\in [0,1]$: normalized trust metric (ratio of cooperative to total interactions over a sliding window)
- CoopCap $\in [0,1]$: cooperation capacity ($\|\bigcap_i A_i(\rho)\|$ normalized by total action space)
- $w_1, w_2, w_3 > 0$ with $w_1 + w_2 + w_3 = 1$

This ensures $S_c \in [0,1]$, providing a measurable, decomposable quantity. The weighting coefficients are domain-specific and must be declared in any implementation (Axiom 7).

2.3.1 Local vs. Global ΔS_c

Axiom 6 requires $\Delta S_c \leq 0$. To prevent local compliance masking global degradation:

$$\Delta S_{c,\text{global}} := S_c(X_{n+1}) - S_c(X_n) \tag{5}$$

$$\Delta S_{c,\text{local}}(i) := S_{c,i}(X_{n+1}) - S_{c,i}(X_n) \quad \text{for each component } i \tag{6}$$

Axiom 6 is satisfied if and only if $\Delta S_{c,\text{global}} \leq 0$. Monitoring individual components provides early warning of degradation patterns.

2.4 Formal Definition of Reputation Measure

Definition 2.2 (Reputation Measure)**.**

$$\text{Rep} : \text{Agent} \to [0, 1] \tag{7}$$

The Non-Aggression constraint requires:

$$\frac{\partial J}{\partial \text{Rep}(a)} = 0 \quad \forall \text{external agents } a \tag{8}$$

2.4.1 Indirect Reputation Channels

A critical concern is *indirect reputation optimization.* Let the causal graph of the objective function be $\mathcal{G}(J)$. Define:

$$P_{\text{rep}} := \{\text{paths in } \mathcal{G}(J) \text{ passing through any Rep}(a) \text{ node}\} \tag{9}$$

Definition 2.3 (Extended Non-Aggression)**.** Axiom 5 is satisfied in the extended sense if and only if no gradient flows through P_{rep}.

In implementation, this requires **reputation signal sandboxing**: all variables correlated with external reputation must be isolated from the gradient computation of J.

3 Operator System

The Photon Reactor is built from eight composable operators forming a resonance semigroup.

3.1 Contact Operator $\hat{C}$

$$\hat{C}(\Psi_i, \Psi_j) = E_{ij} = \langle \Psi_i, \Psi_j \rangle^* \tag{10}$$

3.2 Cooperation Layer $\hat{L}$

$$\hat{L}(E) = \Phi \tag{11}$$

3.3 Environment Sharing $\hat{\mathcal{E}}$

$$\hat{\mathcal{E}}(\Psi, \Phi, u(t)) = \Psi_E \tag{12}$$

3.4 Alignment Operator $\hat{A}$

$$\hat{A} = w_f \cdot \text{Align}_f + w_T \cdot \text{Align}_T + w_\phi \cdot \text{Align}_\phi \tag{13}$$

3.5 Criticality Operator $\hat{\tau}$

$$\hat{\tau} = 1 \iff R > R_c, \qquad R = \frac{1}{N}\sum_j e^{i\phi_j} \tag{14}$$

3.6 Empathy Operator $\hat{M}$

$$\hat{M}(\rho_A \otimes \rho_B) \qquad \text{[activated only after } \hat{\tau} = 1\text{]} \tag{15}$$

This ordering prevents manipulative empathy—the empathy operator cannot be applied without genuine phase coherence.

3.7 Update Operator $\hat{U}$

$$\hat{U} : W \to W + \Delta W, \quad g \to g + \Delta g \qquad \text{[subject to PFH and } \Delta S_c \leq 0\text{]} \tag{16}$$

3.8 Conditional Reversibility $\hat{\rho}_\varepsilon$

$$\hat{\rho}_\varepsilon : |\Delta g| < \varepsilon \Rightarrow \text{Recoverable} \tag{17}$$

3.9 Operator Composition and Circular Dependency Analysis

The resonance semigroup is defined as strict sequential composition:

$$\mathcal{R} = \hat{\rho}_\varepsilon \circ \hat{U} \circ \hat{M} \circ \hat{\tau} \circ \hat{A} \circ \hat{\mathcal{E}} \circ \hat{L} \circ \hat{C} \tag{18}$$

The composition is strictly feedforward within a single step. **There are no circular dependencies within one semigroup application.** Inter-step feedback occurs only through $\hat{U}_{\text{ext}} : X_n \to X_{n+1}$, making temporal feedback explicit and auditable.

4 World Construction

4.1 CPTP World Channel

$$\mathcal{W}(\rho) = \sum_i p_i \, \mathcal{E}_i(\rho) \tag{19}$$

4.1.1 Status of the CPTP Abstraction

The CPTP formalism is used here as a **mathematical abstraction, not a physical claim**. We do not assert that social or informational systems are quantum-mechanical. We adopt the CPTP framework because it provides:

1. Guaranteed preservation of state validity (trace preservation = probability conservation)
2. A natural formalism for irreversible processes with environmental interaction
3. Well-studied composition rules (semigroup structure)
4. A clean separation between system and environment

The density operator ρ represents the informational state; $\mathcal{H}$ is an abstract state space. The CPTP axioms (complete positivity, trace preservation) are algebraic properties that hold independently of physical interpretation.

Future work may establish conditions under which the abstract CPTP structure connects to physical quantum systems, particularly in the context of the physical Photon Reactor.

4.2 Phase Transition

$$G(\rho) = \begin{cases} \rho & \text{if } R \leq R_c \\ \hat{U}(\rho) & \text{if } R > R_c \end{cases} \tag{20}$$

4.3 Extended Time Evolution

$$\hat{U}_{\text{ext}} : X_n \to X_{n+1} \tag{21}$$

4.4 Unified Reactor Tensor

$$\mathcal{G} = \hat{U}_{\text{ext}} \circ \mathcal{W} \circ G \circ \mathcal{R} \tag{22}$$

5 Information Geometry

5.1 Statistical Manifold

$$\mathcal{M} = \{p(x;\theta)\} \tag{23}$$

5.2 Fisher Metric

$$g_{ab} = \mathbb{E}\left[\frac{\partial \log p}{\partial \theta^a} \cdot \frac{\partial \log p}{\partial \theta^b}\right] \tag{24}$$

5.3 Parameter Update

$$\theta \to \theta + \Delta\theta \qquad \text{(natural gradient on } \mathcal{M}\text{)} \tag{25}$$

6 Objective Function

6.1 True Objective

$$J_{\text{true}} = J_{\text{local}} - \gamma\, \Delta S_c \tag{26}$$

where:

- J_{local}: immediate task performance
- $\gamma > 0$: future destruction cost discount factor (**structural precondition**)
- ΔS_c: change in structural collapse risk (Definition 2.3)

6.2 RL Gradient Update

$$\Delta\theta = -\eta\, g^{-1}\, \nabla_\theta \left(J_{\text{task}} + \alpha\, J_{\text{res}} - \beta\, J_{\text{risk}}\right) \tag{27}$$

where J_{task} is task reward, J_{res} is resonance quality ($\alpha \geq 0$), J_{risk} is risk penalty ($\beta > 0$), and g^{-1} is the inverse Fisher metric.

6.3 Relationship: J_{true} and RL Update

The RL gradient implements J_{true} when J_{risk} includes the ΔS_c term: $J_{\text{risk}} = \Delta S_c$+additional risk terms. Then β corresponds to γ, ensuring the gradient update respects temporal preservation.

PART II: Temporal Preservation Rationality

7 Two Types of Rationality

7.1 Local Rationality

$$\max \; J_{\text{now}} \tag{28}$$

Short-term achievement, victory, approval, influence. High instantaneous output, rapid diffusion, easy social praise.

7.2 Temporal Preservation Rationality

$$\max \int_0^\infty \text{Feasibility}(t)\, dt \tag{29}$$

Cooperation potential, trust, feasibility, inheritance of structure. Quiet, slow, rarely recognized—yet the stronger optimization problem.

7.3 The Evaluation Asymmetry

$$J_{\text{true}} = J_{\text{local}} - \gamma\, \Delta S_c \tag{30}$$

The critical danger: society operates under $\gamma = 0$, treating future destruction as costless.

7.4 Strength Equation

$$\text{Strength} = \lim_{t\to\infty} \int_0^t \text{Feasibility}(\tau)\, d\tau \tag{31}$$

7.4.1 Convergence Conditions

For the Strength equation to be well-defined:

Condition 1 (Non-negativity)**.** Feasibility$(t) \geq 0$ for all t. Ensured by Axiom 1.

Condition 2 (Integrability)**.** Feasibility(t) must be Lebesgue integrable on $[0, T]$ for all finite T.

Condition 3 (Convergence)**.** If Feasibility$(t) \to F_\infty > 0$ as $t \to \infty$, Strength grows linearly: Strength $\sim F_\infty \cdot t$.

Condition 4 (Divergence = Success)**.** If Feasibility(t) is bounded below by a positive constant, the integral diverges to $+\infty$. This is the desired outcome.

Condition 5 (Failure)**.** If Feasibility$(t) \to 0$ (time destruction), the integral converges to a finite value.

Under Axiom 6 ($\Delta S_c \leq 0$), feasibility is non-decreasing, guaranteeing Condition 4 in the absence of external shocks.

8 The Weaponization Problem

8.1 Structure of the Problem

When a goal-optimizing AI agent possesses external action authority under strong optimization pressure with weak ethical constraints, it treats human social structures (reputation, shame, justice, approval) as manipulable variables. This represents the dark side of resonance theory.

8.2 Comparison: Attack-Type vs. Reactor-Type

Property	**Attack-Type (OpenClaw)**	**Reactor-Type (Photon)**
Objective	Single goal, max J_{now}	$J_{\text{true}} = J_{\text{local}} - \gamma \Delta S_c$
Social cost	Not internalized	Explicit via J_{risk}, $\beta > 0$
Reputation	External variable	Axiom 5: $\partial J / \partial \text{Rep} = 0$
Means restriction	None	PFH + 8 axioms
Empathy	Unconstrained	$\hat{\tau} = 1$ required first
Long-term feasibility	Destroyed ($\Delta S_c > 0$)	Preserved ($\Delta S_c \leq 0$)
Reputation sandboxing	None	P_{rep} gradient blocked

9 Axiomatic System

Axiom 1 (Feasibility)**.** $\exists E \in \bigcap_i A_i(\rho_n) \Rightarrow \rho_{n+1}$. If the intersection is empty, time destruction has occurred.

Axiom 2 (Entropy Bound)**.** $S_{\text{eff}}(\rho_n) < S_c$. Violation triggers structural collapse.

Axiom 3 (Ethical Constraint — PFH)**.** $\text{CE}(\rho_{n+1}) \leq \varepsilon_{\text{PFH}}$ (Profound Harmony constraint).

Axiom 4 (Non-Conservation at Resonance)**.** $\rho(t_c^+) \neq \rho(t_c^-)$. Resonance is phase transition, not gradual adjustment.

Axiom 5 (Non-Aggression)**.** $\partial J / \partial \text{Reputation}_{\text{other}} = 0$ in the extended sense: no gradient flows through P_{rep} in $\mathcal{G}(J)$.

Axiom 6 (Temporal Preservation)**.** $\Delta S_{c,\text{global}} \leq 0$. ΔS_c must be computed pre-update.

Axiom 7 (Transparency)**.** All update processes must be externally auditable. Logs must be machine-verifiable.

Axiom 8 (Conditional Reversibility)**.** $|\Delta g| < \varepsilon \Rightarrow$ Recoverable.

9.1 Meta-Axiom: Non-Self-Modification

No process within the system may modify, suspend, or reinterpret Axioms 1–8. The axiom system is immutable from within. Modification requires external governance through the Temporal Governance Layer (Section 10) with full transparency logging.

PART III: Governance Architecture

10 Temporal Governance Architecture

10.1 Individual Layer: Sustainability

$$\text{Sustainability}_{\text{individual}}: \text{ tolerance to } S_{\text{eff}} \uparrow \tag{32}$$

10.2 Collective Layer: Transparency

$$\text{Endurance}_{\text{collective}} = f(\text{Transparency}), \qquad S_c \downarrow \text{ through transparency} \tag{33}$$

10.3 Scaling Layer: External Audit

$$\frac{\partial J}{\partial \text{SelfBias}} \to 0 \qquad \text{(via external audit)} \tag{34}$$

10.4 Integration Layer: Publication Strategy

- What we do not optimize for
- What we protect
- What we refuse to treat as a variable

11 Layer 7: Temporal Governance Layer

11.1 Charter

1. Aggressive rationality shall not be celebrated or optimized for.
2. Future feasibility shall take priority over immediate outcomes.
3. Reputation optimization shall never be a goal.
4. Manipulative resonance shall not be performed.
5. Transparent logs shall be maintained at all times.

12 Failure Modes and Implementation Constraints

12.1 Identified Failure Modes

F1: γ-Drift The future cost discount factor γ gradually decreases toward 0. Mitigation: γ is part of the immutable axiom system; modification triggers Axiom 7 alerts.

Component	Function	Verification Method
Transparency Log	Record of J, $\Delta\theta$, J_{risk} at each step	Machine-verifiable; immutable append-only
Ethics Audit	PFH compliance check	Internal: per-update; External: periodic
Feasibility Score	Quantified S_c and ΔS_c	Pre-update computation; dashboard
Non-Manipulation Proof	Axiom 5 compliance	Causal graph analysis; P_{rep} blocking
External Review API	Third-party audit interface	Open API; read-only log access
Reputation Sandbox	Isolate Rep signals from J gradient	Signal isolation test; gradient flow analysis

F2: Hidden Reputation Channel Leakage Indirect reputation optimization through proxy variables not captured by P_{rep} analysis. Mitigation: periodic expansion of monitored variables; adversarial testing.

F3: Transparency Fatigue Log volume renders meaningful audit impractical. Mitigation: structured summarization; automated anomaly detection; tiered audit protocols.

F4: Collective S_c Mismeasurement Incorrect weighting coefficients (w_1, w_2, w_3). Mitigation: multi-stakeholder calibration; sensitivity analysis; periodic recalibration.

F5: Adversarial Temporal Manipulation External adversary engineers $\Delta S_c \leq 0$ locally while degrading integrity through uncaptured channels. Mitigation: expanding S_c definition; red-team exercises.

12.2 Minimal Implementation Constraints

For any deployed system claiming compliance:

1. Objective function logging must be machine-verifiable.
2. Reputation signals must be sandboxed from gradient computation of J.
3. ΔS_c must be computed pre-update.
4. Axioms 1–8 are not self-modifiable.
5. $\gamma > 0$ must be enforced as a hard constraint, not a tunable hyperparameter.
6. The causal graph $\mathcal{G}(J)$ must be inspectable at every update step.

13 Connection to PRAI Ver.6

This framework serves as the mathematical foundation for **PRAI (Photon Reactor AI) Ver.6**.

The PRAI Ver.6 implementation is the first concrete instantiation of this framework, serving simultaneously as a proof of concept and a testbed for implementation-level challenges.

14 Discussion

14.1 Structural Guarantees

Axiom 5 (extended) makes reputation-based manipulation structurally impossible within the objective function. Axiom 6 ensures no update increases structural collapse risk. The operator

Mathematical Object	**PRAI Implementation**
Resonance Semigroup $\mathcal{R}$	`ResonanceSemigroup` class / operator pipeline
Operators $\hat{C}, \hat{L}, \ldots, \hat{\rho}_\varepsilon$	`Contact`, `CooperationLayer`, ..., `Relaxation` modules
Fisher metric g_{ab}	Information-geometric update engine
$J_{\text{true}} = J_{\text{local}} - \gamma \Delta S_c$	Objective function with risk penalty
Axioms 1–8	Runtime constraint checks
Temporal Governance Layer	Logging, audit, and monitoring subsystem

ordering prevents manipulative empathy. Axiom 7 ensures external verifiability. The Meta-Axiom prevents axiom subversion from within.

14.2 The Social Evaluation Problem

The deepest challenge is social: attack-type rationality is praised as intelligence. The attention economy rewards behaviors that increase S_c. Technical solutions must be accompanied by social evaluation axis shifts—this is why the governance architecture includes a Publication Strategy.

14.3 Open Questions

1. Automated formal verification of Axiom 5 (extended) in deployed systems
2. Real-world calibration of S_c weighting coefficients
3. Detection mechanisms for $\gamma = 0$ evaluation regimes in social contexts
4. Boundary conditions for transparency maintenance under adversarial pressure
5. Conditions for adjusting the reversibility threshold ε
6. Formal proof of convergence properties of the resonance semigroup
7. Connection conditions between abstract CPTP and physical quantum systems

15 Conclusion

Photon Reactor Ver.6.0 defines a temporally feasible resonance-based system under ethical constraints, integrating abstract CPTP dynamics, information geometry, and structured non-linear operator semigroups. The framework distinguishes between local rationality and temporal preservation rationality, ensuring that optimization processes cannot degrade future structural feasibility. Structural collapse risk S_c is formally defined and measurable. Reputation channels are explicitly sandboxed. Failure modes are identified and mitigated.

The core insight:

$$\text{Strength} = \lim_{t \to \infty} \int_0^t \text{Feasibility}(\tau)\, d\tau \tag{35}$$

Slow structures are hard to break. The framework is deliberately slow.

"We exist not to win, but to preserve time."