


OLYMPUS MODDING DOCUMENTATION

CONTENTS

Olympus object list 3
FBX Settings 7
Creating an oly 9
Creating a 2d oly 14
Creating a move 16
Move Interactors 17
Abilities 19
Pills 21

OLYMPUS OBJECT LIST

This list compiles all the base game's object names so you can reference them in your mods.

Olys

000_Sproggy
001_Boggy
002_Springkiggy
003_Koddish
004_Bravish
005_Florish
006_Hampins
007_Pinaiber
008_Goristove
009_Cochita
010_Bii
011_Biicannon
012_Molly
013_Rollingo
014_Quito
015_Spikefish
016_Charmageddon
017_Clamooka
018_Cangroopa
019_Longroopa
020_Wyrgull
021_Onionette
022_Flamian
023_Bomboya
024_Minoya
025_Arlefin
026_Dwax
027_Dwake
028_Borpse
029_Biicaxe
030_Rawkraken
031_Rarekraken
032_Welkrakendon
033_Harabajo
034_Batunger
035_Bastarve
036_Starbaline
037_Dungowinn
038_Hangernut
039_Pinchernut
040_Risingnut
041_Separacol

042_Carasiempre
043_Paraviva
044_Peonrana
045_Perrole
046_Leavoyster
047_Machuza
048_Buizzard
049_Pasentient
050_Ciervatillo
051_Renaflor
052_Boxyglorm
053_Chandelider
054_Garaoh
055_Equibolt
056_Griffyndary
057_Liwalker
058_Socan
059_Tankican

Abilities

AbilityAT_SnowBall
AbilityBM_DualCannon
AbilityBM_Heavy
AbilityG_Alert
AbilityG_Armor
AbilityG_BodyGuard
AbilityG_Fertile
AbilityG_Float
AbilityG_FreeSpirit
AbilityG_Generic
AbilityG_Helmet
AbilityG_Illusion
AbilityG_Limber
AbilityG_Mood
AbilityG_Sharp
AbilityG_Sniper
AbilityG_Specialist
AbilityG_Spiky
AbilityG_SunPanel
AbilityG_Umbrella
AbilityIM_Battery
AbilityIM_Grounded
AbilityIM_Herbivore
AbilityOD_FlameSpirit
AbilityOD_Lastword
AbilityOD_Spite
AbilityOMD_WeightsOff
AbilityOS_Attraction
AbilityOS_BPresence

AbilityOS_ClearingPresence
AbilityOS_DarkArea
AbilityOS_Frisk
AbilityOS_IronStep
AbilityOS_MistyArea
AbilityOS_PsychicAttraction
AbilityOS_Puffy
AbilityOS_Storm
AbilityOS_Warmth

Pills

GenericMod_Cover
GenericMod_FastA
GenericMod_FastBP
GenericMod_FastBR
GenericMod_FastD
GenericMod_Floaties
GenericMod_HardA
GenericMod_HardBP
GenericMod_ResistA
GenericMod_ResistBP
GenericMod_Rocky
GenericMod_RotundA
GenericMod_RotundBP
ModChosen_Attack
ModChosen_Speed
ModClass_Artificial
ModClass_Foul
ModClass_Mind
ModClass_Mythical
ModClass_Power
ModClass_Silk
ModClass_Soil
ModClass_Strong
ModClass_Water
ModHandicap_Defenses
ModHandicap_SpeedPower
ModPinch_30BRA
ModPinch_30DBP
ModPinch_50AS
ModPinch_50BPS
ModRegen10
ModStatusLock
ModVital10
ModVital25R

Moves

Groups

Group_Artificial
Group_Foul
Group_Mind
Group_Mythical
Group_Neutral
Group_Power
Group_Soil
Group_Strong
Group_Water

Status

StatusCondition_Advanced
StatusCondition_Backed
StatusCondition_Bound
StatusCondition_Burn
StatusCondition_Confusion
StatusCondition_Drowsy
StatusCondition_Flinch
StatusCondition_Focus
StatusCondition_Hibernate
StatusCondition_Infection
StatusCondition_Leak
StatusCondition_Lock
StatusCondition_Paralyze
StatusCondition_Stutter


Fields

StatusCondition_Advanced
StatusCondition_Backed
StatusCondition_Bound
StatusCondition_Burn
StatusCondition_Confusion
StatusCondition_Drowsy
StatusCondition_Flinch
StatusCondition_Focus
StatusCondition_Hibernate
StatusCondition_Infection
StatusCondition_Leak
StatusCondition_Lock
StatusCondition_Paralyze
StatusCondition_Stutter

FBX SETTINGS

When you import an oly fbx, you need to change a few parameters:

Go to the Rig tab and set Animation Type to **Generic**. In the Avatar Definition, set it to **Create from this Model.**



If you are importing animations from an existing FBX, set it to Copy from Avatar, and assign the original fbx's avatar. This is useful if your rig setups conflict with each other when exporting animations. You can export different animations in their own fbx and then connect them together with this setting.


Once you do this, you should be able to see your animations in the Animation tab. Set your idle animation to loop by checking **Loop Time** and check **Loop Pose** and the fbx should be ready to go.



Materials

To create a material, right click on the folder and select **Create > Material**. The project includes the shader the base game uses for its olys. Here's what each parameter does.

- MainTex. The color texture.
- TexAnim. This offsets the texture, you can use this to animate faces.
- GroundLuminance. Offsets the darkening effect on the lower end of the model.
- Mirror. The emission fade in and out speed. MirrorMinMax sets the limits of the effect.
- Emm. The emission texture. Control which parts glow with this texture.
- Fresnel. The rim lighting control.
- Specular. Controls the specular on metallic surfaces.
- Metallic. Controls if the specular is metallic.



To control which parts are metallic, you have to edit the Vertex Color of the model. The **Red** channel controls metallic. Set it to 0 to remove metalness.

CREATING AN OLY

This guide will help you setup 3D olys. We'll use Blender to for this guide. This is not a Blender tutorial.

Video: https://youtu.be/IeH0-k1WM0E

Preparations

Open the Olympus Modding Tools Unity project. On the Assets folder, create a new folder with the name of your mod.

Within that new folder, create another folder called Oly. This where you will hold all your olys. You may create a subfolder for each one if you need to.

Go back to the mod folder and right click. Hit **Create > SteamItem > SteamworksItem**

Step 1.

Once you have your 3d model textured and rigged, make sure you create at minimum the following animations:

- idle
- damage
- death
- phys
- wave
- beam

Make sure you name them all in lower caps. You don't need both wave and beam animations.

Step 2.

Modify the rig by adding the following bones:


- b_cam
- b_damage
- b_wave
- b_beam

These bones are used to position attack vfx or as a target for the camera.


Step 3.

Export the model in FBX format using the OlympusFBX preset. You can find it in the Olympus

Modding Tools. In order to see the preset, copy and paste the python script into this folder (use the folder of the Blender version you're using). After that, close and open Blender and it should show



up as an option in the FBX exporter presets.



Step 4.

In Unity, position your mouse on the Hierarchy and right click. At the bottom of the context menu, click New Oly.


Step 5

Drop your fbx file on the created object.

Step 6

Select the target Object. In the Inspector, assign the b_cam bone to the Target Group component.

Step 7



Assign your b_beam bones to the MData component in the created object.




Step 8

Name the created object the name of your oly.

Step 9

Select the fbx object in the hierarchy and add the Battle Animation Events component and AudioSource component.



Step 9

On the project folder, create an oly data file. Right click, **Create > Oly > Oly**

Name it the same as your oly prefab, otherwise the game won't be able to load the model even if it imported correctly.

Step 10


Drop your oly object into the Oly folder of your mod. This creates a prefab, which is basically saving the object to disk.

Step 11

Now we have to set up the animation events. These events will trigger your moves' vfx or straight up trigger the damage on the target.

There are cosmetics events like **CryAttack** and **ToggleObjects**

For the phys animation, you will need to add the event **Damage**. Just click the Add Event button and move the event to where the animation should trigger the damage animation on the target. This could be at the end of a tackling animation, or right when a kick animation swipes, etc.



For the wave and beam animations, you need to add **SpawnFX** instead. To learn more about the differences between these two events, check the **Creating a move** section.

For the “death” animation, you need to add the **DieEffect** event. This makes the oly start shining and disappear when it fades. Move the event to somewhat close to the end of the animation.

To make the oly make a sound when entering into battle or fading, add **CryEnter** and **CryDeath** events.


ToggleObjects

The ToggleObjects event takes an int parameter. Looking back at the prefab you created, in the BattleAnimationEvents, you can see a Game Objects list. This list takes unity objects that can be toggled on with this animation event. To select which object to toggle, set the Int parameter to the index of the object in the list. You can check the ryleth oly in the Aureole mod for reference.

Step 12


Now that you have your oly object ready, select your oly prefab and click on the bottom right to open the AssetBundle tab.

Click on the AssetBundle and add a new bundle path. You have to name it **modname/oly/oly**



CREATING A 2D OLY

Follow the steps of Creating an Oly from Step 4 to Step 9. Instead of using bones, create New Gameobjects within the created object.




You will also need to create a new GameObject instead of dropping an FBX file. assign the BattleAnimationEvents component and AudioSource as usual and add an Animator component too.

These are all the components that the 2d object needs.

The Sprite Renderer needs the BillBoard material so it always faces the camera.


The Facing Sprite component gives animator data so the animator can handle which animation direction to



display.

You also need to create an Animation Controller to assign to the Animator component. In the Oly folder, right click and **Create > Animation > Animator Override Controller**.

Assign Jim's animator to the source and override the animation clips with yours. If Jim's animations aren't enough, you can delete the override and just copy Jim's animator and expand it yourself.


New Animator Override Controller (Animator Override Control
Open
Addressable
Controller
jim
Original
Override
beam
None (Animation Clip)
blade
None (Animation Clip)
damage
None (Animation Clip)
death
None (Animation Clip)
enter
None (Animation Clip)
idle
None (Animation Clip)
idleBack
None (Animation Clip)
idleL
None (Animation Clip)
idleR
None (Animation Clip)
phys
None (Animation Clip)
wave
None (Animation Clip)


CREATING A MOVE

Step 1

Create your move's vfx in unity. you may use vfx graph or particle system. you need a particle system for spawnfx events.

Step 2

If the move uses SpawnFX events. Create a parent empty to your vfx. Add **ParticleAttackEvent** component to the parent. If the move uses a SpawnFX animation event, the Objects that you add



to the Attack Event list will be toggled on when the animation event fires. Check LightBeamFX for reference.

The effects handler component helps position and aim the vfx at the target. You may also add SetPosition components to override the position of your VFX.

Step 3

Add ParticleHitTrigger to the vfx that will fire on **SpawnFX**. Set Callback Type to OnDelay and set how long it will take to damage the target after this vfx fires (usually 1-2s is enough).


If you're using **Damage** animation event you don't need this. The animation event will trigger the damage instead of the move vfx.

MOVE INTERACTORS

To create move interactor, right click on the project folder and click **Create > Oly > Moves > MoveEffectors.** Every Effector includes an AI weight, use it to make the AI more likely to select this move.

MoveCharged

This interactor adds charging turns to a move. Set how many turns you want to wait before the move fires. You can add secondary effects to trigger on each charging turn. Check **Use Default Effect** if you don't need to use your own VFX for charging. Remember to add your vfx to the move asset bundle if you make one. The sample included in the project holds the default description for the effect.




MoveProtect

This effector makes you immune to any move. The sample included in the project holds the default description for the effect.

MoveHeal

This interactor heals your oly. It can either heal by sapping hp from the target or just by itself. Set Recover Damage to make it sap HP. Check **Use Default Effect** if you don't need to use your own VFX for charging. Remember to add your vfx to the move asset bundle if you make one.




MoveBeforeSwitch

This move triggers early if the target is about to switch. Otherwise it triggers at the usual pace.

MoveSwitch

Set Self to true to make the user switch out after the attack. Leave it false to make the target switch out. If you leave Random to off the affected oly will manually select the oly to send.



ABILITIES

There are multiple ability interactors. However, all abilities share some base parameters:

- Can Skip Charge Attacks. Skips charging turns. Changes applied during charging turns still apply.
- Heal Multiplier. Multiplies the effect of healing moves.
- Assist Damage Multiplier. Changes how much damage the oly takes as an assist.
- Damage Multiplier. If Assist Damage Multiplier isn't 1, it changes how much damage the main oly takes when the ability holder is sent out as an assist.
- SGAB Multiplier. Multiplies the same group attack bonus.
- Critical Chance Multiplier.Multiplies the chances of dealing a weakspot hit.
- Critical Chance Receive Multiplier. Multiplies the chances of receiving a weakspot hit.
- Recoil. Set how much recoil damage.
- Recoil immune.
- Spikes Immune, Immune to fields that hurt on sendout.
- Mood. Changes the olys group to the move's group its using.
- Immune to Position Nerf. Makes the oly immune to the stat nerf of the position status.
- Immune all. Immune to any status changes.
- Bounce. Reflects incoming status changes.
- Immune to condition. Write which conditions the oly is immune to.

AbilityOnSendout

This ability triggers effects when an oly is sent into battle.

Condition: Set which effect the ability will use.

- Status. This applies a secondary effect to the target or user. Change the parameter **Boost**.
- Damage. Damages the target or user. Change the parameter **Damage Amount Percentage**.
- Clear. Cures all status changes.
- Remove Spikes. Removes any onsendout damaging field.
- Disable Item.

AbilityOnDefeat

Same as OnSendout but applied when the oly fades.

ImmuneMove

Makes the oly immune to certain group attacks.

- Groups. Set the name of the group it is immune to.
- Boost. Set the boost that happens when hit by a move by said group.
- Hp Heal. Set how much hp the oly heals when receiving a move by said group.

AbilityAfterTurn

Set the secondary effect applied after each turn.

PILLS

Shared Parameters:

- Damage Modifier.
- One Use. Should the pill disable itself after one trigger.
- Color. The color of the pill UI display.
- Spikes Immune.
- Field Immune.
- Lock Chosen Move. Locks the user to the last move selected.
- Lock Status Moves. Prevents the user from using status moves.
- Recoil Amount. Set recoil damage percentage.

HandicapPill

When the oly is in front of another of higher or lower category, a boost is applied. If it's of lower category, the boost is applied as a nerf.

PinchPill

Activates an effect when HP is lower than the percentage set.

- Boost. Boost that happens when HP is lower than the threshold.
- Default Nerf. Nerf applied by default.
- Percent. At which HP percentage the pill should trigger.

HurtOnAttack.

This changes the holder's HP after each turn.

Set the percentage of HP that changes each turn. Set Regen to true to make the percentage heal instead of hurting the holder. Combine it with Damage Modifier to deal more damage in exchange of HP.

PillGeneric

Applies boosts by default.