



CEBU INSTITUTE OF TECHNOLOGY
U N I V E R S I T Y

IT342-G2

System Integration and Architecture

System Design Document (SDD)

Project Title: Paluto

Prepared By: Auditor, Mechole Angelou M.

Version: 0.5

Date: May 27, 2026

Status: Final

REVISION HISTORY TABLE

Version	Date	Author	Changes Made	Status
0.1	2-23-2026	Auditor, Mechole	Initial draft	Final
0.2	2-28-2026	Auditor, Mechole	Initial UI/UX designs of Web and mobile application	Review
0.3	3-1-2026	Auditor, Mechole	Initial draft of section 5, 6, and 8. Revisions" "Client" changed to "Customer"	Review
0.4	3-2-2026	Auditor, Mechole	Additions: Journey 1 Revisions: Journey numbering. API Endpoints	Review
0.5	5-26-2026	Auditor, Mechole	Updates endpoints, diagrams, and journey.	Review
0.6	[Date]	[Your Name]	Final review and corrections	Final
1	[Date]	[Your Name]	Baseline version for development	Approved

TABLE OF CONTENTS

Contents

EXECUTIVE SUMMARY	4
1.0 INTRODUCTION	5
2.0 FUNCTIONAL REQUIREMENTS SPECIFICATION	5
3.0 NON-FUNCTIONAL REQUIREMENTS	8
4.0 SYSTEM ARCHITECTURE	9
5.0 API CONTRACT & COMMUNICATION	10
Authentication Endpoints	11
User Registration	11
User Login	11
6.0 DATABASE DESIGN	13
7.0 UI/UX DESIGN	14
8.0 PLAN	17

EXECUTIVE SUMMARY

1.1 Project Overview

Paluto is a specialized booking platform designed to bridge the gap between professional home cooks and busy families or professionals. Unlike standard food delivery apps, this system facilitates on-site meal preparation services, allowing customers to have personalized meals cooked directly in their own kitchens. The system includes a Spring Boot backend API, React web application, and Android mobile app, all integrated to provide a seamless appointment booking across platforms.

1.2 Objectives

1. Develop a fully functional Service-Booking platform with authentication, multi-user roles, cook portfolios, appointment booking scheduling, and service rating.
2. Implement a three-tier architecture using Spring Boot (backend), React (web), and Android (mobile)
3. Create RESTful APIs for communication between all system components
4. Design a responsive user interface that works consistently across web and mobile platforms
5. Deploy all system components to production-ready environments

1.3 Scope

Included Features:

- User registration and authentication (email/password)
- Google login integration
- Cook portfolio (add, remove, update certificates, menu, specialties, and rates)

- Transactional Appointment booking system
- Cook Service Rating System
- Payment Gateway Integration (sandbox)
- Email notification system
- In-app notifications
- Admin panel
- Native Android mobile application
- PostgreSQL database with relational schema

Excluded Features:

- Push notifications
- Advanced analytics dashboard

1.0 INTRODUCTION

1.1 Purpose

This document serves as the comprehensive design specification for the Paluto Booking system. It provides detailed requirements, architectural decisions, API contracts, database design, and implementation roadmap to guide development and ensure all components integrate seamlessly.

2.0 FUNCTIONAL REQUIREMENTS SPECIFICATION

2.1 Project Overview

Project Name: Paluto

Domain: Service-Booking platform

Primary Users:

1. Customers
2. Cooks
3. Administrator

Problem Statement: Busy professionals and families struggle to maintain healthy eating habits due to lack of time, often relying on unhealthy fast food.

Solution: A specialized booking platform that connects these individuals with home cooks for on-site meal preparations.

2.2 Core User Journeys

Journey 1: Cook portfolio management

1. Cook register account and setup profile (hourly rate, years of experience, bio)
2. Navigate to Portfolio tab
3. Go to menu sub tab
4. Click “add” button
5. Specify menu title, description, ingredients list, ingredients cost, image, prep time.
6. Confirms menu addition and Click “publish” button

Journey 2: First-time customer booking a service

1. Customer opens the web or mobile application
2. Clicks “Sign Up” and creates an account
3. Customer logs in with the registered account
4. Browse cook profiles to view menus and hourly rates
5. Selects a cook clicks “view menu”
6. Selects menu
7. Book menu with selected quantity
8. Redirect to payment page
9. Selects specific date, time, and address
10. Confirms the booking and clicks “Pay now” button
11. Receives a booking confirmation once the cook accepts booking
12. After the service, the customer rates the cook.

Journey 3: Cook accepts a booking

1. Cook registers and completes their profile with certification/ specialties
2. Sets hourly rate and uploads specialty menus
3. Receives a notification for a new booking request
4. Navigates to “My bookings” tab
5. Click booking request and review details and confirm the schedule
6. After the service, the cook marks the appointment as completed.

Journey 4: Admin manages users

1. Admin logs into the web or mobile application
2. Navigates to “users” section
3. View user details

2.3 Feature List (MoSCoW)

MUST HAVE

1. User authentication (register, login, logout)
2. Role based access (customer, cooks, admin)
3. Cook portfolio (certification, menus, rates)
4. Appointment booking (date, time, menu, cook)

SHOULD HAVE

1. Cook Service rating
2. Booking history
3. Google login integration
4. Payment gateway integration

COULD HAVE

1. Favorite Cooks
2. Cook filtering
3. Cook dashboard
4. Email notification
5. In app notification
6. Responsive design for all screen sizes

WON'T HAVE

1. Real payment processing
2. Advanced analytics
3. Multi-language support
4. Real-time GPS tracking of the cook

2.4 Detailed Feature Specifications

Feature: User Authentication

- **Screens:** Customer Registration, Customer Login, Cook Registration, Cook Login, Forgot Password
- **Fields:** First name, Last name, address, phone number, Email, Password, Confirm Password, cook(hourly rate, years of experience, bio)

- **Validation:** Email format, password strength, uniqueness, phone number format,
- **API Endpoints:** POST /customer/register, POST /cook/register, POST /auth/login
- **Security:** JWT tokens, password hashing with bcrypt

Feature: Cook portfolio

- **Screens:** Portfolio edit (Cook)
- **Display:** Menu, rate, certification/s, profile
- **Functions:** Add/edit menu, view ratings/reviews, upload/ remove certifications.
- **API Endpoints:** GET /certificates/my-certificates, GET /certificates/upload, GET /cook/{id}/services, GET /cook/my-services, PUT /services/{id}, GET /cook/{cookId}/average,

Feature: Appointment Booking

- **Screens:** Booking form, Appointment Summary, Booking History
- **Functions:** Select a cook, choose schedule (date & time), select menu, submit booking request, accept booking
- **Data Collected:** Service address, date/time, and menu.
- **API Endpoints:** POST /bookings, GET bookings/{id}, PUT /bookings/{id}/status

Feature: Service Rating

- **Screens:** Post-service Rating form, Cook profile rating section
- **Fields:** Star rating(1-5)
- **Persistence:** Ratings are linked to the cook's profile and appointment.
- **API Endpoints:** POST /ratings, GET /ratings/cook/{cookId}

2.5 Acceptance Criteria

AC-1: Successful User Registration

- Given I am a new user
- When I enter valid firstname, lastname, phonenumber, address, email and strong password
- And confirm password matches
- And click "Create Account"
- Then my account should be created
- And I should be redirected to login page

AC-2: Cook Portfolio Creation

- Given I am logged in as a cook

- When I navigate to my portfolio dashboard and add/edit my specialty menus, hourly rates, and certifications.
- And I save the changes
- Then the updated information should be visible to customers when they search for cooks
- And the certifications should be stored and available for Admin verification.

AC-3: Appointment Booking Flow

- Given I am logged in as a "Customer"
- When I select a cook's profile and choose an available date and time slot.
- And I provide the service location/address and confirm the booking request.
- Then the system should create a "Pending" appointment record.
- And the cook should see the new request in their management dashboard.

3.0 NON-FUNCTIONAL REQUIREMENTS

3.1 Performance Requirements

- API response time: ≤ 2 seconds for 95% of requests
- Web page load time: ≤ 3 seconds on broadband
- Mobile app cold start: ≤ 5 seconds
- Support 30 concurrent users
- Database queries complete within 500ms

3.2 Security Requirements

- HTTP for all communications
- JWT token authentication
- Password hashing with bcrypt
- Role-based access control
- SQL injection prevention
- XSS protection
- Rate limiting: 100 requests/minute per IP
- Admin endpoints require role verification

3.3 Compatibility Requirements


- **Web Browsers:** Chrome, Firefox, Safari, Edge (latest 2 versions)
- **Android:** API Level 34 (Android 14)

3.4 Usability Requirements

- New users should be able to complete their first cook booking within 5 minutes.
- Consistent navigation across all pages
- Clear error messages with recovery options

4.0 SYSTEM ARCHITECTURE

4.1 Component Diagram



Technology Stack:

- **Backend:** Java 21, Spring Boot 3.x, Spring Security, Spring Data JPA
- **Database:** PostgreSQL 14+
- **Web Frontend:** React 18, TypeScript, Tailwind CSS, Axios
- **Mobile:** Kotlin, Retrofit,
- **External Integrations:** Google OAuth, Supabase storage/buckets, Paymongo (sandbox)
- **Build Tools:** Maven (Backend), npm/yarn (Web), Gradle (Android)
- **Deployment:** Railway/Heroku (Backend), Vercel/Netlify (Web), APK (Mobile)

5.0 API CONTRACT & COMMUNICATION

5.1 API Standards

Base URL	https://[server_hostname]:[port]/api/
Format	JSON for all requests/responses
Authentication	Bearer token (JWT) in Authorization header
Response Structure	<pre>{ "success": boolean, "data": object null, "error": { "code": string, "message": string, "details": string, }, "timestamp": string }</pre>

5.2 Endpoint Specifications

Authentication Endpoints

Customer Registration

Description	User Registration
API URL	/customer/register
HTTP Request Method	POST
Format	JSON for all requests/responses
Authentication	None
Request Payload	<pre>{ "email": <email>, "password": <password>, "address":<address> "firstname": <firstname>, "lastname": <lastname>, }</pre>
Response Structure	<pre>{ "success": boolean, "data": { user { "email": <email>, "firstname": <firstname>, "lastname": <lastname>, "address": <address>, "role": customer } } }</pre>

	<pre> }, "accessToken": <token>, "refreshToken": <token>, }, "error": { "code": string, "message": string, "details": string, }, "timestamp": string } </pre>
--	---

Cook Registration

Description	User Registration
API URL	/cook/register
HTTP Request Method	POST
Format	JSON for all requests/responses
Authentication	None
Request Payload	<pre> { "email": <email>, "password": <password>, "address": <address>, "firstname": <firstname>, "lastname": <lastname>, "hourly_rate": <rate>, "years_xp": <years>, "bio": <bio>, } </pre>
Response Structure	<pre> { "success": boolean, "data": { user { "email": <email>, "firstname": <firstname>, "lastname": <lastname>, "hourly_rate": <rate>, "years_xp": <years>, "bio": <bio>, "role": "cook", }, "accessToken": <token>, "refreshToken": <token>, }, "error": { "code": string, </pre>

	<pre>"message": string, "details": string, }, "timestamp": string }</pre>
--	---

User Login

Description	User Login
API URL	/auth/login
HTTP Method	POST
Format	JSON for all requests/responses
Authentication	None
Request Payload	<pre>{ "email": <email>, "password": <password>, }</pre>
Response Structure	<pre>{ "success": boolean, "data": { "user": { "email": <email>, "firstname": <firstname>, "lastname": <lastname>, "address": <address>, "role": <role>, }, "accessToken": <token> }, "error": { "code": string, "message": string, "details": object null }, "timestamp": string }</pre>

Core Feature Endpoints

Cook Service Update

Description	Update the cook portfolio details
API URL	/services/{id}
HTTP Method	PUT
Format	JSON for all requests/responses

Authentication	Bearer token (Role: cook)
Request Payload	<pre>{ "bio": <bio>, "years_xp": <years>, "hourly_rate": <rate>, }</pre>
Response Structure	<pre>{ "success": boolean, "data": { "cook_id": <cook_id>, "updated_at": <datetime> }, "error": { "code": string, "message": string, "details": object null }, "timestamp": string }</pre>

Payment

Description	Get the payment URL from the gateway
API URL	/payment/checkout
HTTP Method	POST
Format	JSON for all requests/responses
Authentication	Bearer Token (Role: customer)
Request Payload	<pre>{ "total_amount": <amount>, "customer_id": <customer_id>, }</pre>
Response Structure	<pre>{ "success": boolean, "data": { "checkout_url": <url>, "reference": <reference> }, "error": { "code": string, "message": string, "details": object null }, "timestamp": string }</pre>

Create a booking request

Description	Customer booking request creation with payment verification
API URL	/booking
HTTP Method	POST
Format	JSON for all requests/responses
Authentication	Bearer Token (Role: customer)
Request Payload	<pre>{ "cook_id": <cook_id>, "service_id": <service_id>, "customer_id": <customer_id>, "quantity":<quantity>, "total_amount": <total_amount>, "schedule_date": <date>, "schedule_time": <time>, "status": "pending", "reference": <payment_gateway_id>, }</pre>
Response Structure	<pre>{ "success": boolean, "data": { "booking_id":<booking_id>, "payment_id": <payment_id> }, "error": { "code": string, "message": string, "details": object null }, "timestamp": string }</pre>

Cook booking management

Description	Cook booking management and schedule conflict resolution
API URL	/booking/{id}/status
HTTP Method	PUT
Format	JSON for all requests/responses
Authentication	Bearer Token (Role: cook)
Request Payload	<pre>{ "status": <status> }</pre>

	}
Response Structure	<pre>{ "success": boolean, "data": { "booking_id":<booking_id>, "status": "accepted" }, "error": { "code": string, "message": string, "details": object null }, "timestamp": string }</pre>

Discovery Endpoints

Browse Cooks

Description	Retrieves a list of available cooks with optional filters
API URL	/cook/all
HTTP Method	GET
Format	JSON for all requests/responses
Authentication	Bearer Token (Role: customer)
Request Payload	none
Response Structure	<pre>{ "success": boolean, "data": [{ "id": <id>, "firstname": <firstname>, "lastname": <lastname>, "bio": <bio>, "hourly_rate": <rate>, "years_xp": <years>, "averageRating": <float>, }], "error": { "code": string, "message": string, "details": object null }, "timestamp": string }</pre>

View the cook menu

Description	Fetches the specific menu or services offered by a selected cook.
API URL	/cooks/{id}/services
HTTP Method	GET
Format	JSON for all requests/responses
Authentication	Bearer Token (Any role)
Request Payload	none
Response Structure	<pre>{ "success": boolean, "data": [{ "id": <id>, "cook_id":<cook_id>, "title": <title>, "description": <description>, "ingredientList: <ingredientList> "ingredientsCost": <cost>, "est_prep_time":<prep_time>, "image":<image_url>, "Serving_size": <serving_size> }], "error": { "code": string, "message": string, "details": object null }, "timestamp": string }</pre>

5.3 Error Handling

HTTP Status Codes

- 200 OK - Successful request
- 201 Created - Resource created
- 400 Bad Request - Invalid input
- 401 Unauthorized - Authentication required/failed
- 403 Forbidden - Insufficient permissions
- 404 Not Found - Resource doesn't exist
- 409 Conflict - Duplicate resource
- 500 Internal Server Error - Server error

Error Code Examples

Example 1	<pre>json { "success": false, "data": null, "error": { "code": "AUTH-001", "message": "Invalid credentials", "details": "Email or password is incorrect" }, "timestamp": "2024-01-28T10:30:00Z" }</pre>
Example 2	<pre>{ "success": false, "data": null, "error": { "code": "VALID-001", "message": "Validation failed", "details": { "email": "Email is required", "password": "Must be at least 8 characters" } }, "timestamp": "2024-01-28T10:30:00Z" }</pre>
Example 3	<pre>{ "success": false, "data": null, "error": { "code": "BUS-001", "message": "Schedule Conflict", "details": "Cook is already booked in that schedule." }, "timestamp": "2024-01-28T10:30:00Z" }</pre>
Example 4	<pre>{ "success": false,</pre>


	<pre> "data": null, "error": { "code": "PAY-001", "message": "Payment Failed", "details": "Payment Reference invalid or unpaid." }, "timestamp": "2024-01-28T10:30:00Z" </pre>
--	--

Common Error Codes

- AUTH-001: Invalid credentials
- AUTH-002: Token expired
- AUTH-003: Insufficient permissions
- VALID-001: Validation failed
- DB-001: Resource not found
- DB-002: Duplicate entry
- BUS-001: Schedule Conflict
- PAY-001: Payment Failed
- SYSTEM-001: Internal server error

6.0 DATABASE DESIGN

6.1 Entity Relationship Diagram



Detailed Relationships:

- **One-to-One:** User ↔ Cook (A cook is a user)
- **One-to-One:** User ↔ Customer (A customer is a user)
- **One-to-Many:** Cook → Service (A cook can offer multiple menu services)
- **One-to-Many:** Cook → Certificate (A cook can have multiple certificates)
- **One-to-Many:** Customer → Booking (A customer can have multiple bookings over time)
- **One-to-Many:** Cook → Booking (A cook can be assigned to multiple bookings)
- **One-to-Many:** Service → Booking (A specific service can be booked multiple times)
- **One-to-One:** Booking → Rating (A booking can only be rated one time)
- **One-to-One:** Booking → Payment (A booking can only have one payment)

Key Tables:

1. **users** - User accounts, authentication, and base class for customer/ cook
2. **cooks** - Extended profile for cooks
3. **customers** - Extended profile for customers
4. **Admin** - Extended profile for admin
5. **services** - Specific offerings/ services of cooks (e.g., "Filipino breakfast")
6. **certificate** - Cook's personal certificates
7. **booking** - Booking transactions
8. **ratings** - Rating of meal and service quality
9. **payments** - Records of payments for bookings

Table Structure Summary:


- **users:** id, email, firstname, lastname, address, password, role(customer/cook), auth_provider
- **cooks:** user_id, bio, hourly_rate, years_exp
- **customers:** user_id,
- **admin:** admin_id
- **services:** id, cook_id, title, description, ingredients_ls, est_prep_time, ingredients_cost, image
- **certificates:** id, cook_id, cert_name, is_verified, image

- **bookings:** id, customer_id, cook_id, service_id, quantity, total_amount, status, scheduled_date, scheduled_time, created_at, updated_at
- **ratings:** id, booking_id, rating, comment
- **payments** - id, bookind_id, reference, method, amount, status, paid_at

7.0 UI/UX DESIGN

7.1 Web Application Wireframes


Landing page



Header: [Logo] [Nav bar] ["sign in" button]

Main: Tagline, ["Find a cook" button] ["join as a cook" button]

Login Modal



Login form, Google button, Forgot password, Close button

Cooks page (List of cooks)

filter

Years experience

Hourly rate

Apply filter

Cooks

JD John Doe 5 yrs

Bio: A home cook based on cebu city.

4.5 ★ Php 450

view menu

JD John Doe 5 yrs

Bio: A home cook based on cebu city.

4.5 ★ Php 450

view menu

JD John Doe 5 yrs

Bio: A home cook based on cebu city.

4.5 ★ Php 450

view menu

JD John Doe 5 yrs

Bio: A home cook based on cebu city.

4.5 ★ Php 450

view menu

JD John Doe 5 yrs

Bio: A home cook based on cebu city.

4.5 ★ Php 450

view menu

JD John Doe 5 yrs

Bio: A home cook based on cebu city.

4.5 ★ Php 450


view menu

Header: [Logo] [Nav bar] [Profile]

Filter: Years of experience, hourly rate

Each cook card: Avatar, Full name, years of experience, Bio, rating, Hourly rate, "view menu" button

Cook's menu



Header: [Logo] [Nav bar] [Profile]

Filter: Serving size, price

Each offering card: title, Serving size, offering image, title

Meal details

PALUTO

Home

Cooks

Bookings

A

Meal details



Ingredients:

Protein: 1kg Pork Belly, 500g Chicken Thighs.
Vegetables: 1/4kg Squash, 100g Bitter Melon (Ampakaya), String Beans, Eggplant.
Pantry Staples: Soy Sauce, Cane Vinegar, Peppercorns, Bay Leaves, Garlic, Shrimp Paste (Bagoong)

Family Feast

A combination of common dishes served in most feast events in the Philippines.

Est. ingredient cost

Php 1, 000

Prep time

1 hour

Quantity

-

1

+

Book

Header: [Logo] [Nav bar] [Profile]

Meal image(Large), title, description, ingredients, ingredient cost, prep time, quantity stepper (default to 1), "Book" button

Payment page

PALUTO

HomeCooksBookings

A

Payment



Family Feast

DateTime

AM

Address

Payment Method

Php 1,450

Pay now

Quantity	x1
Est. ingredient cost	Php 1,000
Prep time	1 hour
Cook rate/hr	Php 450


Header: [Logo] [Nav bar] [Profile]

Summary: Quantity, ingredient cost, prep time, cook's rate per hour

Title, Date picker, time picker, address field, payment method field, total cost, "Pay now" button

26

Bookings page (pending)




Header: [Logo] [Nav bar] [Profile]

Sub nav bar: Active, Completed, rejected

Each booking card: Meal image(small), title, cook's name, quantity, date, time, status, "Details" button.

Cook dashboard



Header: [Logo] [Nav bar] [Profile]

KPI: Active bookings, Pending bookings, Earnings

Each active booking card: Meal image(small), title, quantity, customer name, date, time, "Details" button

Cook bookings (pending)

PALUTO

Dashboard

Bookings

Portfolio

A

Bookings

Pending

History



Family Feast

John Doe

x1

March 5, 2025 4:30 PM

Details

Reject

Accept



Family Feast

John Doe

x1

March 5, 2025 4:30 PM

Details


Reject

Accept

Header: [Logo] [Nav bar] [Profile]

Each booking card: meal image(small), title, customer name, quantity, date, time, "details" button, "Reject" button, "Accept" button.


Customer bookings (accepted bookings)



Header: [Logo] [Nav bar] [Profile]

Each booking card: meal image(small), title, customer name, quantity, date, time, status, "details" button, "Complete" button

Customer bookings (completed bookings)



Header: [Logo] [Nav bar] [Profile]

Each booking card: meal image(small), title, customer name, quantity, date, time, status, "rate" button


7.2 Mobile Application Wireframes

Customer Bottom Navigation



Items: Home, Cooks, Bookings


Landing screen



Header: Hamburger menu, Logo, "sign in" button

Main: "Find a cook" button, "Join as a cook" button


Login Modal



Fields: Email, password

Forgot password, "sign in" button, sign in with "Google" button

Cooks screen (List of cooks)



Header: Logo, Profile

Each cook card: Fullname, avatar, rating, bio, rate per hour, "view menu" button

filter icon, customer bottom navigation

Cook's menu



Header: Logo, Profile

Each menu card: title, serving size, offering image (background)
filter icon, bottom navigation

Meal details




Header: Logo, Profile

title, prep time, meal image (medium), description, ingredients,
ingredients cost, quantity stepper (Default to 1)

bottom navigation

Payment screen



The Payment screen for the PALUTO app features a header with the logo and a profile icon. Below the header, the section is titled "Meal Details". A featured meal, "Family Feast", is displayed with an image. The meal details include: Quantity (x1), Estimated ingredient cost (Php 1,000), Prep time (1 hour), and Cook rate per hour (Php 450). Below this, there are input fields for Date, Time (with an AM/PM toggle), Address, and Payment Method. The total cost is shown as "Php 1,450". A prominent orange "Pay now" button is at the bottom of the main content area. The bottom navigation bar contains icons for Home, Cart, and Profile.


Header: Logo, Profile

Summary: Quantity, ingredient cost, prep time, cook's rate per hour

Title, Date picker, time picker, address field, payment method field, total cost, "Pay now" button

bottom navigation

Bookings screen (pending)



The Bookings screen for the PALUTO app features a header with the logo and a profile icon. Below the header, the section is titled "Bookings". There are three tabs: "Active" (selected), "Completed", and "rejected". A booking card is displayed for "Family Feast" by "John Doe", with a status of "pending". The card includes a meal image, quantity (x1), date and time (March 5, 2025, 4:30 PM), and a "Details" button. The bottom navigation bar contains icons for Home, Cart, and Profile.

Header: Logo, Profile

Screen nav bar: Active, Completed, rejected

Each booking card: Meal image(small), title, cook's name, quantity, date, time, status, "Details" button.


Bottom navigation

Cook's bottom navigation



Items: Dashboard icon, Bookings icon, Portfolio icon

Cooks dashboard




Header: Logo, Profile

KPI: Active bookings, Pending bookings, Earnings

Each active booking card: Meal image(small), title, quantity, customer name, date, time, "Details" button

Cook's bottom navigation

Cooks bookings (pending)




Header: Logo, Profile

Each booking card: meal image(small), title, customer name, quantity, date, time, “details” button, “Reject” button, “Accept” button.

Cook’s bottom navigation

Customer bookings (accepted)




Header: Logo, Profile

Each booking card: meal image(small), title, customer name, quantity, date, time, status, “details” button, “Complete” button

Cook’s bottom navigation

Customer bookings (completed)



Header: Logo, Profile

Each booking card: meal image(small), title, customer name, quantity, date, time, status, "rate" button

Cook's bottom navigation

8.0 PLAN

8.1 Project Timeline

Phase 1: Planning & Design (Week 1-2)

Week 1: Requirements & Architecture

Day 1-2: Project setup and documentation

Day 3-4: Complete FRS and NFR

Day 5-7: System architecture design

Week 2: Detailed Design

Day 1-2: API specification

Day 3-4: Database design

Day 5-6: UI/UX wireframes

Day 7: Implementation plan finalization

Phase 2: Backend Development (Week 3-4)

Week 3: Foundation

Day 1: Spring Boot setup with dependencies

Day 2: Database configuration and entities

Day 3: JWT authentication & BCrypt password hashing implementation

Day 4: User management and /me endpoints

Day 5: Cook Portfolio CRUD operations

Week 4: Core Features

Day 1: Appointment/Booking transaction logic

Day 2: Service rating and file storage implementation

Day 3: Cooks and Menu filtering, Admin controls

Day 4: Error handling and validation

Day 5: API documentation and testing

Phase 3: Web Application (Week 5-6)

Week 5: Frontend Foundation

Day 1: React setup

Day 2: Authentication pages (login, register)

Day 3: Cook portfolio (menu, certs) and Cook listing page (Public view)

Day 4: Menu listing, menu details page

Day 5: Appointment booking form implementation

Week 6: Complete Web Features

Day 1: Appointment management (Accept/Decline flow for Cooks)

Day 2: Booking history, Status updates, and Rating system

Day 3: Admin dashboard for Cook certification moderation

Day 4: Responsive design polish

Day 5: API integration and End-to-End testing

Phase 4: Mobile Application (Week 7-8)

Week 7: Android Foundation

Day 1: Android Studio setup and project structure

Day 2: Authentication screens (JWT Login/Register)

Day 3: Cook browsing and Portfolio view (XML Layouts)

Day 4: Appointment request and Calendar interaction

Day 5: Retrofit API service layer and JWT secure storage

Week 8: Complete Mobile App

Day 1: Role-aware UI

Day 2: Appointment and status management

Day 3: UI polish and role-based menu filtering

Day 4: Testing on emulator/device

Day 5: APK generation and documentation

Phase 5: Integration & Deployment (Week 9-10)

Week 9: Integration Testing

Day 1: End-to-end testing across platforms

Day 2: Bug fixes and optimization

Day 3: Security review

Day 4: Performance testing

Day 5: Documentation updates

Week 10: Deployment

Day 1: Backend deployment (Railway/Heroku)

Day 2: Web app deployment (Vercel/Netlify)

Day 3: Mobile APK distribution

Day 4: Final testing

Day 5: Project submission

Milestones:

- **M1 (End Week 2):** All design documents complete
- **M2 (End Week 4):** Backend API (Auth & Booking) fully functional
- **M3 (End Week 6):** Web application complete
- **M4 (End Week 8):** Mobile application complete
- **M5 (End Week 10):** Full system deployed and integrated

Critical Path:

1. Authentication system, Google OAuth login, and Role-based access control (Week 3)
2. Cook portfolio API (Week 3-4)
3. Booking Transaction Engine - Handling payments and status updates (Week 4)
4. Conflict Resolution Logic - Ensuring the cook can't accept a booking with a similar timeline(Week 4)
5. Role-Aware Mobile Navigation

6. Cross-platform testing (Week 9)

Risk Mitigation:

- Start with the simplest working version of each feature
- Test integration points early and often
- Keep a backup of the working versions
- Focus on core functionality before enhancements
- Database Safety First
- Limit External API Scope