Design Guidance
Address Input and Display

Friday, 22 January 2010
Version 2.0.0.0

Prepared by
Microsoft

Microsoft®

PREFACE

Documents replaced by this document

Document Title	Version
Design Guidance – Address Input and Display	1.0.0.0
Design Guidance – Address Information Display	1.0.0.0

Documents to be read in conjunction with this document

Document Title	Version
Design Guidance – Accessibility Principles	1.0.0.0
Design Guidance – Accessibility Checklist	1.0.0.0

Microsoft®

Design Guidance – Address Input and Display
Prepared by Microsoft, Version 2.0.0.0
Last modified on 22 January 2010

TABLE OF CONTENTS

Microsoft®

Design Guidance – Address Input and Display
Prepared by Microsoft, Version 2.0.0.0
Last modified on 22 January 2010

1   INTRODUCTION

This document describes the design guidance for input and display of a postal address. It describes the area of focus, provides guidance and recommendations, and explains the rationale behind the guidance and recommendations.

This document is intended for the use of anyone whose role includes screen design, implementation, or assessment of a clinical application. This document can be used as guidance for the:

- Specification of an input control and a display control for an address in a user interface (UI)

- Implementation of an input control and a display control for an address within an application

- Assessment of an input control and a display control for an address in a clinical application user interface

Note

Elements used within a software application are commonly referred to as a 'control'. These can take many forms but the types referred to in this document will either be 'input controls' that can receive input from a user, such as a button, text box, option button (radio button) or check box, or 'display controls' such as a label, which can only display information.

Important

The visual representations used within this document to display the guidance are illustrative only. Stylistic choices, unless otherwise specified, are not part of the guidance and are therefore not mandatory requirements for compliance with the guidance in this document.

To distinguish their relative importance, each guideline in this document is ranked by **Status**. This indicates the extent to which you should follow the guideline when defining your UI implementation. There are two levels:

- **Mandatory** – An implementation should follow the guideline

- **Recommended** – An implementation is advised to follow the guideline

Note

Refer to section 3.2 for definitions of the specific terminology used in this document.

Table 1 describes the changes made since the previous version of this guidance (Baseline version1.0.0.0 dated 25-Mar-2008):

Change	IDs	Change Description
Deleted		None
Modified		Enhanced context setting for out of scope text (section 1.2.2)
		Some old section 2.2.5.4 text integrated into new section 2.2
		Old section 2.2.5.5 text integrated into new section 2.2
		Old section 2.2.5.6 text integrated into new section 2.2
Added		Definition of guideline 'Status' (section 1)
		Address Input Data Elements section (section 2.2)

Table 1: Changes Since the Last Baseline Version

1.1 Customer Need

Clinical applications store and display addresses in various contexts. For example, the address may be a patient's residential address, or the address of a doctor's surgery.

Addresses play an important, though secondary, part in patient identification. Where only a patient's name and gender are known, the address can help identify the correct patient from a list of matching results. The address must therefore be easily accessed, such as from the Patient Banner, as described in *Design Guidance – Patient Banner* **{R1}**.

Addresses need to be stored by clinical applications, displayed on monitors and printed on referral letters and envelopes. There is therefore a need to identify best practice regarding address input and display and to promote its correct usage across all clinical applications. This ensures that users have a consistent experience and maintains a high standard of data quality across the healthcare industry.

Addresses must be accurate to enable delivery to, collection from or visits at the correct location. Therefore, it is essential that all clinical applications provide an easily-readable and consistent display format for address information. Promoting patient safety is of primary importance, so it is critical that addresses are presented in a clear form that minimises ambiguity and reading and transcribing errors.

An address that is not displayed in a clear form can be misread, or not understood at all. This could have patient safety issues if, for example:

- A patient needs to be sent a letter about an appointment
- Test results need to be sent to a hospital or General Practitioner (GP) surgery
- A next of kin needs to be contacted about the patient
- A consultant needs to be contacted about a patient

If clinical systems made by different developers vary in the way they display addresses, there is a risk of misinterpretation by healthcare professionals moving between those systems. This has the potential of leading to patient safety incidents.

Having a standard method of displaying addresses makes the design and development of clinical systems easier and quicker, therefore providing the benefits of having new systems available earlier and at lower cost.

The purpose of this guidance is twofold:

- To make address display consistent across all clinical systems, and all parts of any care process that includes the need to display addresses
- To increase patient safety by maximising clinical utility and minimising reading and transcribing errors

1.2 Scope

This section defines the scope of this guidance document.

1.2.1 In Scope

This guidance is applicable to UIs such as those displayed on desktop or laptop computers. It is assumed that, as a minimum, these computers are capable of operating at a display resolution of 1024 x 768, and have a keyboard and pointing device.

The following items are in scope:

- Input of addresses
- Display of addresses

1.2.2 Out of Scope

This section defines areas that are not covered in this guidance. Although there may be specific risks associated with these areas that are not addressed in this guidance, it is likely that the principles in this guidance will extend to the input and display of addresses in many of the areas listed below.

The following items are out of scope:

- **Validation of an entered address as a real address** – Techniques to determine whether an entered address is an actual address

- **Validation that a given address is that of the stated person** – Techniques to validate whether or not a valid address is that of the stated person

- **Multi-language applications** – Languages that use right-to-left writing, such as Arabic, the Cyrillic alphabet, such as Russian, or ideograms, such as Japanese

- **Display styles** – Choice of display font size, background and foreground text colour will affect the readability of addresses, as it will with all other displayed text

- **Reduced-size form factors** – Handheld devices, such as personal digital assistants (PDAs) and other such small mobile devices

- **Data storage and transmission** – This guidance relates only to the display layer of a clinical application, and does not prescribe how addresses should be stored. It is assumed that all applications will be capable of transforming an address stored in an arbitrary format into that prescribed by this guidance, without error

- **Data history and provenance** – The recording of validity dates is left to the designer of the NHS clinical application

- **Address types** – Entering multiple addresses, such as for office and home, is left to the designer of the NHS clinical application

- **Method of providing help text and user messages** – There are many ways of providing the user with assistance, such as tooltips, watermarks, frequently asked questions (FAQ) files and online help

- **Address picker** – Third-party postcode-based address finders offer a set of candidate addresses

- **Form design** – Typically, an address will be entered in a form along with other information such as name and email address; the positioning of these and other fields is left to the form designer

Note

Listing an item as out of scope does not classify it as unimportant. Project time and resource constraints inevitably restrict what can be in scope for a particular release. It is possible that items out of scope for this release may be considered for a future release.

1.3 Key Principles

The following key principles have shaped the guidance in this document:

- Conforming to convention and existing best practice with which clinicians are already familiar, so as to reduce the training requirements of clinical applications

- Promoting data quality so as to reduce occurrences of errors

- Balancing the need for consistency and commonality across clinical applications with the need to support Independent Software Vendor (ISV) requirements for flexibility

2 RECOMMENDATIONS AND GUIDANCE

The guidance provided in this document is based upon a programme of user research, including:

- A desk-based research project looking at a range of information entry Web pages and clinical applications

- A Web-based survey of 41 respondents drawn from ISVs, healthcare administrative staff and healthcare professionals, including clinicians and community pharmacists

- A patient safety assessment

Three different address controls are described in this document, to support:

- Input of a full address with additional optional functionality to find the postcode

- Finding an address based on a known postcode

- Input of a non-UK address

2.1 Address Display

There are two forms of address display:

- In-form or vertically aligned (see Figure 1)

- In-line or horizontally aligned (see Figure 2)

These apply whether the address is a UK or non-UK address.

```
18 Orchard Cottage
King's Road
Ipswich
Northshire
NS33 8KR
```

Figure 1: Example of Vertical Address Display

```
18 Orchard Cottage, King's Road, Ipswich, Northshire, NS33 8KR
```

Figure 2: Example of Horizontal Address Display

2.1.1 Guidance

ID	Guideline	Status
ADR-0001	When displaying an address horizontally, only use a single comma and a single space, in that order, to delimit the different fields	Mandatory
ADR-0002	When displaying an address vertically, do not use a comma at the end of a line	Recommended
ADR-0003	When displaying an address vertically, left-align the text for ease of reading	Recommended
ADR-0004	When truncating an address, add an ellipsis to indicate that the address is not displayed in full and, where appropriate, provide a means for the user to access the full address	Recommended
ADR-0005	Do not split an address element when wrapping an address across multiple lines	Recommended
ADR-0006	Where part of an address is not available, do not display an empty string in its place	Recommended
ADR-0007	Display the postcode in all caps with a space between the first part (the outcode) and the second part (the incode)	Mandatory
ADR-0008	Do not display labels for individual address elements	Recommended

Table 1: Guidance for Address Display

2.1.2   Examples of Correct Usage

Usage	Format	Example	Comments
✓	All elements vertically in correct sequence	18 Orchard Cottage King's Road Ipswich Northshire NS33 8KR	The address is displayed correctly in full
✓	All elements horizontally in correct sequence	See Figure 2	The address is displayed correctly in full
✓	Partial address display vertically in the correct sequence	18 Orchard Cottage King's Road Ipswich ...	The user can see that the address is incomplete
✓	Partial address display horizontally in the correct sequence	See Figure 5	The user can see that the address is incomplete

Table 2: Correct Address Display Examples

2.1.3   Examples of Incorrect Usage

| Usage	Format	Example	Comments
✘	Splitting address elements	18 Orchard Cottage King's Road Ipswich Northsh- -ire NS33 8KR	It is difficult to read the address and distinguish the fields correctly
✘	Displaying labels	Line 1 18 Orchard Cottage Line 2 King's Road Town/City Ipswich County Northshire Postcode NS33 8KR	The labels consume space but are not helpful: the address can be intuitively understood and address elements easily distinguished, without the labels
✘	Showing empty address elements	See Figure 7	The address looks incomplete yet may not be: the user cannot tell

Table 3: Incorrect Address Display Examples

2.1.4 Rationale

This section discusses the reasons underlying the guidance for address display.

2.1.4.1 Splitting Addresses

The address is a secondary but important item of information for correct patient identification, as it can distinguish the correct individual when multiple matches are found based only on name and gender. The address must therefore be displayed in a form that is easy to read and understand. The vertical display shown in Figure 1 supports this easy-to-read form, even for very long addresses. The horizontal display shown in Figure 2 is less effective. In, Figure 1 and Figure 2, the individual elements of the address are kept intact. In cases where display space is restricted, column widths may require that address elements are split, for example, displaying a street or a county name over multiple lines. This makes the address harder to read correctly, as can be seen in Figure 3:

```
18 Orchard
Cottage
King's
Road
Ipswich
Northsh-
-ire
NS33
8KR
```

Figure 3: Address Element Wrongly Split in a Vertical Display

The guidance therefore recommends that text is not split within an address element.

2.1.4.2 Truncating Addresses

The importance of the address in patient identification has been discussed in section 1.1 and section 2.1.4.1. Truncating an address can make patient identification harder. It is therefore important to ensure the user is aware that an address is truncated and that they are able to access the full address. The guidance recommends the use of an ellipsis to achieve this, as shown in Figure 4 and Figure 5:

```
18 Orchard Cottage
King's Road
Ipswich ...
```

Figure 4: Partial Address in a Vertical Display

```
18 Orchard Cottage, King's Road, Ipswich ...
```

Figure 5: Partial Address in a Horizontal Display

2.1.4.3 Readability

In written communication a mix of left-aligned and right-aligned addresses may be appropriate. Such addresses should be displayed in the same form on a monitor as they would appear when printed. However, when addresses that are not part of printed communication are to be viewed on a monitor, the guidance recommends left-aligning them, as that is normal and expected practice.

2.1.4.4   Labels

Labels for each address element, such as 'Town/City' and 'County' are useful when entering addresses, and are discussed later in this document. However, when reading an address, these labels are rarely helpful as users can understand an address themselves, identifying the different elements correctly. Users of screen reader software will be inconvenienced when an easily understood address is broken up into its constituent elements, and each label spoken before the element. Hence this guidance recommends that labels for individual address elements, as shown in Figure 6, should not be displayed:

Line 1	18 Orchard Cottage
Line 2	King's Road
Town/City	Ipswich
County	Northshire
Postcode	NS33 8KR

Figure 6: Labels Wrongly Applied in a Vertical Display

2.1.4.5   Missing Address Elements

When displaying an address it is not helpful to display empty address elements, as shown in Figure 7:

18 Orchard Cottage, King's Road, , , NS33 8KR

Figure 7: Empty Address Elements Wrongly Used in a Horizontal Display

This design is confusing and implies the address is incorrect. It may arise because not all elements in the address input control are required, for example, when inputting a London address, the 'County' element may be left blank. Additionally, screen reader software would read the punctuation and further confuse the user.

For both these reasons, the guidance recommends empty address elements are not displayed.

2.2   Address Input Data Elements

The minimum number of boxes required for inputting a UK address can vary. Many addresses will only require three input boxes:

- ■ House number and street

- ■ Town or city

- ■ Postcode

In addition, non-London addresses will require a 'County' box, and all addresses might need the name of a locality or suburb. Some addresses are not in a town but may refer to one, for example, for a farm near a town. Finally, as this control is specifically for UK addresses, no 'Country' input box need be provided. In this guidance we therefore recommend provision of six input boxes.

This guidance only recommends the number of input boxes so that ISVs have the flexibility to design the address control as suited to their application.

2.2.1   First Three Address Lines

Any address input control must not require that a property have a number, as some will only have a name, for example, 'The Old Mill House'. The input control must also support the input of multiple numbers, such as for a flat and its building. Therefore, in this guidance we mandate that the first three input boxes for all details up to and including street have labels that do not constrain what can be entered. These labels are 'Line 1', 'Line 2', and 'Line 3' respectively.

Figure 8 illustrates an example address input control in a default state:

Figure 8: Example Address Input Control

2.2.2   Town/City

The Town/City input box is displayed immediately below the 'Line 3' input box and is in the form of a free-text entry box.

Figure 9 illustrates an example address input control with the Town/City data input:

Figure 9: Example Address Input Control with Town/City Input

2.2.3   County

The County input box is displayed immediately below the Town/City input box and is in the form of a free-text entry box.

Figure 10 illustrates an example address input control with the County input:

Figure 10: Example Address Input Control with County Input

Microsoft®   Design Guidance – Address Input and Display
Prepared by Microsoft, Version 2.0.0.0
Last modified on 22 January 2010

2.2.4   Postcode

The postcode is a combination of between five and seven letters and numbers. Each postcode consists of two parts separated by a single space:

- The outward postcode, or outcode
- The inward postcode, or incode

Permitting the input of partial postcodes is recommended because often this is all that users will know or have access to. However, data quality can be improved by enabling a user to search for a postcode given the input of as much address information as they can provide. This facility would require that clinical applications offer a postcode-lookup service. Where this facility is not supported, do not misleadingly display a means to invoke it, such as a button. In such cases, where a postcode is entered, it cannot be validated against the address, but only against a format description, as described in *Cabinet Office: UK Government Data Standards Catalogue* **{R2}**.

The label for the postcode input box is 'Postcode' (and not 'Post code'), as this is the spelling used in *Cabinet Office: UK Government Data Standards Catalogue* **{R2}**, and by Royal Mail **{R3}**. Where input boxes are used, the guidance on their labels is mandatory.

Figure 11 illustrates an example address input control with a Postcode input:

Figure 11: Example Address Input Control with Postcode Input

2.3   UK Address Input

The purpose of the UK address input control is to enable the user to input a UK address. The control is shown in Figure 12:

Figure 12: The UK Address Input Control

2.3.1   Hints, Prompts and Tooltips

The input control may provide a hint, prompt, or tooltip. Hints are instructional text placed outside but adjacent to the 'Text Input Box'. Prompts are commonly known as watermarks and comprise instructional text placed within a text input box. Tooltips are instructional text that appear when the mouse pointer is placed over the text input box. The wording of hints, prompts, and tooltips is left to the designers of clinical applications. Examples of hints, prompts, and tooltips are shown in Figure 13, Figure 14 and Figure 15 respectively:

Figure 13: Example UK Address Control with Hints

Figure 14: Example UK Address Control with Prompts

Figure 15: Example UK Address Controls with Tooltips

2.3.2   Guidance

ID	Guideline	Status
ADR-0011	Provide the following text input boxes, in the stated order, for UK address input: ▪ Three boxes for input of all details up to and including the street name ▪ One box for input of the town or city ▪ One box for input of the county ▪ One box for input of the postcode	Recommended
ADR-0012	Where text input boxes are used, they must be labelled as follows: ▪ The three boxes for input of all details up to and including the street name, must be labelled 'Line 1', 'Line 2' and 'Line 3' respectively ▪ The box for input of the town or city should be labelled 'Town/City' ▪ The box for input of the county should be labelled 'County' ▪ The box for input of the postcode should be labelled 'Postcode'	Mandatory
ADR-0013	Provide a means to find a postcode, to enhance data quality	Recommended
ADR-0014	Display a means to find a postcode only if such a service is supported, positioning it after the postcode input box, and labelling it 'Find Postcode'	Recommended
ADR-0015	Set the length of the postcode input box to 8 characters	Mandatory
ADR-0016	Set the length of the county input box to 18 characters	Recommended
ADR-0017	Set the height of each text input box to the largest character height in the currently active display font, taking the user's settings into account	Recommended
ADR-0018	Display the text input boxes vertically with left alignment	Recommended
ADR-0019	Display the labels immediately to the left of their corresponding text input box, mutually right-aligning the labels	Recommended
ADR-0020	Permit address input via all the mechanisms supported on a platform such as, but not limited to, typing on a keyboard, copy and paste, and handwriting with a stylus	Recommended
ADR-0021	Permit the following characters in the address: uppercase and lowercase letters, numbers 0 to 9, the full stop, forward slash, comma, colon, apostrophe space and the hyphen	Recommended

Table 4: Guidance for UK Address Input

2.3.3   Examples of Correct Usage

Usage	Format	Example	Comments
✓	The text input boxes are left-aligned, their labels are right-aligned	Line 1 [_____] Line 2 [_____] Line 3 [_____] Town/City [_____] County [_____] Postcode [___] [Find Postcode]	The boxes are sized to give some indication of the input they are suited for. The labels are aligned to their respective boxes. All the boxes are present. These factors together contribute to complete and error-free address entry

Table 5: Correct UK Address Input Example

2.3.4   Examples of Incorrect Usage

| Usage	Format	Example	Comments
✖	The text input boxes are of the same size		These boxes do not bear any relation to the size of data to be input into them, for example, the postcode box is much too large. This could mislead the user into entering incorrect data
✖	The labels are left-aligned		Left-alignment makes it difficult to relate the labels to their boxes and the wrong data may be entered, for example the county may be entered in the 'Postcode' box
✖	The 'Postcode' input box precedes the 'County' input box		The postcode must be the last item of a UK address as that is the Royal Mail's recommendation for efficient sorting
✖	There is no 'Postcode' input box		The postcode must be entered for efficient sorting and to minimise the risk to patient confidentiality that will occur if information is sent to the wrong address

Table 6: Incorrect UK Address Input Examples

2.3.5   Rationale

This section discusses the reasons underlying the guidance for UK address input.

2.3.5.1   Alternative Designs

Alternative designs, shown in Figure 16, Figure 17 and Figure 18, were considered for the UK address input control.

Figure 16: A Rejected Design – Horizontal Input

Horizontal layout saves on screen space but risks making address input more error prone. This is because it is harder for the user to read all the elements together when checking an address after input. The vertical layout is superior in this respect and thereby better supports data quality. For this reason, the horizontal layout shown in Figure 16 is rejected.

Figure 17: A Rejected Design – Unstructured Input

Figure 18: A Rejected Design – Semi-Structured Input

Unstructured address input is the easiest form of data entry for a user. It allows for unusually long addresses to be entered. Also, where data is entered using copy and paste it allows for very efficient input (there is no need to repeatedly tab to the next field). However, there is a great cost in terms of data quality. An address entered in a free-form box cannot be validated because a clinical application would not be able to parse the individual elements, for example, the street name. Thus, any errors in this address input will be propagated instead of being sifted out. In the online user survey 78% of respondents preferred the design in Figure 15 to those in Figure 17 and Figure 18. For these reasons, the unstructured and semi-structured address input designs were rejected.

2.3.5.2   Permissible Characters

It is important to support input of the full range of potential addresses. Most frequently, these will be ordinary residential addresses but support is also required for other addresses such as, but not limited to, post office boxes, caravan sites, and mobile homes. For UK addresses, diacritical characters need not be supported. However, characters such as the full stop, forward slash, comma, hyphen, colon, apostrophe, space and all alpha-numeric characters could form part of a UK address and so their input should be supported.

2.3.5.3   Height and Length of the Address Input Boxes

The dimensions of each text input box should correctly indicate the intended purpose of the box, namely to enter a single element of an address. The height of each box should therefore be adequate to accommodate a single line, not a paragraph. The length of each box should be sufficient to permit the user to read the address element in its entirety. The checking of an address after it has been entered is a common task that users will perform each time. When a user enters an address in a box that is too short, the initial characters will scroll to the left side of the box. The user will then be forced to scroll back to the start of the box to reveal the initial characters. Keyboard users will either have to locate the left arrow or the HOME key, thereby reducing task efficiency.

Guidance on precise lengths can only be given for the input boxes for postcode and county. The length of the postcode input box must be eight characters exactly, as this is the maximum permissible length stated in *Cabinet Office: UK Government Data Standards Catalogue* **{R2}**. The longest name for a county in the United Kingdom is Kirkcudbrightshire, in Scotland, which is 18 characters long. The minimum length of the county input box must, therefore, be 18 characters as a box of this size will display a county name in its entirety. In the absence of ready access to comprehensive databases for town, city, and street names, no precise lengths can be mandated in this guidance. Designers of clinical applications will be constrained by the screen size available to their application and must decide on sizes for these input boxes accordingly.

2.3.5.4   Enabling the Postcode Finder

The minimum information that a postcode finder requires to identify a location is a street name and a town or city name. Hence, only enable the postcode finder after the user has entered this information. Figure 19 to Figure 22 show this sequence.

Figure 19: Input of House Number

Figure 20: Input of House Name

Figure 21: Input of Street Name

Figure 22: Input of Town/City Enables the Postcode Finder

Important

Where a postcode lookup service is provided, it need only support UK postcodes.

2.4   UK Address Finder

The purpose of the UK Address Finder control is to enable the user to find a UK address. Such a control is shown in Figure 23:

Figure 23: The UK Address Finder Control

A clinical application should only provide this control if it supports a postcode-based address lookup service. Typically, all the matching addresses found in the database are displayed in an address picker. The user then selects one of these addresses and it is stored as if the user had input the whole address. There are two advantages in such an approach:

■   There is an increase in data quality as only valid address can be selected

■   The user is saved time by not having to input the full address

Note

The implementation of an address picker is not part of the scope of this guidance and is therefore not described in this document.

2.4.1   Hints, Prompts and Tooltips

The finder control may provide hints, prompts, or tooltips. The wording of hints and prompts will depend on the context. Examples of the display of hints, prompts, and tooltips, including suggested text, are shown in Figure 24, Figure 25 and Figure 26 respectively.

Figure 24: Example of an Address Finder Control with Hints

Figure 25: Example of an Address Finder Control with Prompts

Figure 26: Examples of an Address Finder Control with Tooltips

2.4.2 Guidance

ID	Guideline	Status
ADR-0031	Provide the following text input boxes, in the stated order, for input of a UK address: ■ One box for input of house or building number ■ One box for input of house or building name ■ One box for input of the postcode	Recommended
ADR-0032	Where text input boxes are used, they must be labelled as follows: ■ The box for input of house or building number should be labelled 'House/Building Number' ■ The box for input of house or building name should be labelled 'House/Building Name' ■ The box for input of the postcode should be labelled 'Postcode'	Mandatory
ADR-0033	Display a means to find an address only if such a service is supported, positioning it after the postcode input box and labelling it 'Find Address'	Recommended
ADR-0034	Set the length of the postcode input box to 8 characters	Mandatory
ADR-0035	Set the height of each text input box to the largest character height in the currently active display font, taking the user's settings into account	Recommended
ADR-0036	Display the text input boxes vertically with left alignment	Recommended
ADR-0037	Display the labels immediately to the left of their corresponding text input box, mutually right-aligning the labels	Recommended
ADR-0038	Permit address input via all the mechanisms supported on a platform such as, but not limited to, typing on a keyboard, copy and paste, and handwriting with a stylus	Recommended

Table 7: Guidance for UK Address Finder

Design Guidance – Address Input and Display
Prepared by Microsoft, Version 2.0.0.0
Last modified on 22 January 2010

2.4.3   Examples of Correct Usage

Usage	Format	Example	Comments
✔	The boxes have the correct relative sizes, are in the right order, and are correctly aligned with their labels	See Figure 23	The boxes are sized to give some indication of the input they are suited for. The labels are aligned to their respective boxes. All the boxes are present. These factors together contribute to complete and error-free address entry

Table 8: Correct UK Address Finder Example

2.4.4   Examples of Incorrect Usage

Usage	Format	Example	Comments
✖	The house/building name and number fields are merged	See Figure 27	This design does not encourage the user to provide both number and name leading to a larger resulting set from which an address will need to be selected
✖	The 'Find Address' button is positioned at the top		Data input must precede the search for an address, but this design implies the opposite and is therefore confusing

Table 9: Incorrect UK Address Finder Examples

2.4.5   Rationale

This section discusses the reasons underlying the guidance for the UK Address Finder control.

2.4.5.1   Alternative Designs

Research into the design of an address finder control showed consensus had been reached on best practice. As there was little variation in competing designs, extensive further exploration was not required. However, two alternative designs, shown in Figure 27 and Figure 28, were considered for the UK address finder control.

Figure 27: A Rejected Design – Merged Fields

A postcode-based address finding service requires both a postcode and a building number to give a unique match. In some cases, buildings will have a name, rather than a number, and users require support to enter such addresses. Flat numbers within a building are not relevant as all apartments in a building will share the same postcode. When compared with Figure 23, the design in Figure 27 confuses the precise information required, and may cause users to leave out a building number or add an apartment number. In the online user survey 76% of respondents said they could not see any problems with the design in Figure 23. To support data quality, the design in Figure 27 was therefore rejected.

Microsoft®

Design Guidance – Address Input and Display
Prepared by Microsoft, Version 2.0.0.0
Last modified on 22 January 2010

In another candidate design, two input boxes were provided for house name and for house number but with the common text in their labels separated out, as shown in Figure 28:

Figure 28: A Rejected Design – Part Merged Labels

The problem with this design is that it can require considerable effort from developers to create a control that would display as shown on all software platforms. The careful positioning of the 'House or Building' label is non-trivial and that of the vertical bar even more so. This design was therefore rejected in favour of Figure 23.

2.4.5.2   Height and Length of the Input Boxes

The dimensions of each text input box should correctly indicate the intended purpose of the box, namely to enter a single element of an address. The height of each box should therefore be adequate to accommodate a single line, not a paragraph. Guidance on precise lengths can only be given for the house/building number and postcode input boxes. The length of the house number input box should be a minimum of five characters so as to accommodate most likely numbers. The length of the postcode input box must be eight characters exactly, as this is the maximum permissible length stated in *Cabinet Office: UK Government Data Standards Catalogue* **{R2}**. In the absence of ready access to comprehensive databases for street names, no precise lengths can be mandated in this guidance. Designers of clinical applications will be constrained by the screen size available to their application and must decide on sizes for these input boxes accordingly.

2.4.5.3   Labels

As stated above, apartment numbers are not relevant for a postcode-based address search. Hence the labels are specific in asking for a house or building name and number.

2.4.5.4   Enabling the 'Find Address' Functionality

To find an address, the minimum information required is the postcode. In most cases, this will match with a handful of properties. A unique match can be obtained with the addition of the building number. Therefore, the 'Find Address' functionality must only be enabled after the postcode has been entered, as shown in the following sequence in Figure 29:

Figure 29: Input of Postcode Enables the 'Find Address' Functionality

2.5 Non-UK Address Input

There may be reasons to input a foreign address for a patient, for example, for an expatriate living abroad, a patient living abroad temporarily, or a patient providing the address of their next of kin.

The non-UK address input control is shown in Figure 30:

Figure 30: The Non-UK Address Input Control

2.5.1 Guidance

ID	Guideline	Status
ADR-0050	Provide the following boxes, in the stated order, for input of a non-UK address: ■ One editable combo box for country selection ■ Four boxes for input of all details up to and including the street name ■ One box for input of the town or city ■ One box for input of the postal code	Recommended
ADR-0051	Where used, the boxes must be labelled as follows: ■ The editable combo box for country selection should be labelled 'Country' ■ The four boxes for input of all details up to and including the street name, should be labelled 'Line 1', 'Line 2', 'Line 3' and 'Line 4' respectively ■ The box for input of the town or city should be labelled 'Town/City' ■ The box for input of the postal code should be labelled 'Postal Code'	Mandatory
ADR-0052	Set the height of each text input box to the largest character height in the currently active display font, taking the user's settings into account	Recommended
ADR-0053	Display the text input boxes vertically with left alignment	Recommended
ADR-0054	Display the labels immediately to the left of their corresponding text input box, mutually right-aligning the labels	Recommended
ADR-0055	Permit address input via all the mechanisms supported on a platform such as, but not limited to, typing on a keyboard, copy and paste, and handwriting with a stylus	Recommended
ADR-0056	Use an editable drop-down combo box for country names	Recommended
ADR-0057	Use the list of country names in International Organization for Standardization (ISO) 3166-1 **{R4}** for the country selector drop-down combo box	Mandatory
ADR-0058	Display the country names in alphabetic order	Recommended
ADR-0059	Display the country names with left alignment	Recommended

Table 10: Guidance for non-UK Address Input

2.5.2　　Examples of Correct Usage

Usage	Format	Example	Comments
✓	The boxes have the correct relative sizes, are in the right order, and are correctly aligned with their labels	See Figure 30	The boxes are sized to give some indication of the input they are suited for. The labels are aligned to their respective boxes. All the boxes are present. These factors together contribute to complete and error-free address entry
✓	Ordering of country names		The country names are taken from ISO 3166-1 **{R4}**, are displayed in alphabetical order and are left-aligned. With the use of the ISO list, there will always be an entry for any country a user wishes to select, and it will be found in the same place in the list in all ISV applications. These factors promote data quality and a consistent user experience

Table11: Correct Non-UK Address Input Examples

2.5.3　　Examples of Incorrect Usage

Usage	Format	Example	Comments
✖	The country combo box is the last input box		Country selection must be the first item so users are aware from the outset that they are entering a non-UK address
✖	The alignment of the labels and input boxes is wrong		The extra spacing between the labels and the boxes may cause a user to enter the wrong data in a box, compromising data quality
✖	There is no input box for postal code		The postal code makes for efficient and correct delivery and must always be sought from the user. The absence of a postal code input box compromises data quality and potentially patient confidentiality

Table 12: Incorrect Non-UK Address Input Examples

Microsoft®

Design Guidance – Address Input and Display
Prepared by Microsoft, Version 2.0.0.0
Last modified on 22 January 2010

2.5.4   Rationale

This section discusses the reasons underlying the guidance for the non-UK Address Input control.

2.5.4.1   Alternative Designs

A seemingly obvious design for a non-UK address input control is derived from the UK-address control shown in Figure 12 but with the 'County' input box replaced with a 'Country' input box, as shown in Figure 31:

Figure 31: A Rejected Design – Derivative of the UK Address Control

The similarity with the UK-address control can be a problem. Users may mistake this design for a UK-address control and wish to enter a UK address, perhaps not realising that the county cannot be entered, thus compromising data quality. Also, for all the permutations of foreign addresses, three lines may not be adequate to input all details up to and including street name. Additionally, instead of requiring users to type in a country, it would be helpful if they could select a country from a list (see section 2.5.4.2). Finally, 'Postcode' is the term used for postal codes in the UK whereas 'Postal code' is the more general term used internationally.

An alternative design also considered (displayed in Figure 32) shows how some of those negative aspects might be addressed:

Figure 32: A Rejected Design – Modified UK Address Design Using a Combo Box

However, this design still does not differentiate itself from the UK address box. A better approach is to place the 'Country' box at the top, discouraging input of a UK address. This is the approach taken in the recommended design shown in Figure 30.

2.5.4.2   The Country Selector

A comprehensive list of countries must be displayed in the drop-down list in the Country input box. This guidance mandates the list of countries is taken from *ISO 3166-1 English country names and code elements* **{R4}**. This will ensure that users can reliably find the country for which they need to enter an address. Furthermore, consistency across other controls is enhanced as ISO 3166 is also mandated for telephone number input as described in *Design Guidance – Telephone Number Input and Display* **{R5}**. Additionally, the list should be ordered in a systematic and consistent form so that users can efficiently find the required country, whatever clinical application they are using. An alphabetic ordering meets this requirement. Finally, some users may find selecting a country from a drop-down list tedious, preferring to type in the country name. The Country box should therefore be editable to support a user typing text directly into the box, bypassing the drop-down list altogether.

2.5.4.3   Screen Readers

Users of screen readers may find the reading out of a list of countries tedious. Others may prefer not to select from a list as this requires moving a hand from the keyboard to the mouse and then scrolling to select the correct item. This guidance therefore recommends the country list be provided in an editable combo box so that users can type the country directly, or select from a list, as they prefer.

3 DOCUMENT INFORMATION

3.1 Terms and Abbreviations

Abbreviation	Definition
CUI	Common User Interface
FAQ	Frequently Asked Question
GP	General Practitioner
ISO	International Organization for Standardization
ISV	Independent Software Vendor
PDA	Personal Digital Assistant
UI	User Interface

Table 13: Terms and Abbreviations

3.2 Definitions

Term	Definition
Current best practice	Current best practice is used rather than best practice, as over time best practice guidance may change or be revised due to changes to products, changes in technology, or simply the additional field deployment experience that comes over time.
Status	Indicates the extent to which you should follow the guideline when defining your UI implementation. There are two levels: ■ **Mandatory** – An implementation should follow the guideline ■ **Recommended** – An implementation is advised to follow the guideline

Table 14: Definitions

3.3 Nomenclature

This section shows how to interpret the different styles used in this document to denote various types of information.

3.3.1 Body Text

Text	Style
Code	`Monospace`
Script	
Other markup languages	
Interface dialog names	**Bold**
Field names	
Controls	
Folder names	Title Case
File names	

Table 15: Body Text Styles

3.3.2 Cross References

Reference	Style
Current document – sections	Section number only
Current document – figures/tables	Caption number only
Other project documents	*Italics* and possibly a footnote
Publicly available documents	*Italics* with a footnote
External Web-based content	*Italics* and a hyperlinked footnote

Table 16: Cross Reference Styles

3.4 References

Reference	Document	Version
R1.	Design Guidance – Patient Banner	4.0.0.0
R2.	Cabinet Office: UK Government Data Standards Catalogue http://www.govtalk.gov.uk/gdsc/html/noframes/PostCode-2-1-Release.htm	
R3.	Royal Mail: Find a Postcode http://postcode.royalmail.com/portal/rm/postcodefinder?catId=400145&pageId=pcaf_pc_search&gear=postcode	
R4.	ISO 3166-1: 2006 – English country names and code elements: http://www.iso.org/iso/country_codes/iso_3166_code_lists/english_country_names_and_code_elements.htm	
R5.	Design Guidance – Telephone Number Input and Display	2.0.0.0

Table 17: References