




**3Dfindit**

powered by  **CADENAS**



**MTSBHR, MTSBHL, MTSMHR**

# CONTENT


---

|                                                   |   |
|---------------------------------------------------|---|
| Augmented Reality (AR) - Digital meets real       | 2 |
| 3D preview of MTSBHR, MTSBHL, MTSMHR              | 3 |
| Integrate Misumi catalog inside your CAD System   | 4 |
| 2D derivations and Bill-Of-Material (BOM)         | 5 |
| Technical drawings                                | 6 |
| Technical data                                    | 7 |
| Get a free E-Learning training for Misumi catalog | 8 |



# 3Dfindit

powered by  CADENAS




 **MiSUMi**

## MTSBHR, MTSBHL, MTSMHR

### AR

Augmented Reality, often shortened to AR, is a technology that blends digital information into the real world. For more information, please click [here](#) or directly try yourself by scanning the QR code with your phone.




Please scan the QR code above and open on AR-enabled device.

There is a possibility that the configuration will fail. If that happens, please try a different product.



# 3Dfindit


powered by  CADENAS



 **MISUMI**

## MTSBHR, MTSBHL, MTSMHR

### 3D view



## HOW TO ACTIVATE 3D?

To activate the interactive 3D view in Acrobat Reader, you need to select, at the top of the page, **Options** and then **Trust this document**

#### Zoom


Agrandit ou réduit les objets par un mouvement vertical. Vous pouvez aussi zoomer en utilisant la touche SHIFT et l'outil Main.

#### Pan

Déplace l'objet horizontalement ou verticalement. Vous pouvez aussi utiliser l'outil Main : Ctrl-drag.

#### Animation


Rotation des objets 3D. Le mouvement des objets dépend de la vue de départ.



**MTSBHR, MTSBHL, MTSMHR**

## CAD plugins

With our CAD integrations, you can use 3Dfindit directly in your CAD system and make your work easier with additional comfort functions, such as replacing a part and many more.




**To the plugins**



# 3Dfindit


powered by  CADENAS




 **MISUMI**

## MTSBHR, MTSBHL, MTSMHR

### 2D derivation



### ISO view




### Bill-Of-Materials

| N°  | Description | Nombre |
|-----|-------------|--------|
| 1.1 | MTSBHR10    | 1      |



# 3Dfindit


powered by  CADENAS



 **MiSUMi**

## MTSBHR, MTSBHL, MTSMHR


### Technical drawings





# 3Dfindit

powered by  CADENAS



## MTSBHR, MTSBHL, MTSMHR

### Technical data


|                                         |                                                   |
|-----------------------------------------|---------------------------------------------------|
| PN (Réf. pièce)                         | MTSBHR10                                          |
| TYPE (Type)                             | MTSBHR                                            |
| MAT (Matériau)                          | EN C766S l'équivalent (lubrifiant solide intégré) |
| TS (Type sélectionnable)                | Bloc large                                        |
| TRS (Filetage sélectionnable)           | Filetage à pas à droite                           |
| DD (d / mm)                             | 10                                                |
| P (Pas P / mm)                          | 2                                                 |
| HH (h / mm)                             | 10                                                |
| W (W / mm)                              | 30                                                |
| H (H / mm)                              | 20                                                |
| L (L / mm)                              | 24                                                |
| L1 (L1 / mm)                            | 16                                                |
| W1 (W1 / mm)                            | 20                                                |
| W2 (W2 / mm)                            | 8                                                 |
| C (C / mm)                              | 4                                                 |
| M (M)                                   | M4                                                |
| LL (L / mm)                             | 8                                                 |
| ADT (Poussée dynamique admissible / kN) | 2.55                                              |
| MASS (Masse / g)                        | 87                                                |





# 3Dfindit

powered by  CADENAS



## MTSBHR, MTSBHL, MTSMHR

### E-Learning

Discover free training for 3Dfindit, the search engine for engineers, designers, and architects. Our 30 to 50-minute interactive courses provide you with comprehensive knowledge about the platform. Upon successful completion, you will receive a certificate. Start your first course now and master 3Dfindit!

**Become an Expert of  
Digital Engineering**



## 3Dfindit

**Boost your career  
and get ready  
for Industry 4.0!**

[Learn more](#)

[Start course](#)