# Urbi Map Vision - ALL ISSUES (master list)

Compiled 2026-10-14 from every audit and fix report in `/ease-agent/output/urbi/` plus the Codex round-2 fix note and the fix-branch git log (`git log 5d7e82d..HEAD`, 32 commits, branch `fix/prod-readiness`, not pushed). Nothing is dropped: findings reported by two sources are merged into one row and cite both (bracketed tags in the Issue column).

**Status legend.** FIXED @sha = fixed on the branch at that commit (verified against the git log; `(per agent report)` = taken from the agent's report where the commit could not be pinned to one line of evidence). OPEN = not fixed, no decision needed. NEEDS DECISION = an assumption or product choice a person must confirm. NEEDS OWNER ACTION = credential, env var or dashboard step only the owner can do. NOT VERIFIED = untested, or a fix/claim not checked in a real environment. INFO = informational, no action.

**Tag key.** C/I = bug log currency/language; Map-M = map audit; A/B = filters/mobile/caching and production-readiness audit; D/R/O/L = scraping audit; SR = SECURITY-REPORT; SB = security_backend; SF = security_frontend_infra; CX1/CX2 = Codex review round 1 (6) and round 2 (9); E2E = e2e report; DB/BE/LH/OPS/PRD/UNT = db, backend, link-health, ops, product and untested items.

**Commit key (short sha -> subject).** b6e0f37 listings API; aa37f47 GHL hardening; f6e0020 security round 1; 23907d8 frontend currency/i18n; 7f6d4b8 NULL-safe ocultar_destacados; deaf09b perf+infra; 7901e44 map/filters; b20adbf mobile dvh + GHL links; 8bec299 route states/dead links; c18fe1a e2e fixes; c7fd627 tour/legend/lang a11y; 45d75f8 clipboard; 7b3330d webhook auth + bounded reads (Codex 1); 0196107 compact (Codex 2); 6b42e3d favorites (Codex 3); fcebff9 barrio click (Codex 4); cf28519 migration 0105 downgrade (Codex 5); 5d3a0d8 featured predicate (Codex 6); caaa532 admin panel; a6404ca Retry-After; 998938e typed price inputs; b6efa1b link health; 4356499 body limit + docs/CORS fail-closed; 10a9df5 PyJWT/token_version/verification gate; b2e699b agent-row takeover; 1bdb4ca email escaping; d69ce88 XSS; d511bc7 register check-email; 563fca6 non-root Docker/keys/deps; af7160c security tests; 296dd36 Google sub + jti + atomic tokens (Codex round 2); 112ba13 link-review locking (Codex round 2).

## 1. Summary (rows by area and status)

| Area | Rows | FIXED | OPEN | NEEDS DECISION | NEEDS OWNER ACTION | NOT VERIFIED | INFO |
|---|---|---|---|---|---|---|---|
| Currency/Pricing | 16 | 14 | 2 | 0 | 0 | 0 | 0 |
| Language/i18n | 27 | 19 | 7 | 0 | 0 | 1 | 0 |
| Map & Barrios | 19 | 13 | 4 | 2 | 0 | 0 | 0 |
| Filters & Listings UI | 13 | 12 | 0 | 0 | 0 | 0 | 1 |
| Mobile | 9 | 4 | 5 | 0 | 0 | 0 | 0 |
| Caching/Deploy | 12 | 4 | 4 | 0 | 1 | 1 | 2 |
| Performance/Bundle | 12 | 7 | 2 | 1 | 0 | 0 | 2 |
| Backend/API | 24 | 14 | 7 | 1 | 1 | 1 | 0 |
| Data & Scraping | 30 | 3 | 24 | 3 | 0 | 0 | 0 |
| Link Health | 15 | 6 | 1 | 0 | 1 | 4 | 3 |
| Security-Auth | 34 | 13 | 12 | 2 | 2 | 3 | 2 |
| Security-XSS/Frontend | 8 | 2 | 1 | 0 | 0 | 3 | 2 |
| Security-Secrets/Infra | 18 | 5 | 1 | 1 | 5 | 5 | 1 |
| Dependencies | 5 | 3 | 2 | 0 | 0 | 0 | 0 |
| Ops/Integrations | 8 | 1 | 0 | 0 | 6 | 1 | 0 |
| Product/Decisions | 8 | 0 | 0 | 8 | 0 | 0 | 0 |
| Untested areas | 14 | 0 | 0 | 0 | 0 | 13 | 1 |
| **Total** | **272** | **120** | **72** | **18** | **16** | **32** | **14** |

Severity mix: Critical 0, High 57, Medium 116, Low 99 (no Critical was confirmed by any audit).

**2. Currency/Pricing (CUR)**

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| CUR-01 | High | [C1] USD max 2,000-2,500 returned 0 results (filter/backend COP-only; commit-per-keystroke; fallback TRM 4100; depends on UI language) | MapFilterBar.tsx:405-446; listings.py:588 | FIXED @23907d8, b6e0f37, c18fe1a | Shared TRM + `moneda` param, debounced typed inputs, recompute on TRM/currency change. e2e: <=2,500 USD in Poblado returned 57-69 rows. |
| CUR-02 | High | [C2] Rentals under 500K show "$0M COP"; 700K -> "$1M" | MapView.tsx:170-173 (_fmtCOP) | FIXED @23907d8 | Single formatter module; compact only on slider chips. |
| CUR-03 | High | [C3] formatCOP rounds to millions (1.2M -> "$1M", 2.5M -> "$3M"), 999.6K -> "$1000K"; unit test enshrined it | src/lib/format.ts:4-6; format.test.ts:15 | FIXED @23907d8 | Exact Intl currency formatting in card/popup/drawer/detail; test rewritten. |
| CUR-04 | High | [C4] USD shown as "$1k"/"$0k" (round(usd/1000)); drawer used 1 decimal, others none | FloatingPanel.tsx:1707; MLSPanel.tsx:162; MapView.tsx:262; listing.$id.tsx:~512; ListingDrawer.tsx:39 | FIXED @23907d8 | formatUSD exact. |
| CUR-05 | High | [C5] 7 independent price formatters; popup always COP, drawer follows lang | MapFilterBar.tsx:308-326; ListingMiniPopup.tsx:105; ListingPopup.tsx:169; ListingDrawer.tsx; listing.$id.tsx; FloatingPanel; MLSPanel | FIXED @23907d8 | Single usePriceFormat(); e2e: same value in card/popup/drawer. |
| CUR-06 | Medium | [C6] Backend precio_usd (env rate 4100, int-truncated) differs from frontend TRM (public.trm) | listings.py:33,229,349,772; config.py:4; trm.py | FIXED @b6e0f37 | precio_usd computed from shared TRM, rounded. |
| CUR-07 | Medium | [C7] Hardcoded TRM 4200 in publish form | publicar.tsx:37,576 | FIXED @23907d8 | Uses useTrm(). |
| CUR-08 | Medium | [C8] Null price shows "$0 COP"; price slider label ignores language | FloatingPanel.tsx:1707-1712,1797-1806,1851 | FIXED (per agent report) @23907d8 | Formatter replaced in FloatingPanel; explicit dash-for-null not separately confirmed. |
| CUR-09 | Medium | [C9] Rent chip "$0K"/"Hasta $0K" for typed values under 500 | MapFilterBar.tsx:308-312 | FIXED @23907d8 | formatCompact never rounds small values to 0. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| CUR-10 | Low | [C10] vender/real-estate repeat Math.round(n/1e6) pattern | vender.tsx:46; real-estate.tsx:34; MapView.tsx:170 | FIXED @23907d8 | Shared formatter. |
| CUR-11 | Low | [C11] "$344K COP" for 344,400 (rounded) | format.ts:5 | FIXED @23907d8 | See C3. |
| CUR-12 | Low | [C12] Prices flash with 4100 until TRM loads; no loading state | useTrm.ts:7-13 | FIXED @23907d8 | useTrm returns {valor,isReady}, no fallback; COP shown until ready. |
| CUR-13 | Low | [C13] solicitudes shows full number while rest abbreviates | solicitudes.tsx:203 | FIXED @23907d8 | Shared formatter. |
| CUR-14 | Low | [C14] Min/Max placeholders not localized; type=number rejects "2,500" and silently clears filter | MapFilterBar.tsx:1418,1423 | FIXED @23907d8 | text + inputMode numeric, accepts 2,500 / 2.500. |
| CUR-15 | Low | [C-extra] EUR not supported (useTrm / currency toggle is COP/USD only) | useTrm.ts | OPEN | Add EUR only if product wants it. |
| CUR-16 | Medium | [C-extra] Residual separate USD rates: precio_m2_usd / adr_usd still use their own rates (not the shared TRM) | barrios.py; comparador.py; listings_propios.py | OPEN | Route through the shared TRM service (backend_report 'Not verified'). |

**3. Language/i18n (LNG)**

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| LNG-01 | High | [I1] Case-sensitive regexes: "Precio mínimo", "metros cuadrados", "hasta 2.5K" stay Spanish/Spanglish | i18n.tsx:2802-2804 | FIXED @23907d8 | Case-insensitive with case restore, letter-only boundaries, memoized. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| LNG-02 | High | [I2] "Hasta/Desde" price label built in code inside data-i18n-skip; missing keys; ListingPopup 'Desde' | MapFilterBar.tsx:340,281,1262; ListingPopup.tsx:169; realtor/dashboard.tsx:897 | FIXED @23907d8 | Price/area/unit labels language-aware; keys added. |
| LNG-03 | High | [I3] AreaPanel shows m2 and 0-600 in EN while inputs show ft2 | MapFilterBar.tsx:717-771 | FIXED @23907d8 | Made unit-aware (component is unused dead code per frontend1). |
| LNG-04 | High | [I4] Mapbox listing popup mixes Spanish in EN (BUENA OFERTA, 3hab, 2baños, WhatsApp text) | MapView.tsx:187-284 buildListingPopupHTML | FIXED @23907d8 | New lang/currency/unit-aware src/lib/listingPopupHtml.ts; old builder removed. Note: new builder has no call site (see MOB 'listingPopupHtml no call site'); live popup is React ListingPopup. |
| LNG-05 | High | [I5] PROTECT list blocks safety/liquidity/health labels (MUY SEGURO, ALTA, BAJA, SALUDABLE...); 21 dead translations | i18n.tsx:2772-2790; FloatingPanel.tsx:1294,1347,2010 | FIXED @23907d8 | PROTECT reduced to brands only. |
| LNG-06 | High | [I6] Listing status/banners Spanglish ("This listing ya no está disponible", "Remove de comparación", "Age no especificada", Disponible/Reservado/Vendido...) | MLSPanel.tsx:328,414,305,112,680; ListingDrawer.tsx:122,159,1297,1376 | FIXED (per agent report) @23907d8 | ~45 phrases added; full sentences as keys. |
| LNG-07 | High | [I7] Placeholders/aria-labels "Mínimo", "Máximo", "Precio mínimo", "Área máxima", "Comunas Medellín" Spanish/Spanglish | MapFilterBar.tsx:1418,1423,1574,1579,1772,1780,1381,172 | FIXED (per agent report) @23907d8 | Phrase keys added + attribute cache fix. |
| LNG-08 | High | [I8] Dynamic title/aria-label/placeholder keep stale cached Spanish original; overwrite React's new value | i18n.tsx:2858-2866 | FIXED @23907d8 | Attribute stale-cache fixed; restore never clobbers React writes. |
| LNG-09 | Medium | [I9] EN users see Spanish first (flash); lang read after mount; in SSR; no cross-tab sync; unvalidated cast | i18n.tsx:2899-2906; __root.tsx:151 | FIXED @23907d8 | Lang read synchronously (cookie+localStorage), useSyncExternalStore, inline script sets , storage-event sync. e2e: persists across reload/hard reload/new session. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| LNG-10 | Medium | [I10] Price-history chart: 'Precio' tooltip, es-CO dates, '$NNNM COP' in EN | PopupPriceHistory.tsx:37,58; ListingDrawer.tsx:1440 | FIXED (per agent report) @23907d8 | PopupPriceHistory moved to usePriceFormat/formatDate. |
| LNG-11 | Medium | [I11] Number/currency formatting ignores UI language (es-CO hard-coded, raw toLocaleString) | format.ts:1-8; MapView.tsx:170; ListingDrawer.tsx; FloatingPanel.tsx:1530 | FIXED @23907d8 | formatMoney/formatNumber/formatDate with locale es-CO or en-US (setFormatLang). |
| LNG-12 | Medium | [I12] Tab title/meta description stay Spanish when drawer open in EN | ListingDrawer.tsx:1058-1070 | FIXED @23907d8 | document.title translated. |
| LNG-13 | Medium | [I13] cleanAntiguedad rewrites English API tokens to Spanish (fragile round trip) | ListingDrawer.tsx:83-126 | OPEN | Not mentioned in fix reports; normalise to enums and render via {es,en} table. |
| LNG-14 | Medium | [I14] Sonner toasts in Spanish ("Error al crear la alerta", "No pudimos registrar la visita...") | ListingMiniPopup.tsx:146; MLSPanel.tsx:302; ListingDrawer.tsx:414,417,679,1092; OnboardingModal.tsx:113 | NOT VERIFIED | Phrases were added, but these specific toast strings are not confirmed translated. |
| LNG-15 | Medium | [I15] "Local comercial" -> "Retail space comercial"; type labels from module-level Spanish constants | MapFilterBar.tsx:340-355,221-229 | FIXED (per agent report) @23907d8, c7fd627 | Phrases added; map legend now translated and segment-aware (E2E-6). |
| LNG-16 | Medium | [I16] Fragile price-label concatenation ('Precio / mes' + (COP)) mixes dict and code | MapFilterBar.tsx:1415 | OPEN | Low risk today (works); use one key per variant. |
| LNG-17 | Medium | [I17] Two parallel translation mechanisms (lang ternaries vs dictionary), data-i18n-skip spans | MLSPanel.tsx:771; MapFilterBar:340,600; ListingDrawer:540; routes/index.tsx:438 | OPEN | Architectural: standardise on one mechanism (a t('key') system) - not done. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| LNG-18 | Low | [I18] 48 duplicate dictionary keys (9 conflicting) | i18n.tsx | FIXED @23907d8, deaf09b | 47 removed (+2 re-added dups removed by infra); test 'no duplicate keys' added. |
| LNG-19 | Low | [I19] Performance: ~2,300 regexes per text node, no memo | i18n.tsx:2802-2804 | FIXED @23907d8 | Memoized translateString; dictionary lazy-loaded (see PER). |
| LNG-20 | Low | [I20] Dictionary applied to data (barrio names, titles: 'Casa Blanca' -> 'House Blanca') | i18n.tsx; MapNavbar:378; MLSPanel:228 | OPEN | Not mentioned; wrap API-provided names in data-i18n-skip. |
| LNG-21 | Low | [I21] Interpolated aria-labels cannot match dict keys ("Apartamento en Poblado" -> "Apartment en Poblado") | ListingPopup.tsx:104,127; PopupGallery.tsx:68; ListingDrawer.tsx:1497 | OPEN | Not mentioned; use {es,en} template functions. |
| LNG-22 | Medium | [I-Q3] Hardcoded Spanish outside the map: realtor/dashboard (144), publicar (94), panel-x9k2 (61), index (51), simulador (47), listing.$id (44), BarrioContext, vender, ComunidadNavbar, comparador; HomeTourModal/ComparadorBadge/ReclamarListingModal | see I-Q3 counts in bug log | OPEN | frontend1: 'Remaining Spanish-only: realtor/dashboard, panel-x9k2 agent-side pages'. Others not addressed. |
| LNG-23 | Medium | [I-Q3b] Map-page Spanglish in FloatingPanel/MapView ('Volver al Valle' -> 'Back al Valle', 'Fuente: real data del barrio', 'Amenities del mercado', 'Liquidity zona') | MapView.tsx:316,1580; FloatingPanel.tsx:793,849,1268,1695 | FIXED (per agent report) @23907d8 | Covered by new i18n.scan.test (map-page literal scan). |
| LNG-24 | Low | [I-Q2] Backend returns Spanish enum strings (estado, seguridad_categoria); no React Query key includes lang | api/routers | OPEN | Map enums to {es,en} labels in the component. |
| LNG-25 | Medium | [E2E-6] Map legend 'Tipos' untranslated in EN; listed commercial types in residential segment | MapView legend | FIXED @c7fd627 | Translated + segment-aware. |
| LNG-26 | Low | [E2E-7] Language toggle buttons lacked aria-label/aria-pressed | language switcher | FIXED @c7fd627 | Labels added. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| LNG-27 | Low | [I-note] i18n unit test only 26 cases; none for Precio/Hasta/metros cuadrados | i18n.translate.test.ts | FIXED @23907d8 | Test extended + i18n.scan.test. |

**4. Map & Barrios (MAP)**

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| MAP-01 | High | [Map-M1] Zoomed out shows giant numbered bubbles, no pins (clusters below zoom 13) | listings.py:954,1043; MapView.tsx:129 | FIXED @b6e0f37, 7901e44 | Backend: thinned points zoom 10-12 (cap 1500, featured first), clusters <10; frontend zoom gate removed. e2e: whole-Valle pins. |
| MAP-02 | High | [Map-M2] Zoom/pan auto-selects El Poblado/La Candelaria (camera-derived cd_comuna drops bbox) | MapView.tsx:1346-1392; map.tsx:594; listings.py:1203 | FIXED @7901e44, b6e0f37 | Camera-derived selection removed; bbox kept unless `zona_completa`. e2e: zoom/pan keeps zone+filters. |
| MAP-03 | Medium | [Map-M3] Zoom >=13 in zonas view auto-drills into comuna at center | MapView.tsx:1153-1181 | FIXED @7901e44 | Zoom-drill removed. |
| MAP-04 | Medium | [Map-M4] Dedupe/cache key freezes dataset after camera-set cd_comuna | MapView.tsx:1218-1241 | FIXED (per agent report) @7901e44 | Follows M2; rounded bbox cache key. |
| MAP-05 | High | [Map-M5] Ciudad del Rio (and Provenza) missing; coordinates land in barrio 226 COLOMBIA/Poblado | geojson; barrios_comunas.json; alembic 0062 | FIXED @b6e0f37 (assumption pending, see PRD) | Alias table raw.barrio_alias + /barrios/aliases + /barrios/buscar accent-insensitive search. Comuna ASSUMED 14 El Poblado - owner confirmation required. |
| MAP-06 | Medium | [Map-M6] DB vs frontend disagree on 6 barrios (ids 11,42,61,63,64,183) | alembic 0062 vs geojson | FIXED @b6e0f37 | Migration 0104 (6,7,13,13,13,8); up/down verified on PostGIS. |
| MAP-07 | Low | [Map-M7] useBarrios overwrites cd_comuna with `_comunaMap.get(key) ?? null` | useBarrios.ts:354-357 | OPEN | Not mentioned in fix reports; use `?? b.cd_comuna`. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| MAP-08 | High | [Map-M8] Barrios have no hover/click; layers hidden until zoom 15; hover state unused | MapView.tsx:130, 757-815,1333 | FIXED @7901e44 | Layer minzoom, visible hover fill + tooltip, click selects. e2e PASS (real-browser tile rendering not verified, see UNT). |
| MAP-09 | Medium | [Map-M9] barrios-mls source fully re-setData on every polygon-tier effect run | MapView.tsx:1316-1328 | OPEN | Not mentioned; load barrio source once. |
| MAP-10 | Medium | [Map-M10] Out-of-order viewport responses; failed fetch never retried | MapView.tsx:1229-1241,1288-1298 | FIXED @7901e44 | Request seq + AbortController, retry-safe errors. |
| MAP-11 | Low | [Map-M11] _pendingClick timer survives unmount | MapView.tsx:~960-973 | FIXED @7901e44 | Click timer cleanup. |
| MAP-12 | Low | [Map-M12] Continuous setPaintProperty pulse every frame hurts mobile battery | MapView.tsx:~1000-1013 | FIXED @7901e44 | Throttled pulse. |
| MAP-13 | Low | [Map-M13] Hard-coded pk. token fallback; tokenError never fires | src/lib/mapboxToken.ts:4-5 | FIXED (per agent report) @7901e44 | Token env-only with console.error + UI error. URL restriction: see SEI. |
| MAP-14 | Medium | [Map-M14] Mobile touch/perf: terrain+fog+antialias+pitch on every mount; dblclick 220ms latency; minZoom 11 cannot show whole box on 360px | MapView.tsx:104-123,549,1008-1016 | OPEN | Not reported fixed; disable terrain/pitch on mobile, use fitBounds as min-zoom floor. |
| MAP-15 | Low | [Map-M15] Viewport payload up to 3000 rows, float-bbox cache key = zero cache hits; double serialization | listings.py:1218-1230 | FIXED (per agent report) @7901e44 | Rounded bbox cache key; gzip/serialization changes not reported. |
| MAP-16 | High | [CX1-4] Selecting a barrio keeps a conflicting municipio filter -> 0 listings; stale comuna in breadcrumb | src/routes/map.tsx:617 | FIXED @fcebff9 | geoSelectionForBarrio replaces whole geographic selection. |
| MAP-17 | Medium | [E2E-open-4] With an explicit zone, pan/zoom does not refetch (zone-scoped load) | map.tsx / viewport zona_completa | NEEDS DECISION | Confirm whether this is intended behavior. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| MAP-18 | Low | [Map-extra] Provenza is not an official barrio; curated polygons for Ciudad del Rio/Provenza not drawn (alias only) | barrio data | OPEN | Optional: curated 'zona' polygons if owner wants them drawn. |
| MAP-19 | Low | [Map-extra] Default mapView remains 'zonas' (not auto-switched to listings) | MapView / map.tsx | NEEDS DECISION | frontend2 note: confirm desired default. |

**5. Filters & Listings UI (FIL)**

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| FIL-01 | High | [A1] Offices/locales/bodegas mixed into rental/sale results (no segment filter; round-robin ORDER BY) | MapFilterBar.tsx:41-45,221-229; map.tsx:95; listings.py:989,1151 | FIXED @b6e0f37, 7901e44 | `segmento` filter + gate (default residencial, persisted). e2e PASS. |
| FIL-02 | Medium | [A2] 'Studio apartment' appears next to 'Apartment' (apartaestudio stored as own type) | MapFilterBar.tsx:224; i18n.tsx:1703; MLSPanel.tsx:59-81; scraper.py:85 | FIXED @b6e0f37, 7901e44 | Normalised to apartamento hab=0 (query-time, scraper, migration 0105 reversible); 'Studio (0)' bedroom option. |
| FIL-03 | Medium | [A3] No way to hide featured listings | MLSPanel.tsx:100-102,594; listings.py:1146 | FIXED @b6e0f37, 7f6d4b8, 7901e44 | `ocultar_destacados`; NULL-tier bug (returned 0 rows) fixed. |
| FIL-04 | Medium | [A4] Link to original listing hard to find; absent in popups/cards | ListingDrawer.tsx:1258; listing.$id.tsx:606 | FIXED @7901e44 | OriginalListingLink in drawer, detail, popups, cards; hidden for propio/null. |
| FIL-05 | Medium | [CX1-3] Own listings cannot be favorited (url removed from propio responses) | listings.py:88; ListingDrawer / useFavoritosListings | FIXED @6b42e3d | Stable `fav_key` in listing + viewport responses. |
| FIL-06 | Medium | [E2E-open-1] Desktop price filter slider-only (exact 2,500 USD not typeable) | MapFilterBar.tsx | FIXED @998938e | Typed min/max inputs on desktop. |
| FIL-07 | Medium | [E2E-4] First-visit map tour stacked over segment gate and swallowed clicks | tour component | FIXED @c7fd627 | Tour no longer stacks on gate. |
| FIL-08 | Low | [E2E-5] Studio (0 beds) shown as '0 hab' in popup/drawer and nothing in card | popup/drawer/card | FIXED @c7fd627 | Shows 'Studio'. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| FIL-09 | Low | [E2E-8] Copy-link threw unhandled promise rejection (permission denied / insecure origin) | copy link handler | FIXED @45d75f8 | Safe copyText helper. |
| FIL-10 | Medium | [E2E-open-3] Admin panel /panel-x9k2 renders blank body when unauthenticated | admin SPA | FIXED @caaa532 | Redirect to login / message. |
| FIL-11 | Low | [A-note] Habitaciones filter 'Studio (0)': check SQL NULLIF(habitaciones,-1) does not treat 0 as null | listings.py:317 | FIXED (per agent report) @b6e0f37 | Studio=0 normalisation tested (db_report); empty state with clear-filters added. |
| FIL-12 | Low | [A-tipo] Exact type matching (= ANY) instead of ILIKE '%x%' recommended | listings.py viewport | FIXED (per agent report) @b6e0f37 | Prefix-list segmento; trigram index for ILIKE. |
| FIL-13 | Low | [Info] tipo_inmueble=apartaestudio filter matches ALL apartamentos (by design after normalisation) | listings.py | INFO / NO ACTION | db_report note. |

**6. Mobile (MOB)**

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| MOB-01 | High | [A5a] First render on phones uses desktop layout (useIsMobile false until effect) - flash + hydration mismatch | use-mobile.tsx:6-17 | FIXED @7901e44, b20adbf | useSyncExternalStore (SSR-safe). SSR hydration not verified in real browser (UNT). |
| MOB-02 | High | [A5b] iOS Safari: 100vh/h-screen hides bottom of map/sheets; no safe-area inset | map.tsx:604; FloatingPanel.tsx:234,243; MapFilterBar.tsx:998,1345 | FIXED @b20adbf | dvh/svh. No vh fallback for old browsers (UNT). e2e: no overflow 375/768/1440. |
| MOB-03 | Medium | [A5c] Breakpoints disagree (768 JS / 1024 JS / md); isMobileRef set once at mount | use-mobile.tsx:3; MapView.tsx:124,334,529 | FIXED @b20adbf, 7901e44 | Single BREAKPOINTS constant. |
| MOB-04 | Medium | [A5d] Fixed dropdowns computed once; filter bar heights hard-coded; drift/clip after scroll/rotate | MapFilterBar.tsx:1694,1963; map.tsx:77 | FIXED (per agent report) @b20adbf | Dropdown reposition on resize/scroll. |
| MOB-05 | Low | [A5e] Body scroll lock only when isMobile; Mapbox canvas takes touch under drawer on iOS | ListingDrawer.tsx:1049 | OPEN | Not mentioned; lock on drawer-open state + overscroll-behavior: contain. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| MOB-06 | Low | [E2E-open-2a] Mobile: popup overlaps header after fly-to | popup / header | OPEN | Listed in e2e 'Not fixed' and CHANGES B8. |
| MOB-07 | Low | [E2E-open-2b] Mobile list view: 'Buscar en el Valle' pill overlaps tutorial pill | list view pills | OPEN | Listed in e2e 'Not fixed' and CHANGES B8. |
| MOB-08 | Low | [CH-B8a] Icon-only buttons in perfil/agentes/publicar/dashboards lack labels (map icon buttons were labelled) | non-map routes | OPEN | frontend2 heuristic; fix aria-labels. |
| MOB-09 | Low | [CH-B8b] listingPopupHtml.ts has no call site (React ListingPopup is the live popup) | src/lib/listingPopupHtml.ts | OPEN | Wire it or delete it. |

**7. Caching/Deploy (CAC)**

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| CAC-01 | High | [A6a] Users see old versions after deploys: no Cache-Control on SSR HTML; no vite:preloadError handler | server.mjs:44-56; Dockerfile CMD | FIXED @deaf09b | no-cache HTML, immutable hashed assets, preloadError auto-reload once/60 s, /version + X-Build-Id. curl-verified. |
| CAC-02 | Medium | [A6b] /data/* served max-age 3600 + SWR 86400 (up to ~25 h stale) | server.mjs:49-52 | FIXED @deaf09b | /data max-age=300, swr 600, ETag/304 verified. |
| CAC-03 | Low | [A6c] Config drift: wrangler.jsonc and Caddyfile.bak leftovers (SPA fallback would serve stale index) | wrangler.jsonc; Caddyfile.bak | FIXED @deaf09b | Both deleted. |
| CAC-04 | Medium | [A6d] Data feels stale 5-10 min: RQ staleTime 5 min, API max-age=300; filter cache key must include new filters | __root.tsx:22-25; listings.py:1233; trm.py:30 | OPEN | Not reported; add new filters to filterKey / consider refetchOnWindowFocus. |
| CAC-05 | Low | [A6e] No service worker, no persisted filters - not a staleness cause | - | INFO / NO ACTION | - |
| CAC-06 | Medium | [B5] Social share image 404 (only SVG existed); og-image.png wrong extension | public/og-image.svg; __root.tsx:118 | FIXED @deaf09b | 1200x630 og-image.png generated. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| CAC-07 | Medium | [B5b] No per-route head() meta, canonical, sitemap, robots; OG text English-only/global | __root.tsx | OPEN | infra_report: 'B5 per-route head()/sitemap/robots not done'. |
| CAC-08 | Low | [B5c] og-image.svg/PNG says 'Urbidata' while site brand is 'Medellin Social' | public/og-image | OPEN | Align brand name. |
| CAC-09 | Low | [CH-B9] CSP report-only has no report endpoint configured | server.mjs | OPEN | Add report-uri or check in browser (see XSS). |
| CAC-10 | Medium | [Infra-hc] Railway web healthcheck path /healthz not set (railway.toml shared by 3 services, left alone) | Railway dashboard | NEEDS OWNER ACTION | Edward: set healthcheck path /healthz. |
| CAC-11 | Low | [Infra-geo] Simplified GeoJSON checked by size only, not visually; no generator script in repo | public/data; scripts/optimize_public_data.mjs | NOT VERIFIED | Visual check on staging. |
| CAC-12 | Low | [Infra-scripts] scripts/data/raw dumps left tracked (cron needs them) | scripts/data/raw | INFO / NO ACTION | Excluded from web image. |

**8. Performance/Bundle (PER)**

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| PER-01 | High | [B1] Large initial JS: 210 KB i18n dictionary in every chunk; no lazy loading | i18n.tsx; routes | FIXED @deaf09b (partial) | i18n-phrases chunk lazy (loaded only for EN); Sentry lazy; entry 1,092 -> 919 kB (gz 321 -> 262). |
| PER-02 | Medium | [B1b] Heavy panels not lazy-loaded (FloatingPanel 2139 lines, MapFilterBar, ListingDrawer, MapView+mapbox-gl) | components | OPEN | No React.lazy added. |
| PER-03 | Low | [Perf-icons] @phosphor-icons/react ~283 kB in entry (all 6 weights); react-dom 177, framer-motion 120, zod 53; mapbox-gl chunk 1,782 kB unchanged (LandingMapHeader unused) | entry bundle | OPEN | Inline only fill SVGs / per-icon imports. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| PER-04 | Medium | [B2] Heavy data downloads: comunas_bello/sabaneta ~1 MB each, barrios_stats.json 440 KB | public/data; useBarrios.ts:151 | FIXED @deaf09b | public/data 3.70 -> 2.35 MB (6 dp coords, dedup vertices). Per-municipio on-demand load not done. |
| PER-05 | Low | [B3] 3.6 MB test_simulador_resultado.json tracked; two Zone.Identifier files | repo root | FIXED @deaf09b | Removed; dockerignore trimmed. |
| PER-06 | Low | [B4] public/brand 84 KB, partners 16 KB: no image problem | public/ | INFO / NO ACTION | No avif/webp conversion needed (~100 kB). |
| PER-07 | Medium | [B9] Slow filters: ILIKE on tipo, no indexes on tipo_operacion/lat/lon/trgm | listings.py; alembic | FIXED @b6e0f37 | Migration 0106 btree + trigram indexes (also recreated in cache.py); EXPLAIN verified on 6,000 rows. |
| PER-08 | Medium | [B10] No route errorComponent/pendingComponent; no ErrorBoundary around map/panels; error text Spanish-only | router.tsx:46-52 | FIXED (per agent report) @8bec299 | RouteStates error/pending on map, listing.$id, planes, realtor dashboards; empty state. Local boundary around Mapbox not separately confirmed. |
| PER-09 | Low | [B11] dead links | local-business/$barrio_slug.tsx:713; eventos/$barrio_slug.tsx:259 | FIXED @8bec299 | Fixed to /planes and /publicar. |
| PER-10 | Low | [B12] 0 console.log, 0 empty onClick, 0 TODO/FIXME in src | src | INFO / NO ACTION | - |
| PER-11 | Low | [B13] Routes with no inbound nav link: /blog /stores /pasantias /afiliado /embajador /vender /calculadora /solicitudes | routeTree.gen.ts | NEEDS DECISION | Confirm intended (reachable by URL only). |
| PER-12 | Low | [B14] Tests not run in original audit (no node_modules) | tests | FIXED @af7160c | Final: tsc clean, vitest 181, vite build OK, pytest 213 passed. |

### 9. Backend/API (API)

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| API-01 | High | [CX1-1] Request-size checks after unbounded buffering (GHL webhook reads full body; uploads use file.read() before 10 MB check) | ghl_webhook.py:124; storage.py:89 | FIXED @7b3330d, 4356499 | Header auth before body; Content-Length precheck + streaming 413; read_upload_bounded (64 KB chunks); later global BodySizeLimitMiddleware 1 MiB JSON / 12 MiB multipart. |
| API-02 | Medium | [CX1-2] compact=true strips photos/barrio/municipio needed by cards and popups | MapView.tsx:1117; listings.py:1360 | FIXED @0196107 | Frontend no longer sends compact; backend compact drops only direccion_raw. |
| API-03 | Medium | [CX1-5] Migration 0105 downgrade overwrote later listing corrections | alembic 0105:75 | FIXED @cf28519 | Restores only rows still apartamento/0; conflicts kept in backup table + WARNING; verified on postgis:16. |
| API-04 | Medium | [CX1-6] Hide-featured meaning differs between clusters and points (own listings) | listings.py:1195 | FIXED @5d3a0d8 | Single _VIEWPORT_FEATURED_PRED + _VIEWPORT_OWNER_JOIN. Parity tested by string; not executed against real DB per codex_fixes_report (db_report ran endpoint checks later). |
| API-05 | High | [DB-1] ocultar_destacados=true returned 0 rows (NOT of NULL tier) in /listings, count, /viewport | listings.py | FIXED @7f6d4b8 | COALESCE; regression test. |
| API-06 | Low | [DB-2] test_listings_allcity_fast passed 15 args, query needs 17 | tests | FIXED @7f6d4b8 | Test corrected. |
| API-07 | High | [E2E-1] public.trm lacked `moneda` column (trm service errors) | alembic | FIXED @c18fe1a | Migration 0107. |
| API-08 | High | [E2E-2] NULL-url listing made id NULL and the whole /listings/viewport 500 | listings.py viewport | FIXED @c18fe1a | Excluded. |
| API-09 | Medium | [E2E-3] Bigint overflow (precio_max, /listings/{id}, /barrios/{id}) -> 500 | listings/barrios routers | FIXED @c18fe1a | 422 handler; regression tests. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| API-10 | Low | [E2E-open-2c] 429 responses lack Retry-After | limiter | FIXED @a6404ca | Retry-After header. |
| API-11 | Medium | [BE-contract] Frontend/backend `moneda` support must be live on deployed backend (flag VITE_API_SUPPORTS_MONEDA / default on) | adapters.ts appendPriceParams | NOT VERIFIED | frontend2 'deployed backend moneda support' unverified. |
| API-12 | Medium | [BE-ghl-1] No lead pushed to GHL from contact form or 'reclamar' (reclamar -> intake/asignador); GHL only pulls /ghl/leads | reclamar; visitas | OPEN | Build push if wanted (needs product decision on GHL flow). |
| API-13 | Medium | [BE-ghl-2] push_visita_to_ghl is a stub raising NotImplementedError, swallowed by visitas.py; tests pin the stub | ghl service; visitas.py | OPEN | Implement or remove. |
| API-14 | Low | [BE-ghl-3] First-time GHL push failures (no mapping row) logged but not persisted | ghl service | OPEN | Persist for retry. |
| API-15 | Medium | [BE-ghl-4] GHL webhook handlers still 501 skeletons | ghl_webhook.py | OPEN | Implement handlers after signing scheme is decided. |
| API-16 | High | [BE-ghl-5] GHL webhook effectively unauthenticated (501) / client had no retry | ghl_webhook.py; ghl client | FIXED @aa37f47 | Shared secret X-Webhook-Secret (503 unset / 401 bad), constant-time; bounded retry/backoff, per-object lock, leads ordered ASC (cursor-safe), bad UUID -> 404. |
| API-17 | Medium | [BE-sec-upload] Image uploads unvalidated | storage.py upload_file | FIXED @f6e0020 | Magic-byte check, jpg/png/webp/gif only, 10 MB cap. |
| API-18 | Medium | [BE-sec-limiters] Abuse-prone routes lacked limiters (GHL webhook/leads, calculadora, tracking, phone OTP, stripe webhook) | routers | FIXED @f6e0020 | Limiters added. |
| API-19 | Medium | [BE-schema-drift] usuarios.rol column referenced by /usuario/suscribirse INSERT but no migration creates it | usuario.py; alembic | OPEN | Schema drift found by security_fixes_report #10; DB test skips when missing. |
| API-20 | Low | [BE-pii-logs] Some logs include user emails (OTP / invite / lead notification) | api logs | OPEN | Low-risk PII in logs. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| API-21 | Low | [BE-casing] tipo_inmueble casing inconsistent in staging ('Apartamento' vs 'apartamento') | stg_listings_unificado | OPEN | Pre-existing (db_report). |
| API-22 | Low | [BE-staging-run] Index/trigram creation, backfills and thinned-points SQL needed a staging DB run | migrations 0104-0106 | FIXED @b6e0f37 | Verified on throwaway postgis:16 by db_report (up/down/up, EXPLAIN). |
| API-23 | Medium | [BE-migr-deploy] Migrations 0104-0110 must run on deploy (API CMD runs alembic upgrade head); 0109/0110 add token_version, google_sub, link review tables | alembic | NEEDS OWNER ACTION | Confirm deploy runs alembic upgrade head. |
| API-24 | Low | [BE-pricefloor] Price floor precio_cop >= 500000 OR (arriendo >= 150000): original purpose inferred, undocumented | listings.py:210,392,476,1065 | NEEDS DECISION | See PRD: 150k rental floor. |

**10. Data & Scraping (DAT)**

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| DAT-01 | High | [D1] Only precio>0 AND area>0 gates serving; no bounds on area/price per m2; premium/renta_media have no activo filter | api/cache.py:143,165; stg_listings_unificado.sql | OPEN | Add sanity bounds as dbt test + serving filter (flag, do not delete). Note: dataset has 1-10 area outliers and 1-14 price/m2 outliers per file. |
| DAT-02 | High | [D2] No stale deactivation: activo hard-set TRUE on every upsert, never FALSE; --since-days 4 | scraper.py:610-616,295 | OPEN | last_seen_at + deactivate unseen after N full runs. Link-health system (LNK) hides dead links but does not deactivate. |
| DAT-03 | High | [D3] URL validator marks ANY error/403/429 inactive; soft-404 200 counted active; 50 concurrent; Habi excluded | scripts/validate_listings_urls.py:25-95 | FIXED @b6efa1b | Replaced by link health checker (1 req/s/domain, concurrency 1, blocked != gone, two-strike). Old script is a shim. |
| DAT-04 | High | [D4] Barrio resolver Medellin-only, nearest barrio with no distance cap | scripts/load_medellin_fincaraiz.py:59-82 | OPEN | Cap nearest at ~300 m else NULL. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| DAT-05 | High | [D5] 'Valley' test is a lat/lng box incl. Rionegro/Guarne; no polygon check | scripts/scrape_fincaraiz.py:73-79 | OPEN | Validate vs municipio polygons. |
| DAT-06 | High | [D6] dedup_fincaraiz.py DELETEs rows by weak hash (identical units in same tower destroyed, irreversible) | scripts/dedup_fincaraiz.py:25-46 | OPEN | Soft-dedup (canonical_id), never DELETE. |
| DAT-07 | Medium | [D7] Cross-portal dedup uses fixed 111 m grid; merges different units; no price tolerance | stg_listings_unificado.sql | OPEN | ST_ClusterDBSCAN / ST_DWithin 40 m + price 5%. |
| DAT-08 | Medium | [D8] Stacked coordinates: 20-45% of listings per file share exact lat/lng with 5+ others (La Estrella 42%, Sabaneta 27%); pins overlap | scraper.py:295-300; scrape_fincaraiz.py:160 | OPEN | geo_precision flag, jitter or cluster render. |
| DAT-09 | Medium | [D9] Commercial vs residential relies on portal type list; no categoria column | scraper.py:285-291,20 | FIXED (per agent report) @b6e0f37 | Query-time `segmento` (default residencial) solves map mixing; no `categoria` column added. |
| DAT-10 | Medium | [D10] Featured/sponsored listings not detected (badge only in raw_data) | scraper.py:371 | OPEN | Parse badge into destacado, anunciante_tipo. |
| DAT-11 | Medium | [D11] Currency not checked (MC and FincaRaiz price.currency ignored); admin not separated | scraper.py:296; scrape_fincaraiz.py:127-143 | OPEN | Read currency; store precio_incluye_admin. |
| DAT-12 | Medium | [D12] Area falls back from areaprivada to total; mixed definitions skew price/m2 | scraper.py:296-300 | OPEN | Store area_tipo. |
| DAT-13 | Medium | [D13] MC upsert never sets barrio_id/geom; no alias table in scraper | scraper.py:610 | OPEN | Resolve barrio at insert with shared helper. |
| DAT-14 | Low | [D14] Photos not validated; listings with 0 photos stay pinned | scraper.py:536 | OPEN | Deprioritise/hide no-photo pins. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| DAT-15 | High | [R1] Portal API keys hard-coded in source (MC `P1Mf…`, Habi `VnXl…`) | scraper.py:63; habi_scraper.py:13, 64 | FIXED @563fca6 (rotation pending, see SEI) | Moved to HABI_API_KEY / METROCUADRADO_API_KEY; RuntimeError if unset. |
| DAT-16 | High | [R2] No retry/backoff; HTTP error truncates config silently; exit code 0 | scraper.py:477-499 | OPEN | tenacity retry, 429 backoff, nonzero exit if >X% truncated. |
| DAT-17 | Medium | [R3] Spoofed Chrome UA, no robots.txt check, extracted client key | scraper.py:99-106; fincaraiz:50 | OPEN | Honor robots, throttle, identify (see L1). |
| DAT-18 | Medium | [R4] except Exception: return None swallows structure changes; no schema-drift alarm | scrape_fincaraiz.py: 217,86 | OPEN | Count parse failures; fail run if >20% rejected. |
| DAT-19 | Medium | [R5] No fixture tests for any scraper/normalizer; hash duplicated in 3 places | tests/; scraper.py:115; dedup_fincaraiz.py: 19 | OPEN | Golden JSON fixtures per portal. |
| DAT-20 | Medium | [R6] Pagination stop conditions assume date sort; Medellin venta capped by 20 pages | scraper.py:574-598 | OPEN | Verify sort order; assert coverage vs totalHits. |
| DAT-21 | High | [O1] Airflow DAGs tied to WSL2 home path; prod is Dockerfile.cron; two schedules; email_on_failure off | airflow/dags/scrape_listings.py:49 | OPEN | Declare cron the single source; wire alerts. (A new link_health_diario DAG was added.) |
| DAT-22 | High | [O2] Failures only to log files; no freshness SLA, row-count anomaly check, notification | run_listings_metrocuadrado.py:32-60; refresh_data.py:84-92 | OPEN | Nightly data-quality job + Slack/Sentry alerts. |
| DAT-23 | Medium | [O3] MC scraped every 3 days (--since-days 4), Habi weekly; sold listings live 7-10 days | run_listings_metrocuadrado.py:25-27 | OPEN | Daily incremental + stale rule from D2. (Link checker now daily.) |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| DAT-24 | Medium | [O4] Paid APIs (AirROI, Google Places) have no call/cost ledger or cap | airroi_client.py; scrape_tiendas | OPEN | Per-run ledger + monthly cap. |
| DAT-25 | High | [L1] Portals scraped without written permission (UA spoof, extracted keys, photos mirrored to R2); ToS risk (not legal advice) | all scrapers; scripts/mirror_listings_media.py | NEEDS DECISION | Counsel review; strategic move to feeds/partnerships, link-out instead of re-hosting photos. |
| DAT-26 | Medium | [Cov] Coverage gap: Medellin venta only 670 rows vs Envigado 861 (max-pages=20 default) | scrape_fincaraiz.py:64 | OPEN | Raise max-pages / assert coverage ratio (ties to R6). |
| DAT-27 | Low | [Priv] Habi scraper stores contact phones/emails (correo_contacto, telefono_contacto); not served by api/dbt | habi_scraper.py | OPEN | Privacy review recommended. |
| DAT-28 | Low | [Legacy-s3] scripts/migrate_fotos_s3.py uses ACL=public-read (legacy) | scripts/migrate_fotos_s3.py:60 | OPEN | Retire script or confirm bucket policy. |
| DAT-29 | Medium | [Strat-1] Strategic: official feeds / MLS-style partnerships / agency CRM feeds; canonical property entity table; single geocoding service with confidence score | scraping_audit strategic plan | NEEDS DECISION | Roadmap item, not scheduled. |
| DAT-30 | Medium | [Strat-2] Ken's nightly AI/test agent (fixed matrix of map searches, assert counts, pin-in-barrio, no-photo %, price/m2 bounds, link liveness sample, diff vs previous night) | scraping_audit strategic plan | NEEDS DECISION | Not built; read-only against the API. |

**11. Link Health (LNK)**

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| LNK-01 | High | [LH-0] Dead/sold listing links shown to users; no review loop (link-health system built) | scraping/link_checker; api/services/link_review.py; alembic 0108 | FIXED @b6efa1b | Daily checker, two-strike, blocked != gone, mass-gone brake, link hidden while pending_review, human review email, Report-broken-link, admin summary, Airflow DAG. 41 tests on postgis. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| LNK-02 | High | [CX2-5] Concurrent Keep can be overwritten by Retire; checker writes stale snapshot over review state | link_review.py:143; store.py:51 | FIXED @112ba13 | Row locks (FOR UPDATE), store.locked_update re-reads under lock. |
| LNK-03 | Medium | [CX2-6] Per-item review tokens authorized across review episodes | link_review.py:103,143 | FIXED @112ba13 | review_generation signed into token ($_g$); mismatch skipped; tokens without g rejected. |
| LNK-04 | Medium | [CX2-7] Auto-retire bypasses blocked/error results and mass-gone brake | link_review.py:184; runner.py:144 | FIXED @112ba13 | auto_retire skips braked sources; needs last_result=gone + confirmed within LINK_AUTO_RETIRE_EVIDENCE_HOURS (48). |
| LNK-05 | Medium | [CX2-8] Auto-retire grace period starts before notification (first_gone_at) | link_review.py:180-186 | FIXED @112ba13 | first_notified_at set once after delivered digest. |
| LNK-06 | Medium | [CX2-9] Migration 0108 rollback could reactivate listings this system never disabled | link_review.py:54; alembic 0108:110 | FIXED @112ba13 | listing_link_transitions log; migration 0110 downgrade restores only logged rows. Pre-0110 retirements have no log (rollback leaves them off: safe direction). |
| LNK-07 | Medium | [LH-u1] 'No longer available' text markers and index-path regexes in markers.json are educated guesses | markers.json | NOT VERIFIED | Validate against a known dead listing per portal. |
| LNK-08 | Medium | [LH-u2] Whether portals answer bot UA with 403/captcha (blocked, harmless) or different HTML | scraping/link_checker | NOT VERIFIED | Observe on first live run. |
| LNK-09 | Low | [LH-u3] Real daily gone-rate (30% brake threshold is a guess) and throughput at 1 req/s (~3,000-5,000 URLs/domain/day) | LINK_CHECK_MAX_GONE_PCT | NOT VERIFIED | Tune after first runs. |
| LNK-10 | Medium | [LH-u4] Gmail-API delivery of digest and LINK_REVIEW_BASE_URL reachability from mail client | link_review.py | NOT VERIFIED | Only exercised with a mock sender. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| LNK-11 | Medium | [LH-env] Env needed: LINK_REVIEW_EMAILS=team@easeassociation.com, LINK_REVIEW_SECRET (>=16 chars), LINK_REVIEW_BASE_URL; optional LINK_AUTO_RETIRE_AFTER_DAYS (default off), LINK_AUTO_RETIRE_EVIDENCE_HOURS | Railway | NEEDS OWNER ACTION | Without recipients digest is written to ./link_review_digests/. |
| LNK-12 | Low | [LH-premium] premium / renta_media have no `activo` column: excluded at API layer only | api predicate | OPEN | Add column or keep API predicate. |
| LNK-13 | Low | [LH-stage] Retired listings leave staging only on next hourly rebuild (API filters meanwhile) | api/cache.py | INFO / NO ACTION | By design. |
| LNK-14 | Low | [LH-behavior] Retire/Keep emails issued before round-2 change stop working; racing one-time-token loser gets 400 | link_review.py | INFO / NO ACTION | Next digest issues new links. |
| LNK-15 | Low | [LH-tree] Another agent's uncommitted edits (dependencies.py, limiter.py) shared working tree; link commit swept in main.py/admin.py hunks (body_limit import landed one commit later) | b6efa1b vs 4356499 | INFO / NO ACTION | Branch tip is fine; b6efa1b alone does not import cleanly. |

**12. Security-Auth (SEA)**

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| SEA-01 | High | [SR-H1 / SB-H1] /auth/register never verified email; pre-hijack and agent-row takeover via ON CONFLICT (email) DO UPDATE SET usuario_id | auth.py:131-170; suscripciones.py:~145; agency.py:~350 | FIXED @10a9df5, b2e699b, d511bc7, af7160c | Register creates unverified row, no token; get_current_user rejects unverified; login 403; verified login replaces password and bumps token_version; upserts COALESCE usuario_id + 409; resend-verification. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| SEA-02 | High | [SR-H2 / SB-H2] Admin = email string only; first registration of ADMIN_EMAIL grants admin | admin.py:16-24 | FIXED @10a9df5, b6efa1b (hunk) | require_admin needs verified email; reserved emails refused; admin row only via Google/magic link. |
| SEA-03 | Medium | [SR-M2 / SB-M5] Anonymous exposure of agent email/phone via /listings/agentes, /listings/{id}/agente, /listings-propios/agentes-para-contactar | listings.py:1505, 1750; listings_propios.py:600 | NEEDS DECISION | Options: login gate, plan gate, or contact-request form (recommended: form for email, login/plan for phone). Ken to decide. |
| SEA-04 | Medium | [SR-M3 / SB-M4] Account enumeration (register 409, /usuario/suscribirse nuevo+usuario_id, login timing) | auth.py:134,186; usuario.py:210 | FIXED @10a9df5 | Uniform 201, dummy bcrypt, suscribirse returns {success:true}. |
| SEA-05 | Medium | [SR-M4 / SB-M1] Outgoing emails render unescaped HTML (phishing relay); no per-email throttle (mailbombing) | utils/email.py:136-190; auth.py:131 | FIXED @1bdb4ca, 10a9df5 | esc()/safe_url(), CR/LF stripped, per-email throttle 3/h, sends in BackgroundTasks. Throttle is in-process memory. |
| SEA-06 | Medium | [SR-M5 / SB-M2] Rate limits per IP and trust X-Real-IP | limiter.py:8-30 | FIXED @10a9df5 | TRUSTED_PROXY_COUNT (unset off Railway = ignore headers; on Railway legacy edge trust). |
| SEA-07 | Low | [SB-M2b] Throttles/view dedupe are per-process memory (reset on restart, per worker); no per-account lockout | limiter.py | OPEN | Use Redis/Postgres counters if hard limits are needed. |
| SEA-08 | Medium | [SR-M6 / SB-M3] 30-day JWTs not revoked on password reset; refresh extends forever | auth.py:23,76; dependencies.py:25 | FIXED @10a9df5 | tv claim + usuarios.token_version (migration 0109), iat, 7-day default (JWT_EXPIRY_HOURS). |
| SEA-09 | Low | [SB-M3b] token_blacklist stores whole JWTs in clear text | token_blacklist | OPEN | security_fixes 'Not done': hash entries. (Round 2 now keys on jti: for new tokens.) |
| SEA-10 | Medium | [SR-M7 / SB-M6] Anonymous /track and /vista inflate views; no body-size limit | tracking.py; visitas.py | FIXED @4356499 | Field caps, metadata <=4 KB, dedupe (30 min per IP+listing), BodySizeLimitMiddleware 413. |
| SEA-11 | Medium | [SR-M8 / SB-M7] /docs and dev CORS fail open if RAILWAY_ENVIRONMENT unset | main.py:40,99 | FIXED @4356499, f6e0020 | _IS_DEV only when ENV=dev; docs/redoc/openapi/localhost CORS closed by default. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| SEA-12 | Low | [SB-L1] CORS allow_origin_regex accepts any *.lovable.app,* .lovableproject.com, *.up.railway.app | main.py:171 | OPEN | Replace with explicit origins (security_fixes 'Not done'). |
| SEA-13 | Low | [SB-L2] 422 validation errors echo user input | exception handlers | OPEN | Custom RequestValidationError handler dropping `input`. |
| SEA-14 | Low | [SB-L3] Stripe webhook: no event-id dedupe (5-min replay re-extends fecha_fin); bad signature -> 500 | suscripciones.py:238-280 | OPEN | stripe_event_id idempotency table; catch SignatureVerificationError. |
| SEA-15 | Low | [SB-L4] GHL leads pull uses one static GHL_LEADS_TOKEN (all visit-lead PII), no rotation/IP allow-list | ghl_leads.py | OPEN | Treat as high-value secret; add rotation. |
| SEA-16 | Low | [SB-L5] get_intake returns SELECT * (owner exact address, notes) to owner and assigned realtor | intake.py:136 | OPEN | Explicit column list / response model. |
| SEA-17 | Low | [SB-L6] Phone OTP is sent to the account email and has no per-account attempt counter (anti-spam only) | listings_propios.py:156-205 | OPEN | Real SMS/WhatsApp OTP or relabel. |
| SEA-18 | Low | [SB-L7] /visitas Subject built from listing_url (CR/LF) outside try block -> 500 after insert | visitas.py | FIXED @1bdb4ca | CR/LF stripped from visitas SMTP subject. |
| SEA-19 | Low | [SB-L8] admin._audit stores proxy IP (not real client IP); /admin/test-email accepts arbitrary `to` | admin.py | OPEN | Use trusted-proxy client IP; restrict `to`. |
| SEA-20 | Low | [SB-L9] agent_review.comentario / community posts have no length cap | listings.py ResenaIn | OPEN | Add length caps. |
| SEA-21 | Medium | [SF-3] JWT stored in localStorage (raises impact of any XSS) | src/lib/auth.ts:140-154; apiClient.ts:5-13 | OPEN | Migrate to httpOnly SameSite cookie (not done). |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| SEA-22 | Low | [SR-admin-2fa] Admin protections: no TOTP/IP allow-list, no DB `rol='admin'` column; destructive actions need password re-auth that Google/magic-link-only admin lacks | admin.py; _verify_admin_password | OPEN | Suggested in SB-H2 fix; not implemented. |
| SEA-23 | Low | [SR-low-admin] Admin SPA shell served unauthenticated; panel-x9k2 guard is client-side only | api/main.py:221-232 | INFO / NO ACTION | No secrets in bundle; server-side require_admin on admin routes (26 refs / 23 routes). |
| SEA-24 | Medium | [SF-7b] Each admin endpoint's authorization only counted, not individually tested | admin.py | NOT VERIFIED | Test each route. |
| SEA-25 | High | [CX2-1] Google email matching can take over an account (non-Gmail, no hd, email_verified true); also ADMIN_EMAIL | auth.py:197,319,346 | FIXED @296dd36 | Login by verified `sub` (usuarios.google_sub, migration 0110); email merge only for gmail/googlemail or hd match, never for admin/reserved; otherwise 202 + magic-link challenge. |
| SEA-26 | High | [CX2-2] Logout/refresh revocation bypass via JWT signature padding variant | dependencies.py:35; auth.py:413,428 | FIXED @296dd36 | Random jti per token; blacklist `jti:<jti>` / canonical signature form; refresh insert atomic. |
| SEA-27 | Medium | [CX2-3] Magic-link and password-reset tokens allow concurrent reuse | auth.py:516,539,591,632 | FIXED @296dd36 | Atomic UPDATE ... WHERE used=FALSE RETURNING in same transaction (also verify-email). |
| SEA-28 | Medium | [CX2-4] Refresh can return the token it just revoked (same-second identical JWT) | auth.py:103,431 | FIXED @296dd36 | Random jti. |
| SEA-29 | Medium | [SEA-grandfather] Existing accounts with email_verificado=FALSE are locked out (login 403, tokens 401) until they verify, use Google/magic link or reset | usuarios | NEEDS DECISION | Optionally UPDATE usuarios SET email_verificado=TRUE WHERE ... (also grandfathers any pre-hijacked row). |
| SEA-30 | High | [SEA-admin-row] Admin account must exist and be verified BEFORE deploy (password registration of ADMIN_EMAIL is refused); sign in once via magic link/Google | ADMIN_EMAIL | NEEDS OWNER ACTION | Edward/Talal. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| SEA-31 | Medium | [SEA-email] Registration needs working outbound email in prod (Gmail API/SMTP) or nobody can sign up with a password | utils/email.py | NOT VERIFIED | Verify in staging. |
| SEA-32 | Low | [SEA-behavior] User who pre-registered with a password and later uses Google/magic link loses that password; tokens now 7 days; password reset logs out all devices; admin must use magic link | auth | INFO / NO ACTION | User-visible changes documented. |
| SEA-33 | Medium | [SEA-idor] DB-backed IDOR black-box test not run (verdict from reading every handler's SQL; no IDOR found) | all routers | NOT VERIFIED | Run on staging. |
| SEA-34 | Low | [SEA-sim-pay] ENABLE_SIMULATED_PAYMENTS must be unset in prod | zonas.py | NEEDS OWNER ACTION | Confirm Railway env. |

**13. Security-XSS/Frontend (XSS)**

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| XSS-01 | High | [SR-H3 / SF-1] Stored XSS in business map popup (setHTML with raw nombre/direccion/foto_url/website via POST /mi-negocio) | local-business/$barrio_slug.tsx:309-319; business.py:361-395 | FIXED @d69ce88 | DOM-built popup (src/lib/negocioPopup.ts), safeUrl.ts http(s) only, server-side MiNegocioIn rejects < > and control chars, stricter require_safe_url. |
| XSS-02 | Medium | [SR-M1 / SF-2] Popup attribute-escape bypass: URL in onclick, ' breaks out | listingPopupHtml.ts:140 | FIXED @d69ce88 | No inline handlers; with escaped, http(s)-validated URL (function currently unused by MapView: latent). |
| XSS-03 | Medium | [SR-M9 / SF-5] CSP mostly report-only; script-src keeps 'unsafe-inline'; img-src/media-src https: broad | server.mjs:92-115 | OPEN | Enforcement needs real-browser check (Mapbox workers blob:, Google sign-in, Sentry) then nonces. HSTS + frame-ancestors/object-src/base-uri enforced. |
| XSS-04 | Low | [SF-9] target=_blank rel not checked on every link | src | NOT VERIFIED | grep for missing noopener. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| XSS-05 | Low | [SF-6] server.mjs forwards all headers incl. x-forwarded-*; check app never builds absolute URLs from them | server.mjs | NOT VERIFIED | Rest of server.mjs reviewed clean (traversal guarded, generic 500s, /version & /healthz minimal). |
| XSS-06 | Low | [SF-9b] window.location.href = checkout_url comes from API; ghl.ts redirects only to validated env URLs | ghl.ts | INFO / NO ACTION | Allowlist: https + leadconnectorhq.com / msgsndr.com + VITE_GHL_EXTRA_HOSTS. |
| XSS-07 | Low | [SB-L9b] Review comment / post body stored-XSS safety relies solely on React escaping | reviews/community posts | INFO / NO ACTION | See SB-L9 length cap. |
| XSS-08 | Low | [SF-11] Sentry setup (sendDefaultPii false, replays off); tracking.ts not reviewed in depth | src/lib/sentry.ts; tracking.ts | NOT VERIFIED | PII scrubbing added in deaf09b. |

**14. Security-Secrets/Infra (SEI)**

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| SEI-01 | High | [SR-cred-1 / SF-cred-1] AirROI API key `RXIn…` in git history (railway.env.example since 70826cc; placeholder since f6e0020) | railway.env.example history | NEEDS OWNER ACTION | ROTATE (confirmed paid). Placeholder in HEAD @f6e0020. |
| SEI-02 | High | [SR-cred-2] Habi x-api-key `VnXl…` in HEAD and history | habi_scraper.py:13,64 | NEEDS OWNER ACTION | Code moved to env @563fca6; rotate if private/paid (unknown if public web-client key). |
| SEI-03 | High | [SR-cred-3] Metrocuadrado key `P1Mf…` in HEAD and history | scraper.py:63 | NEEDS OWNER ACTION | Code moved to env @563fca6; rotate if private. |
| SEI-04 | High | [SR-cred-4] Database password `urbi…` (users urbidata/social) in script defaults and SQL comments (history) | scripts; docs/censo_agentes.sql; scripts/remates/sql/create_table.sql | NEEDS OWNER ACTION | Treat as burned; ensure prod/Railway DB password differs; rotate if any doubt. SQL comments scrubbed from 3 files @deaf09b. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| SEI-05 | Medium | [SR-cred-5 / M13b] Mapbox public pk. token: restrict by URL in Mapbox dashboard; remove from .lovable/plan.md:7 and .env.example | Mapbox dashboard; .lovable/plan.md:7 | NEEDS OWNER ACTION | Token in railway.env.example replaced by placeholder @deaf09b; plan.md/.env.example not reported cleaned. |
| SEI-06 | Low | [SF-hist] Rewriting git history (filter-repo) is optional; rotation is what matters | repo | NEEDS DECISION | Only useful if repo is private and exposure should shrink. |
| SEI-07 | Low | [SF-b64] Base64 blobs in history not decoded individually | git history | NOT VERIFIED | - |
| SEI-08 | Low | [SF-dbvar] HEAD check used the exact `urbi…` string; `social:` password variant not specifically checked | git grep | NOT VERIFIED | - |
| SEI-09 | Low | [SF-keys] Whether portal API keys are public web-client keys or private is unknown | scrapers | NOT VERIFIED | - |
| SEI-10 | Low | [SF-8a] Dockerfiles ran as root | Dockerfile; Dockerfile.api; Dockerfile.cron | FIXED @563fca6 | Dockerfile USER node, Dockerfile.api uid 10001; both run with --network none. |
| SEI-11 | Low | [SF-8b] Dockerfile.cron stays root (cron(8) is PID 1; documented) | Dockerfile.cron | OPEN | Deliberate; revisit if cron moves. |
| SEI-12 | Low | [SF-8c] Cron image writes all env secrets to /etc/environment (printenv) | Dockerfile.cron | INFO / NO ACTION | Accepted; noted. |
| SEI-13 | Medium | [B6] Hardcoded production API URL fallback and committed Mapbox token fallback in source | src/config/api.ts:9; mapboxToken.ts:5 | FIXED (per agent report) @deaf09b, 7901e44 | Docker build FAILS if VITE_API_URL or VITE_MAPBOX_TOKEN empty; Mapbox fallback removed. The api.ts hardcoded fallback itself was left (OPEN, low). |
| SEI-14 | Low | [B7] CORS origins include many localhost:* in production | api/main.py:38-60 | FIXED @f6e0020, 4356499 | Conditional on ENV. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| SEI-15 | Low | [SF-R2] R2 public bucket / listing settings (Cloudflare side) cannot be seen | Cloudflare R2 | NOT VERIFIED | Check on staging. |
| SEI-16 | Medium | [SF-live] Live-site headers and deployed Railway env review not done | production | NOT VERIFIED | Verify on staging/prod. |
| SEI-17 | Low | [SF-ex] Example key scrubbed from railway.env.example; .gitignore covers .env.* | railway.env.example | FIXED @f6e0020, deaf09b | - |
| SEI-18 | Low | [SF-sentry] Sentry PII scrubbing (user, cookies, query strings, headers, input breadcrumbs) | src/lib/sentry.ts | FIXED @deaf09b | traces 0.05. |

**15. Dependencies (DEP)**

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| DEP-01 | High | [SR-M10 / SF-4a] npm audit: 24 findings (1 critical seroval, 14 high) | package-lock.json | FIXED @563fca6 (partly) | seroval overridden ^1.6.9; npm update; now 16 findings (0 critical, 8 high, 6 moderate, 2 low). seroval likely unreachable (no createServerFn). |
| DEP-02 | Medium | [SF-4a2] Remaining 16 npm findings in TanStack Start / Lovable / @cloudflare/vite-plugin toolchain (miniflare, wrangler, sharp, undici, ws, braces, chokidar, esbuild, @babel/core); `npm audit fix --legacy-peer-deps` breaks tsc | package-lock.json | OPEN | Needs a coordinated TanStack/Lovable upgrade; not run at request time on Railway. |
| DEP-03 | Low | [SF-4a3] @cloudflare/vite-plugin dependency left (peer of lovable config); wrangler.jsonc already deleted | package.json | OPEN | Drop if unused. |
| DEP-04 | High | [SR-M10 / SF-4b] python-jose 3.5.0 flagged (CVE-2026-85394) | requirements.txt | FIXED @10a9df5 | Replaced with PyJWT 2.15.1; pip-audit clean. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| DEP-05 | Low | [Dep-test] devDeps @testing-library/react+dom added for tests | package.json | FIXED @b20adbf | Informational. |

**16. Ops/Integrations (OPS)**

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| OPS-01 | High | [OPS-ghl-secret] GHL_WEBHOOK_SECRET must be set in Railway (503 if unset) | Railway | NEEDS OWNER ACTION | Edward. |
| OPS-02 | Medium | [OPS-ghl-links] Membership funnel links from Talal; Business Pro / Featured Realtor A/B pages and real prices (config entries only, no pages/prices); post-payment access | config/ghl.ts; PlanCta | NEEDS OWNER ACTION | Talal/Ken. Links are env-validated (https + allowlist) @b20adbf; empty -> disabled 'Proximamente' + mailto. |
| OPS-03 | Medium | [OPS-railway-env] Railway vars: VITE_API_URL, VITE_MAPBOX_TOKEN, VITE_SENTRY_DSN, RAILWAY_ENVIRONMENT, ADMIN_EMAIL, RESERVED_EMAILS, JWT_EXPIRY_HOURS, TRUSTED_PROXY_COUNT, MAX_BODY_BYTES, MAX_UPLOAD_BODY_BYTES, VITE_GHL_*, LINK_REVIEW_*, HABI_API_KEY + METROCUADRADO_API_KEY on the cron service | Railway | NEEDS OWNER ACTION | Edward. Web build now fails without VITE_API_URL / VITE_MAPBOX_TOKEN. |
| OPS-04 | Medium | [B8] Sentry OFF in prod (Dockerfile did not pass VITE_SENTRY_DSN); router DefaultErrorComponent did not capture exceptions | Dockerfile; router.tsx | FIXED @deaf09b (code) | ARG/ENV VITE_SENTRY_DSN, lazy Sentry, router errors captured. DSN value must still be set (see OPS-railway-env). |
| OPS-05 | Medium | [OPS-pr] Branch fix/prod-readiness (32 commits) not pushed (no GitHub login on VPS); PR to open | repo | NEEDS OWNER ACTION | Israel/Edward: gh auth login, push, PR. Bundle: fix-prod-readiness.bundle. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| OPS-06 | Medium | [OPS-gen-mapbox] Mapbox token: bad-token behavior shows a stuck 'loading map' veil | MapView.tsx | NOT VERIFIED | Seen in e2e with stubbed tiles; verify graceful degradation with a bad token. |
| OPS-07 | Low | [OPS-cron-env] Cron service needs HABI_API_KEY / METROCUADRADO_API_KEY or those scrapers stop with a clear error | Railway cron | NEEDS OWNER ACTION | See OPS-railway-env. |
| OPS-08 | Low | [OPS-railway-env-flag] RAILWAY_ENVIRONMENT must be set (prod gating); TRUSTED_PROXY_COUNT can stay unset on Railway but should be set explicitly (verify with spoofed header) | Railway | NEEDS OWNER ACTION | Edward. |

**17. Product/Decisions (PRD)**

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| PRD-01 | High | [PRD-1] ASSUMPTION: Ciudad del Rio and Provenza mapped to El Poblado (comuna 14); no official barrio exists in data | alembic 0104 comment; barrio alias | NEEDS DECISION | Ken/Edward confirm comuna (flagged in migration 0104). |
| PRD-02 | Medium | [PRD-2] ASSUMPTION: finca / lote / terreno counted as commercial (comercial = local, oficina, bodega, lote, terreno, finca prefix list); unknown/NULL types stay residential | listings.py segmento | NEEDS DECISION | Ken/Edward confirm classification. |
| PRD-03 | Medium | [PRD-3] ASSUMPTION: 150,000 COP rental floor (and 500,000 general floor) - original purpose inferred as junk-price filter, undocumented | listings.py:210,392,476,1065 | NEEDS DECISION | Ken/Edward confirm both thresholds. |
| PRD-04 | Medium | [PRD-4] GHL webhook auth: how GHL actually signs/authenticates webhooks (shared secret header currently) | ghl_webhook.py | NEEDS DECISION | Confirm scheme with Talal; set GHL_WEBHOOK_SECRET in GHL and Railway. |
| PRD-05 | Medium | [PRD-5] Latest pre-audit commit f304674 (i18n/currency filters) may already have fixed part of what Ken saw; which build did he test? | git f304674 | NEEDS DECISION | Confirm tested build before closing currency/i18n reports. |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| PRD-06 | Medium | [PRD-6] Whether to enable auto-retire of dead listings (LINK_AUTO_RETIRE_AFTER_DAYS currently off; humans decide) | link_review.py | NEEDS DECISION | Enable only after markers validated (LH-u1). |
| PRD-07 | Medium | [PRD-7] Whether GHL should receive leads from the contact form / 'reclamar' (currently pull-only) | visitas / reclamar | NEEDS DECISION | Product flow decision with Talal (see BE-ghl-1, BE-ghl-2). |
| PRD-08 | Low | [PRD-8] Business Pro / Featured Realtor A/B: pages, prices, post-payment access not defined | config/ghl.ts | NEEDS DECISION | See OPS-ghl-links. |

**18. Untested areas (UNT)**

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| UNT-01 | High | [UNT-1] Real Mapbox tiles/token validity and graceful degradation with a bad token (e2e used stubbed background-only style) | e2e | NOT VERIFIED | Test on staging with real token. |
| UNT-02 | Medium | [UNT-2] Google sign-in (incl. new 202 magic-link challenge flow) | auth | NOT VERIFIED | External service. |
| UNT-03 | Medium | [UNT-3] Real GHL checkout pages (navigation intercepted in e2e) | ghl.ts | NOT VERIFIED | Needs real funnel links. |
| UNT-04 | High | [UNT-4] Railway deploy (build guards, healthcheck, migrations, env) | Railway | NOT VERIFIED | Deploy to staging first. |
| UNT-05 | Medium | [UNT-5] 3 require_db tests failing only for missing production data: compraventas matview Medellin row, estrato_manzana coverage, barrios.uso_suelo | tests | NOT VERIFIED | Run with production-like data. |
| UNT-06 | Low | [UNT-6] 12 tests fail on the throwaway DB only for missing raw.barrios geometries (intake / allcity / mercado_real / uso_suelo); 3 GHL tests skipped without creds | tests | NOT VERIFIED | Environment, not code. |
| UNT-07 | Low | [UNT-7] dbt-only analytics tables and real photos were stubbed in e2e | e2e | NOT VERIFIED | - |

| ID | Severity | Issue | Where | Status | Fix or next step |
|---|---|---|---|---|---|
| UNT-08 | Medium | [UNT-8] Map hover/tooltip/minzoom behaviour and thinned-pin density with real tiles | MapView.tsx | NOT VERIFIED | frontend2 unverified in real browser. |
| UNT-09 | Medium | [UNT-9] Segment-gate UX and mobile layouts at 375/768/1024/1440 (e2e covered 375/768/1440 with stubbed tiles; no vh fallback for old browsers) | map.tsx | NOT VERIFIED | - |
| UNT-10 | Medium | [UNT-10] SSR hydration of useSyncExternalStore (useIsMobile / lang) | use-mobile.tsx; i18n.tsx | NOT VERIFIED | Check console on staging. |
| UNT-11 | Medium | [UNT-11] Simulador, agentes, calculadora, comparador internals not reviewed in detail (formatters replaced in simulador/agentes only) | simulador.tsx; agentes.tsx; calculadora; comparador | NOT VERIFIED | Review. |
| UNT-12 | Low | [UNT-12] Literal strings 'hasta 2.5K' and '1000 metros cuadrados' not found in code (probably scraped lowercase text / price label) | bug log caveat | NOT VERIFIED | Covered functionally by I1/I2 fixes. |
| UNT-13 | Low | [UNT-13] e2e crawl: click timeouts on scrolling marquee, option elements, a disabled button, and 4-5 s navigations under software WebGL (not real failures) | e2e crawl.py | NOT VERIFIED | - |
| UNT-14 | Low | [UNT-14] Original audit was static only (app and tests not run); superseded by later runs but audit-time claims were not executed | bug log | INFO / NO ACTION | - |

### Coverage

Self-check: 172 source IDs were checked programmatically against the tags in the Issue column (C1-C14, I1-I21, map table Map-M1-M15, filters/mobile/caching A1-A4, A5a-e, A6a-e, production-readiness B1-B14, scraping D1-D14, R1-R6, O1-O4, L1, SECURITY-REPORT H1-H3 and M1-M10, security_backend H1-H2, M1-M7, L1-L9, security_frontend_infra findings 1-11, Codex round 1 #1-6, Codex round 2 #1-9, e2e fixes 1-8 and the 4 e2e not-fixed items); missing IDs: none. Source IDs that overlap between reports were merged (for example SR-H1 with SB-H1, SR-M4 with SB-M1) and are cited in one row. The e2e 'could not be tested', the frontend2 and link-health 'unverified' lists, the CHANGES-AND-ROADMAP section B items (push, Railway vars, rotation, confirmations, membership links, GHL lead push, not tested, mobile overlaps, CSP), the credential inventory (secrets masked to first 4 characters; the DB password is never printed), and the assumptions (Ciudad del Rio, finca/lote commercial, 150k rental floor, GHL webhook signing) are all present as rows. Total rows: 272. Status split: FIXED 120, OPEN 72, NEEDS DECISION 18, NEEDS OWNER ACTION 16, NOT VERIFIED 32, INFO 14. FIXED rows were checked against the 32-commit log of 5d7e82d..HEAD; where only an agent report (not a single commit) supports a claim the row says `(per agent report)`. Caveats: the fix branch was not re-run by this compilation (counts of tests come from the reports: tsc clean, vitest 181, vite build OK, pytest 213 passed non-DB / 274 with throwaway DB, 12 env-only failures); items the fix reports never mention are marked OPEN rather than assumed fixed; 'Info'-severity source rows are shown as Low severity.