

Seq	Family	Control (Major)	Control (Sub-parts)	Title	Description
#####	ACCESS CONTROL	AC-1	AC-1	ACCESS CONTROL POLICY AND PROCEDURES	The organization:
#####	ACCESS CONTROL	AC-1	AC-1a	ACCESS CONTROL POLICY AND PROCEDURES	Develops, documents, and disseminates to [Assignment: organization-defined personnel or roles]:
#####	ACCESS CONTROL	AC-1	AC-1a.1	ACCESS CONTROL POLICY AND PROCEDURES	An access control policy that addresses purpose, scope, roles, responsibilities, management commitment, coordination among organizational entities, and compliance; and
#####	ACCESS CONTROL	AC-1	AC-1a.2	ACCESS CONTROL POLICY AND PROCEDURES	Procedures to facilitate the implementation of the access control policy and associated access controls; and
#####	ACCESS CONTROL	AC-1	AC-1b	ACCESS CONTROL POLICY AND PROCEDURES	Reviews and updates the current:
#####	ACCESS CONTROL	AC-1	AC-1b.1	ACCESS CONTROL POLICY AND PROCEDURES	Access control policy [Assignment: organization-defined frequency]; and
#####	ACCESS CONTROL	AC-1	AC-1b.2	ACCESS CONTROL POLICY AND PROCEDURES	Access control procedures [Assignment: organization-defined frequency].

#####	ACCESS CONTROL	AC-2	AC-2	ACCOUNT MANAGEMENT	The organization:
#####	ACCESS CONTROL	AC-2	AC-2a	ACCOUNT MANAGEMENT	Identifies and selects the following types of information system accounts to support organizational missions/business functions: [Assignment: organization-defined information system account types];
#####	ACCESS CONTROL	AC-2	AC-2b	ACCOUNT MANAGEMENT	Assigns account managers for information system accounts;
#####	ACCESS CONTROL	AC-2	AC-2c	ACCOUNT MANAGEMENT	Establishes conditions for group and role membership;

#####	ACCESS CONTROL	AC-2	AC-2d	ACCOUNT MANAGEMENT	Specifies authorized users of the information system, group and role membership, and access authorizations (i.e., privileges) and other attributes (as required) for each account;
#####	ACCESS CONTROL	AC-2	AC-2e	ACCOUNT MANAGEMENT	Requires approvals by [Assignment: organization-defined personnel or roles] for requests to create information system accounts;
#####	ACCESS CONTROL	AC-2	AC-2f	ACCOUNT MANAGEMENT	Creates, enables, modifies, disables, and removes information system accounts in accordance with [Assignment: organization-defined procedures or conditions];
#####	ACCESS CONTROL	AC-2	AC-2g	ACCOUNT MANAGEMENT	Monitors the use of information system accounts;

#####	ACCESS CONTROL	AC-2	AC-2h	ACCOUNT MANAGEMENT	Notifies account managers:
#####	ACCESS CONTROL	AC-2	AC-2h.1	ACCOUNT MANAGEMENT	When accounts are no longer required;
#####	ACCESS CONTROL	AC-2	AC-2h.2	ACCOUNT MANAGEMENT	When users are terminated or transferred; and
#####	ACCESS CONTROL	AC-2	AC-2h.3	ACCOUNT MANAGEMENT	When individual information system usage or need-to-know changes;

#####	ACCESS CONTROL	AC-2	AC-2i	ACCOUNT MANAGEMENT	Authorizes access to the information system based on:
#####	ACCESS CONTROL	AC-2	AC-2i.1	ACCOUNT MANAGEMENT	A valid access authorization;
#####	ACCESS CONTROL	AC-2	AC-2i.2	ACCOUNT MANAGEMENT	Intended system usage; and
#####	ACCESS CONTROL	AC-2	AC-2i.3	ACCOUNT MANAGEMENT	Other attributes as required by the organization or associated missions/business functions;

#####	ACCESS CONTROL	AC-2	AC-2j	ACCOUNT MANAGEMENT	Reviews accounts for compliance with account management requirements [Assignment: organization-defined frequency]; and
#####	ACCESS CONTROL	AC-2	AC-2k	ACCOUNT MANAGEMENT	Establishes a process for reissuing shared/group account credentials (if deployed) when individuals are removed from the group.
#####	ACCESS CONTROL	AC-2 (1)	AC-2 (1)	AUTOMATED SYSTEM ACCOUNT MANAGEMENT	The organization employs automated mechanisms to support the management of information system accounts.
#####	ACCESS CONTROL	AC-2 (2)	AC-2 (2)	REMOVAL OF TEMPORARY / EMERGENCY ACCOUNTS	The information system automatically [Selection: removes; disables] temporary and emergency accounts after [Assignment: organization-defined time period for each type of account].
#####	ACCESS CONTROL	AC-2 (3)	AC-2 (3)	DISABLE INACTIVE ACCOUNTS	The information system automatically disables inactive accounts after [Assignment: organization-defined time period].
#####	ACCESS CONTROL	AC-2 (4)	AC-2 (4)	AUTOMATED AUDIT ACTIONS	The information system automatically audits account creation, modification, enabling, disabling, and removal actions, and notifies [Assignment: organization-defined personnel or roles].

#####	ACCESS CONTROL	AC-2 (5)	AC-2 (5)	INACTIVITY LOGOUT	The organization requires that users log out when [Assignment: organization-defined time-period of expected inactivity or description of when to log out].
#####	ACCESS CONTROL	AC-2 (6)	AC-2 (6)	DYNAMIC PRIVILEGE MANAGEMENT	The information system implements the following dynamic privilege management capabilities: [Assignment: organization-defined list of dynamic privilege management capabilities].
#####	ACCESS CONTROL	AC-2 (7)	AC-2 (7)	ROLE-BASED SCHEMES	The organization:
#####	ACCESS CONTROL	AC-2 (7)	AC-2 (7)(a)	ROLE-BASED SCHEMES	Establishes and administers privileged user accounts in accordance with a role-based access scheme that organizes allowed information system access and privileges into roles;
#####	ACCESS CONTROL	AC-2 (7)	AC-2 (7)(b)	ROLE-BASED SCHEMES	Monitors privileged role assignments; and
#####	ACCESS CONTROL	AC-2 (7)	AC-2 (7)(c)	ROLE-BASED SCHEMES	Takes [Assignment: organization-defined actions] when privileged role assignments are no longer appropriate.
#####	ACCESS CONTROL	AC-2 (8)	AC-2 (8)	DYNAMIC ACCOUNT CREATION	The information system creates [Assignment: organization-defined information system accounts] dynamically.
#####	ACCESS CONTROL	AC-2 (9)	AC-2 (9)	RESTRICTIONS ON USE OF SHARED / GROUP ACCOUNTS	The organization only permits the use of shared/group accounts that meet [Assignment: organization-defined conditions for establishing shared/group accounts].

#####	ACCESS CONTROL	AC-2 (10)	AC-2 (10)	SHARED / GROUP ACCOUNT CREDENTIAL TERMINATION	The information system terminates shared/group account credentials when members leave the group.
#####	ACCESS CONTROL	AC-2 (11)	AC-2 (11)	USAGE CONDITIONS	The information system enforces [Assignment: organization-defined circumstances and/or usage conditions] for [Assignment: organization-defined information system accounts].
#####	ACCESS CONTROL	AC-2 (12)	AC-2 (12)	ACCOUNT MONITORING / ATYPICAL USAGE	The organization:
#####	ACCESS CONTROL	AC-2 (12)	AC-2 (12)(a)	ACCOUNT MONITORING / ATYPICAL USAGE	Monitors information system accounts for [Assignment: organization-defined atypical usage]; and
#####	ACCESS CONTROL	AC-2 (12)	AC-2 (12)(b)	ACCOUNT MONITORING / ATYPICAL USAGE	Reports atypical usage of information system accounts to [Assignment: organization-defined personnel or roles].
#####	ACCESS CONTROL	AC-2 (13)	AC-2 (13)	DISABLE ACCOUNTS FOR HIGH-RISK INDIVIDUALS	The organization disables accounts of users posing a significant risk within [Assignment: organization-defined time period] of discovery of the risk.
#####	ACCESS CONTROL	AC-3	AC-3	ACCESS ENFORCEMENT	The information system enforces approved authorizations for logical access to information and system resources in accordance with applicable access control policies.

#####	ACCESS CONTROL	AC-3 (1)	AC-3 (1)	RESTRICTED ACCESS TO PRIVILEGED FUNCTIONS	[Withdrawn: Incorporated into AC-6].
#####	ACCESS CONTROL	AC-3 (2)	AC-3 (2)	DUAL AUTHORIZATION	The information system enforces dual authorization for [Assignment: organization-defined privileged commands and/or other organization-defined actions].
#####	ACCESS CONTROL	AC-3 (3)	AC-3 (3)	MANDATORY ACCESS CONTROL	The information system enforces [Assignment: organization-defined mandatory access control policy] over all subjects and objects where the policy:
#####	ACCESS CONTROL	AC-3 (3)	AC-3 (3)(a)	MANDATORY ACCESS CONTROL	Is uniformly enforced across all subjects and objects within the boundary of the information system;
#####	ACCESS CONTROL	AC-3 (3)	AC-3 (3)(b)	MANDATORY ACCESS CONTROL	Specifies that a subject that has been granted access to information is constrained from doing any of the following;
#####	ACCESS CONTROL	AC-3 (3)	AC-3 (3)(b)(1)	MANDATORY ACCESS CONTROL	Passing the information to unauthorized subjects or objects;
#####	ACCESS CONTROL	AC-3 (3)	AC-3 (3)(b)(2)	MANDATORY ACCESS CONTROL	Granting its privileges to other subjects;
#####	ACCESS CONTROL	AC-3 (3)	AC-3 (3)(b)(3)	MANDATORY ACCESS CONTROL	Changing one or more security attributes on subjects, objects, the information system, or information system components;
#####	ACCESS CONTROL	AC-3 (3)	AC-3 (3)(b)(4)	MANDATORY ACCESS CONTROL	Choosing the security attributes and attribute values to be associated with newly created or modified objects; or
#####	ACCESS CONTROL	AC-3 (3)	AC-3 (3)(b)(5)	MANDATORY ACCESS CONTROL	Changing the rules governing access control; and

#####	ACCESS CONTROL	AC-3 (3)	AC-3 (3)(c)	MANDATORY ACCESS CONTROL	Specifies that [Assignment: organization-defined subjects] may explicitly be granted [Assignment: organization-defined privileges (i.e., they are trusted subjects)] such that they are not limited by some or all of the above constraints.
#####	ACCESS CONTROL	AC-3 (4)	AC-3 (4)	DISCRETIONARY ACCESS CONTROL	The information system enforces [Assignment: organization-defined discretionary access control policy] over defined subjects and objects where the policy specifies that a subject that has been granted access to information can do one or more of the following:

#####	ACCESS CONTROL	AC-3 (4)	AC-3 (4)(a)	DISCRETIONARY ACCESS CONTROL	Pass the information to any other subjects or objects;
-------	----------------	----------	-------------	---------------------------------	--

#####	ACCESS CONTROL	AC-3 (4)	AC-3 (4)(b)	DISCRETIONARY ACCESS CONTROL	Grant its privileges to other subjects;
-------	----------------	----------	-------------	---------------------------------	---

#####	ACCESS CONTROL	AC-3 (4)	AC-3 (4)(c)	DISCRETIONARY ACCESS CONTROL	Change security attributes on subjects, objects, the information system, or the information system's components;
-------	----------------	----------	-------------	---------------------------------	--

#####	ACCESS CONTROL	AC-3 (4)	AC-3 (4)(d)	DISCRETIONARY ACCESS CONTROL	Choose the security attributes to be associated with newly created or revised objects; or
#####	ACCESS CONTROL	AC-3 (4)	AC-3 (4)(e)	DISCRETIONARY ACCESS CONTROL	Change the rules governing access control.
#####	ACCESS CONTROL	AC-3 (5)	AC-3 (5)	SECURITY-RELEVANT INFORMATION	The information system prevents access to [Assignment: organization-defined security-relevant information] except during secure, non-operable system states.

#####	ACCESS CONTROL	AC-3 (6)	AC-3 (6)	PROTECTION OF USER AND SYSTEM INFORMATION	[Withdrawn: Incorporated into MP-4 and SC-28].
#####	ACCESS CONTROL	AC-3 (7)	AC-3 (7)	ROLE-BASED ACCESS CONTROL	The information system enforces a role-based access control policy over defined subjects and objects and controls access based upon [Assignment: organization-defined roles and users authorized to assume such roles].
#####	ACCESS CONTROL	AC-3 (8)	AC-3 (8)	REVOCATION OF ACCESS AUTHORIZATIONS	The information system enforces the revocation of access authorizations resulting from changes to the security attributes of subjects and objects based on [Assignment: organization-defined rules governing the timing of revocations of access authorizations].
#####	ACCESS CONTROL	AC-3 (9)	AC-3 (9)	CONTROLLED RELEASE	The information system does not release information outside of the established system boundary unless:
#####	ACCESS CONTROL	AC-3 (9)	AC-3 (9)(a)	CONTROLLED RELEASE	The receiving [Assignment: organization-defined information system or system component] provides [Assignment: organization-defined security safeguards]; and

#####	ACCESS CONTROL	AC-3 (9)	AC-3 (9)(b)	CONTROLLED RELEASE	[Assignment: organization-defined security safeguards] are used to validate the appropriateness of the information designated for release.
#####	ACCESS CONTROL	AC-3 (10)	AC-3 (10)	AUDITED OVERRIDE OF ACCESS CONTROL MECHANISMS	The organization employs an audited override of automated access control mechanisms under [Assignment: organization-defined conditions].
#####	ACCESS CONTROL	AC-4	AC-4	INFORMATION FLOW ENFORCEMENT	The information system enforces approved authorizations for controlling the flow of information within the system and between interconnected systems based on [Assignment: organization-defined information flow control policies].
#####	ACCESS CONTROL	AC-4 (1)	AC-4 (1)	OBJECT SECURITY ATTRIBUTES	The information system uses [Assignment: organization-defined security attributes] associated with [Assignment: organization-defined information, source, and destination objects] to enforce [Assignment: organization-defined information flow control policies] as a basis for flow control decisions.
#####	ACCESS CONTROL	AC-4 (2)	AC-4 (2)	PROCESSING DOMAINS	The information system uses protected processing domains to enforce [Assignment: organization-defined information flow control policies] as a basis for flow control decisions.
#####	ACCESS CONTROL	AC-4 (3)	AC-4 (3)	DYNAMIC INFORMATION FLOW CONTROL	The information system enforces dynamic information flow control based on [Assignment: organization-defined policies].

#####	ACCESS CONTROL	AC-4 (4)	AC-4 (4)	CONTENT CHECK ENCRYPTED INFORMATION	The information system prevents encrypted information from bypassing content-checking mechanisms by [Selection (one or more): decrypting the information; blocking the flow of the encrypted information; terminating communications sessions attempting to pass encrypted information; [Assignment: organization-defined procedure or method]].
#####	ACCESS CONTROL	AC-4 (5)	AC-4 (5)	EMBEDDED DATA TYPES	The information system enforces [Assignment: organization-defined limitations] on embedding data types within other data types.
#####	ACCESS CONTROL	AC-4 (6)	AC-4 (6)	METADATA	The information system enforces information flow control based on [Assignment: organization-defined metadata].
#####	ACCESS CONTROL	AC-4 (7)	AC-4 (7)	ONE-WAY FLOW MECHANISMS	The information system enforces [Assignment: organization-defined one-way information flows] using hardware mechanisms.
#####	ACCESS CONTROL	AC-4 (8)	AC-4 (8)	SECURITY POLICY FILTERS	The information system enforces information flow control using [Assignment: organization-defined security policy filters] as a basis for flow control decisions for [Assignment: organization-defined information flows].
#####	ACCESS CONTROL	AC-4 (9)	AC-4 (9)	HUMAN REVIEWS	The information system enforces the use of human reviews for [Assignment: organization-defined information flows] under the following conditions: [Assignment: organization-defined conditions].
#####	ACCESS CONTROL	AC-4 (10)	AC-4 (10)	ENABLE / DISABLE SECURITY POLICY FILTERS	The information system provides the capability for privileged administrators to enable/disable [Assignment: organization-defined security policy filters] under the following conditions: [Assignment: organization-defined conditions].

#####	ACCESS CONTROL	AC-4 (11)	AC-4 (11)	CONFIGURATION OF SECURITY POLICY FILTERS	The information system provides the capability for privileged administrators to configure [Assignment: organization-defined security policy filters] to support different security policies.
#####	ACCESS CONTROL	AC-4 (12)	AC-4 (12)	DATA TYPE IDENTIFIERS	The information system, when transferring information between different security domains, uses [Assignment: organization-defined data type identifiers] to validate data essential for information flow decisions.
#####	ACCESS CONTROL	AC-4 (13)	AC-4 (13)	DECOMPOSITION INTO POLICY-RELEVANT SUBCOMPONENTS	The information system, when transferring information between different security domains, decomposes information into [Assignment: organization-defined policy-relevant subcomponents] for submission to policy enforcement mechanisms.
#####	ACCESS CONTROL	AC-4 (14)	AC-4 (14)	SECURITY POLICY FILTER CONSTRAINTS	The information system, when transferring information between different security domains, implements [Assignment: organization-defined security policy filters] requiring fully enumerated formats that restrict data structure and content.
#####	ACCESS CONTROL	AC-4 (15)	AC-4 (15)	DETECTION OF UNSANCTIONED INFORMATION	The information system, when transferring information between different security domains, examines the information for the presence of [Assignment: organization-defined unsanctioned information] and prohibits the transfer of such information in accordance with the [Assignment: organization-defined security policy].
#####	ACCESS CONTROL	AC-4 (16)	AC-4 (16)	INFORMATION TRANSFERS ON INTERCONNECTED SYSTEMS	[Withdrawn: Incorporated into AC-4].

#####	ACCESS CONTROL	AC-4 (17)	AC-4 (17)	DOMAIN AUTHENTICATION	The information system uniquely identifies and authenticates source and destination points by [Selection (one or more): organization, system, application, individual] for information transfer.
#####	ACCESS CONTROL	AC-4 (18)	AC-4 (18)	SECURITY ATTRIBUTE BINDING	The information system binds security attributes to information using [Assignment: organization-defined binding techniques] to facilitate information flow policy enforcement.
#####	ACCESS CONTROL	AC-4 (19)	AC-4 (19)	VALIDATION OF METADATA	The information system, when transferring information between different security domains, applies the same security policy filtering to metadata as it applies to data payloads.
#####	ACCESS CONTROL	AC-4 (20)	AC-4 (20)	APPROVED SOLUTIONS	The organization employs [Assignment: organization-defined solutions in approved configurations] to control the flow of [Assignment: organization-defined information] across security domains.
#####	ACCESS CONTROL	AC-4 (21)	AC-4 (21)	PHYSICAL / LOGICAL SEPARATION OF INFORMATION FLOWS	The information system separates information flows logically or physically using [Assignment: organization-defined mechanisms and/or techniques] to accomplish [Assignment: organization-defined required separations by types of information].
#####	ACCESS CONTROL	AC-4 (22)	AC-4 (22)	ACCESS ONLY	The information system provides access from a single device to computing platforms, applications, or data residing on multiple different security domains, while preventing any information flow between the different security domains.
#####	ACCESS CONTROL	AC-5	AC-5	SEPARATION OF DUTIES	The organization:

#####	ACCESS CONTROL	AC-5	AC-5a	SEPARATION OF DUTIES	Separates [Assignment: organization-defined duties of individuals];
#####	ACCESS CONTROL	AC-5	AC-5b	SEPARATION OF DUTIES	Documents separation of duties of individuals; and
#####	ACCESS CONTROL	AC-5	AC-5c	SEPARATION OF DUTIES	Defines information system access authorizations to support separation of duties.
#####	ACCESS CONTROL	AC-6	AC-6	LEAST PRIVILEGE	The organization employs the principle of least privilege, allowing only authorized accesses for users (or processes acting on behalf of users) which are necessary to accomplish assigned tasks in accordance with organizational missions and business functions.
#####	ACCESS CONTROL	AC-6 (1)	AC-6 (1)	AUTHORIZE ACCESS TO SECURITY FUNCTIONS	The organization explicitly authorizes access to [Assignment: organization-defined security functions (deployed in hardware, software, and firmware) and security-relevant information].
#####	ACCESS CONTROL	AC-6 (2)	AC-6 (2)	NON-PRIVILEGED ACCESS FOR NONSECURITY FUNCTIONS	The organization requires that users of information system accounts, or roles, with access to [Assignment: organization-defined security functions or security-relevant information], use non-privileged accounts or roles, when accessing nonsecurity functions.
#####	ACCESS CONTROL	AC-6 (3)	AC-6 (3)	NETWORK ACCESS TO PRIVILEGED COMMANDS	The organization authorizes network access to [Assignment: organization-defined privileged commands] only for [Assignment: organization-defined compelling operational needs] and documents the rationale for such access in the security plan for the information system.

#####	ACCESS CONTROL	AC-6 (4)	AC-6 (4)	SEPARATE PROCESSING DOMAINS	The information system provides separate processing domains to enable finer-grained allocation of user privileges.
#####	ACCESS CONTROL	AC-6 (5)	AC-6 (5)	PRIVILEGED ACCOUNTS	The organization restricts privileged accounts on the information system to [Assignment: organization-defined personnel or roles].
#####	ACCESS CONTROL	AC-6 (6)	AC-6 (6)	PRIVILEGED ACCESS BY NON-ORGANIZATIONAL USERS	The organization prohibits privileged access to the information system by non-organizational users.
#####	ACCESS CONTROL	AC-6 (7)	AC-6 (7)	REVIEW OF USER PRIVILEGES	The organization:
#####	ACCESS CONTROL	AC-6 (7)	AC-6 (7)(a)	REVIEW OF USER PRIVILEGES	Reviews [Assignment: organization-defined frequency] the privileges assigned to [Assignment: organization-defined roles or classes of users] to validate the need for such privileges; and
#####	ACCESS CONTROL	AC-6 (7)	AC-6 (7)(b)	REVIEW OF USER PRIVILEGES	Reassigns or removes privileges, if necessary, to correctly reflect organizational mission/business needs.
#####	ACCESS CONTROL	AC-6 (8)	AC-6 (8)	PRIVILEGE LEVELS FOR CODE EXECUTION	The information system prevents [Assignment: organization-defined software] from executing at higher privilege levels than users executing the software.
#####	ACCESS CONTROL	AC-6 (9)	AC-6 (9)	AUDITING USE OF PRIVILEGED FUNCTIONS	The information system audits the execution of privileged functions.

#####	ACCESS CONTROL	AC-6 (10)	AC-6 (10)	PROHIBIT NON-PRIVILEGED USERS FROM EXECUTING PRIVILEGED FUNCTIONS	The information system prevents non-privileged users from executing privileged functions to include disabling, circumventing, or altering implemented security safeguards/countermeasures.
#####	ACCESS CONTROL	AC-7	AC-7	UNSUCCESSFUL LOGON ATTEMPTS	The information system:
#####	ACCESS CONTROL	AC-7	AC-7a	UNSUCCESSFUL LOGON ATTEMPTS	Enforces a limit of [Assignment: organization-defined number] consecutive invalid logon attempts by a user during a [Assignment: organization-defined time period]; and
#####	ACCESS CONTROL	AC-7	AC-7b	UNSUCCESSFUL LOGON ATTEMPTS	Automatically [Selection: locks the account/node for an [Assignment: organization-defined time period]; locks the account/node until released by an administrator; delays next logon prompt according to [Assignment: organization-defined delay algorithm]] when the maximum number of unsuccessful attempts is exceeded.
#####	ACCESS CONTROL	AC-7 (1)	AC-7 (1)	AUTOMATIC ACCOUNT LOCK	[Withdrawn: Incorporated into AC-7].
#####	ACCESS CONTROL	AC-7 (2)	AC-7 (2)	PURGE / WIPE MOBILE DEVICE	The information system purges/wipes information from [Assignment: organization-defined mobile devices] based on [Assignment: organization-defined purging/wiping requirements/techniques] after [Assignment: organization-defined number] consecutive, unsuccessful device logon attempts.
#####	ACCESS CONTROL	AC-8	AC-8	SYSTEM USE NOTIFICATION	The information system:

#####	ACCESS CONTROL	AC-8	AC-8a	SYSTEM USE NOTIFICATION	Displays to users [Assignment: organization-defined system use notification message or banner] before granting access to the system that provides privacy and security notices consistent with applicable federal laws, Executive Orders, directives, policies, regulations, standards, and guidance and states that:
#####	ACCESS CONTROL	AC-8	AC-8a.1	SYSTEM USE NOTIFICATION	Users are accessing a U.S. Government information system;
#####	ACCESS CONTROL	AC-8	AC-8a.2	SYSTEM USE NOTIFICATION	Information system usage may be monitored, recorded, and subject to audit;

#####	ACCESS CONTROL	AC-8	AC-8a.3	SYSTEM USE NOTIFICATION	Unauthorized use of the information system is prohibited and subject to criminal and civil penalties; and
#####	ACCESS CONTROL	AC-8	AC-8a.4	SYSTEM USE NOTIFICATION	Use of the information system indicates consent to monitoring and recording;
#####	ACCESS CONTROL	AC-8	AC-8b	SYSTEM USE NOTIFICATION	Retains the notification message or banner on the screen until users acknowledge the usage conditions and take explicit actions to log on to or further access the information system; and
#####	ACCESS CONTROL	AC-8	AC-8c	SYSTEM USE NOTIFICATION	For publicly accessible systems:

#####	ACCESS CONTROL	AC-8	AC-8c.1	SYSTEM USE NOTIFICATION	Displays system use information [Assignment: organization-defined conditions], before granting further access;
#####	ACCESS CONTROL	AC-8	AC-8c.2	SYSTEM USE NOTIFICATION	Displays references, if any, to monitoring, recording, or auditing that are consistent with privacy accommodations for such systems that generally prohibit those activities; and
#####	ACCESS CONTROL	AC-8	AC-8c.3	SYSTEM USE NOTIFICATION	Includes a description of the authorized uses of the system.

#####	ACCESS CONTROL	AC-9	AC-9	PREVIOUS LOGON (ACCESS) NOTIFICATION	The information system notifies the user, upon successful logon (access) to the system, of the date and time of the last logon (access).
#####	ACCESS CONTROL	AC-9 (1)	AC-9 (1)	UNSUCCESSFUL LOGONS	The information system notifies the user, upon successful logon/access, of the number of unsuccessful logon/access attempts since the last successful logon/access.
#####	ACCESS CONTROL	AC-9 (2)	AC-9 (2)	SUCCESSFUL / UNSUCCESSFUL LOGONS	The information system notifies the user of the number of [Selection: successful logons/accesses; unsuccessful logon/access attempts; both] during [Assignment: organization-defined time period].
#####	ACCESS CONTROL	AC-9 (3)	AC-9 (3)	NOTIFICATION OF ACCOUNT CHANGES	The information system notifies the user of changes to [Assignment: organization-defined security-related characteristics/parameters of the user's account] during [Assignment: organization-defined time period].
#####	ACCESS CONTROL	AC-9 (4)	AC-9 (4)	ADDITIONAL LOGON INFORMATION	The information system notifies the user, upon successful logon (access), of the following additional information: [Assignment: organization-defined information to be included in addition to the date and time of the last logon (access)].
#####	ACCESS CONTROL	AC-10	AC-10	CONCURRENT SESSION CONTROL	The information system limits the number of concurrent sessions for each [Assignment: organization-defined account and/or account type] to [Assignment: organization-defined number].
#####	ACCESS CONTROL	AC-11	AC-11	SESSION LOCK	The information system:

#####	ACCESS CONTROL	AC-11	AC-11a	SESSION LOCK	Prevents further access to the system by initiating a session lock after [Assignment: organization-defined time period] of inactivity or upon receiving a request from a user; and
#####	ACCESS CONTROL	AC-11	AC-11b	SESSION LOCK	Retains the session lock until the user reestablishes access using established identification and authentication procedures.
#####	ACCESS CONTROL	AC-11 (1)	AC-11 (1)	PATTERN-HIDING DISPLAYS	The information system conceals, via the session lock, information previously visible on the display with a publicly viewable image.
#####	ACCESS CONTROL	AC-12	AC-12	SESSION TERMINATION	The information system automatically terminates a user session after [Assignment: organization-defined conditions or trigger events requiring session disconnect].
#####	ACCESS CONTROL	AC-12 (1)	AC-12 (1)	USER-INITIATED LOGOUTS / MESSAGE DISPLAYS	The information system:
#####	ACCESS CONTROL	AC-12 (1)	AC-12 (1)(a)	USER-INITIATED LOGOUTS / MESSAGE DISPLAYS	Provides a logout capability for user-initiated communications sessions whenever authentication is used to gain access to [Assignment: organization-defined information resources]; and
#####	ACCESS CONTROL	AC-12 (1)	AC-12 (1)(b)	USER-INITIATED LOGOUTS / MESSAGE DISPLAYS	Displays an explicit logout message to users indicating the reliable termination of authenticated communications sessions.
#####	ACCESS CONTROL	AC-13	AC-13	SUPERVISION AND REVIEW - ACCESS CONTROL	[Withdrawn: Incorporated into AC-2 and AU-6].
#####	ACCESS CONTROL	AC-14	AC-14	PERMITTED ACTIONS WITHOUT IDENTIFICATION OR AUTHENTICATION	The organization:

#####	ACCESS CONTROL	AC-14	AC-14a	PERMITTED ACTIONS WITHOUT IDENTIFICATION OR AUTHENTICATION	Identifies [Assignment: organization-defined user actions] that can be performed on the information system without identification or authentication consistent with organizational missions/business functions; and
#####	ACCESS CONTROL	AC-14	AC-14b	PERMITTED ACTIONS WITHOUT IDENTIFICATION OR AUTHENTICATION	Documents and provides supporting rationale in the security plan for the information system, user actions not requiring identification or authentication.
#####	ACCESS CONTROL	AC-14 (1)	AC-14 (1)	NECESSARY USES	[Withdrawn: Incorporated into AC-14].
#####	ACCESS CONTROL	AC-15	AC-15	AUTOMATED MARKING	[Withdrawn: Incorporated into MP-3].
#####	ACCESS CONTROL	AC-16	AC-16	SECURITY ATTRIBUTES	The organization:
#####	ACCESS CONTROL	AC-16	AC-16a	SECURITY ATTRIBUTES	Provides the means to associate [Assignment: organization-defined types of security attributes] having [Assignment: organization-defined security attribute values] with information in storage, in process, and/or in transmission;
#####	ACCESS CONTROL	AC-16	AC-16b	SECURITY ATTRIBUTES	Ensures that the security attribute associations are made and retained with the information;
#####	ACCESS CONTROL	AC-16	AC-16c	SECURITY ATTRIBUTES	Establishes the permitted [Assignment: organization-defined security attributes] for [Assignment: organization-defined information systems]; and
#####	ACCESS CONTROL	AC-16	AC-16d	SECURITY ATTRIBUTES	Determines the permitted [Assignment: organization-defined values or ranges] for each of the established security attributes.

#####	ACCESS CONTROL	AC-16 (1)	AC-16 (1)	DYNAMIC ATTRIBUTE ASSOCIATION	The information system dynamically associates security attributes with [Assignment: organization-defined subjects and objects] in accordance with [Assignment: organization-defined security policies] as information is created and combined.
#####	ACCESS CONTROL	AC-16 (2)	AC-16 (2)	ATTRIBUTE VALUE CHANGES BY AUTHORIZED INDIVIDUALS	The information system provides authorized individuals (or processes acting on behalf of individuals) the capability to define or change the value of associated security attributes.
#####	ACCESS CONTROL	AC-16 (3)	AC-16 (3)	MAINTENANCE OF ATTRIBUTE ASSOCIATIONS BY INFORMATION SYSTEM	The information system maintains the association and integrity of [Assignment: organization-defined security attributes] to [Assignment: organization-defined subjects and objects].
#####	ACCESS CONTROL	AC-16 (4)	AC-16 (4)	ASSOCIATION OF ATTRIBUTES BY AUTHORIZED INDIVIDUALS	The information system supports the association of [Assignment: organization-defined security attributes] with [Assignment: organization-defined subjects and objects] by authorized individuals (or processes acting on behalf of individuals).
#####	ACCESS CONTROL	AC-16 (5)	AC-16 (5)	ATTRIBUTE DISPLAYS FOR OUTPUT DEVICES	The information system displays security attributes in human-readable form on each object that the system transmits to output devices to identify [Assignment: organization-identified special dissemination, handling, or distribution instructions] using [Assignment: organization-identified human-readable, standard naming conventions].

#####	ACCESS CONTROL	AC-16 (6)	AC-16 (6)	MAINTENANCE OF ATTRIBUTE ASSOCIATION BY ORGANIZATION	The organization allows personnel to associate, and maintain the association of [Assignment: organization-defined security attributes] with [Assignment: organization-defined subjects and objects] in accordance with [Assignment: organization-defined security policies].
#####	ACCESS CONTROL	AC-16 (7)	AC-16 (7)	CONSISTENT ATTRIBUTE INTERPRETATION	The organization provides a consistent interpretation of security attributes transmitted between distributed information system components.
#####	ACCESS CONTROL	AC-16 (8)	AC-16 (8)	ASSOCIATION TECHNIQUES / TECHNOLOGIES	The information system implements [Assignment: organization-defined techniques or technologies] with [Assignment: organization-defined level of assurance] in associating security attributes to information.
#####	ACCESS CONTROL	AC-16 (9)	AC-16 (9)	ATTRIBUTE REASSIGNMENT	The organization ensures that security attributes associated with information are reassigned only via re-grading mechanisms validated using [Assignment: organization-defined techniques or procedures].
#####	ACCESS CONTROL	AC-16 (10)	AC-16 (10)	ATTRIBUTE CONFIGURATION BY AUTHORIZED INDIVIDUALS	The information system provides authorized individuals the capability to define or change the type and value of security attributes available for association with subjects and objects.

ACCESS CONTROL	AC-17	AC-17	REMOTE ACCESS	The organization:
#####				

#####	ACCESS CONTROL	AC-17	AC-17a	REMOTE ACCESS	Establishes and documents usage restrictions, configuration/connection requirements, and implementation guidance for each type of remote access allowed; and
-------	----------------	-------	--------	---------------	--

#####	ACCESS CONTROL	AC-17	AC-17b	REMOTE ACCESS	Authorizes remote access to the information system prior to allowing such connections.
-------	----------------	-------	--------	---------------	--

#####	ACCESS CONTROL	AC-17 (1)	AC-17 (1)	AUTOMATED MONITORING / CONTROL	The information system monitors and controls remote access methods.
-------	----------------	-----------	-----------	--------------------------------------	--

#####	ACCESS CONTROL	AC-17 (2)	AC-17 (2)	PROTECTION OF CONFIDENTIALITY / INTEGRITY USING ENCRYPTION	The information system implements cryptographic mechanisms to protect the confidentiality and integrity of remote access sessions.
-------	----------------	-----------	-----------	---	--

#####	ACCESS CONTROL	AC-17 (3)	AC-17 (3)	MANAGED ACCESS CONTROL POINTS	The information system routes all remote accesses through [Assignment: organization-defined number] managed network access control points.
#####	ACCESS CONTROL	AC-17 (4)	AC-17 (4)	PRIVILEGED COMMANDS / ACCESS	The organization:
#####	ACCESS CONTROL	AC-17 (4)	AC-17 (4)(a)	PRIVILEGED COMMANDS / ACCESS	Authorizes the execution of privileged commands and access to security-relevant information via remote access only for [Assignment: organization-defined needs]; and
#####	ACCESS CONTROL	AC-17 (4)	AC-17 (4)(b)	PRIVILEGED COMMANDS / ACCESS	Documents the rationale for such access in the security plan for the information system.
#####	ACCESS CONTROL	AC-17 (5)	AC-17 (5)	MONITORING FOR UNAUTHORIZED CONNECTIONS	[Withdrawn: Incorporated into SI-4].
#####	ACCESS CONTROL	AC-17 (6)	AC-17 (6)	PROTECTION OF INFORMATION	The organization ensures that users protect information about remote access mechanisms from unauthorized use and disclosure.

#####	ACCESS CONTROL	AC-17 (7)	AC-17 (7)	ADDITIONAL PROTECTION FOR SECURITY FUNCTION ACCESS	[Withdrawn: Incorporated into AC-3 (10)].
#####	ACCESS CONTROL	AC-17 (8)	AC-17 (8)	DISABLE NONSECURE NETWORK PROTOCOLS	[Withdrawn: Incorporated into CM-7].
#####	ACCESS CONTROL	AC-17 (9)	AC-17 (9)	DISCONNECT / DISABLE ACCESS	The organization provides the capability to expeditiously disconnect or disable remote access to the information system within [Assignment: organization-defined time period].
#####	ACCESS CONTROL	AC-18	AC-18	WIRELESS ACCESS	The organization:
#####	ACCESS CONTROL	AC-18	AC-18a	WIRELESS ACCESS	Establishes usage restrictions, configuration/connection requirements, and implementation guidance for wireless access; and
#####	ACCESS CONTROL	AC-18	AC-18b	WIRELESS ACCESS	Authorizes wireless access to the information system prior to allowing such connections.
#####	ACCESS CONTROL	AC-18 (1)	AC-18 (1)	AUTHENTICATION AND ENCRYPTION	The information system protects wireless access to the system using authentication of [Selection (one or more): users; devices] and encryption.
#####	ACCESS CONTROL	AC-18 (2)	AC-18 (2)	MONITORING UNAUTHORIZED CONNECTIONS	[Withdrawn: Incorporated into SI-4].
#####	ACCESS CONTROL	AC-18 (3)	AC-18 (3)	DISABLE WIRELESS NETWORKING	The organization disables, when not intended for use, wireless networking capabilities internally embedded within information system components prior to issuance and deployment.

#####	ACCESS CONTROL	AC-18 (4)	AC-18 (4)	RESTRICT CONFIGURATIONS BY USERS	The organization identifies and explicitly authorizes users allowed to independently configure wireless networking capabilities.
#####	ACCESS CONTROL	AC-18 (5)	AC-18 (5)	ANTENNAS / TRANSMISSION POWER LEVELS	The organization selects radio antennas and calibrates transmission power levels to reduce the probability that usable signals can be received outside of organization-controlled boundaries.
#####	ACCESS CONTROL	AC-19	AC-19	ACCESS CONTROL FOR MOBILE DEVICES	The organization:
#####	ACCESS CONTROL	AC-19	AC-19a	ACCESS CONTROL FOR MOBILE DEVICES	Establishes usage restrictions, configuration requirements, connection requirements, and implementation guidance for organization-controlled mobile devices; and
#####	ACCESS CONTROL	AC-19	AC-19b	ACCESS CONTROL FOR MOBILE DEVICES	Authorizes the connection of mobile devices to organizational information systems.
#####	ACCESS CONTROL	AC-19 (1)	AC-19 (1)	USE OF WRITABLE / PORTABLE STORAGE DEVICES	[Withdrawn: Incorporated into MP-7].
#####	ACCESS CONTROL	AC-19 (2)	AC-19 (2)	USE OF PERSONALLY OWNED PORTABLE STORAGE DEVICES	[Withdrawn: Incorporated into MP-7].
#####	ACCESS CONTROL	AC-19 (3)	AC-19 (3)	USE OF PORTABLE STORAGE DEVICES WITH NO IDENTIFIABLE OWNER	[Withdrawn: Incorporated into MP-7].
#####	ACCESS CONTROL	AC-19 (4)	AC-19 (4)	RESTRICTIONS FOR CLASSIFIED INFORMATION	The organization:

#####	ACCESS CONTROL	AC-19 (4)	AC-19 (4)(a)	RESTRICTIONS FOR CLASSIFIED INFORMATION	Prohibits the use of unclassified mobile devices in facilities containing information systems processing, storing, or transmitting classified information unless specifically permitted by the authorizing official; and
#####	ACCESS CONTROL	AC-19 (4)	AC-19 (4)(b)	RESTRICTIONS FOR CLASSIFIED INFORMATION	Enforces the following restrictions on individuals permitted by the authorizing official to use unclassified mobile devices in facilities containing information systems processing, storing, or transmitting classified information:
#####	ACCESS CONTROL	AC-19 (4)	AC-19 (4)(b)(1)	RESTRICTIONS FOR CLASSIFIED INFORMATION	Connection of unclassified mobile devices to classified information systems is prohibited;
#####	ACCESS CONTROL	AC-19 (4)	AC-19 (4)(b)(2)	RESTRICTIONS FOR CLASSIFIED INFORMATION	Connection of unclassified mobile devices to unclassified information systems requires approval from the authorizing official;
#####	ACCESS CONTROL	AC-19 (4)	AC-19 (4)(b)(3)	RESTRICTIONS FOR CLASSIFIED INFORMATION	Use of internal or external modems or wireless interfaces within the unclassified mobile devices is prohibited; and
#####	ACCESS CONTROL	AC-19 (4)	AC-19 (4)(b)(4)	RESTRICTIONS FOR CLASSIFIED INFORMATION	Unclassified mobile devices and the information stored on those devices are subject to random reviews and inspections by [Assignment: organization-defined security officials], and if classified information is found, the incident handling policy is followed.
#####	ACCESS CONTROL	AC-19 (4)	AC-19 (4)(c)	RESTRICTIONS FOR CLASSIFIED INFORMATION	Restricts the connection of classified mobile devices to classified information systems in accordance with [Assignment: organization-defined security policies].

#####	ACCESS CONTROL	AC-19 (5)	AC-19 (5)	FULL DEVICE / CONTAINER-BASED ENCRYPTION	The organization employs [Selection: full-device encryption; container encryption] to protect the confidentiality and integrity of information on [Assignment: organization-defined mobile devices].
#####	ACCESS CONTROL	AC-20	AC-20	USE OF EXTERNAL INFORMATION SYSTEMS	The organization establishes terms and conditions, consistent with any trust relationships established with other organizations owning, operating, and/or maintaining external information systems, allowing authorized individuals to:

#####	ACCESS CONTROL	AC-20	AC-20a	USE OF EXTERNAL INFORMATION SYSTEMS	Access the information system from external information systems; and
-------	----------------	-------	--------	---	---

#####	ACCESS CONTROL	AC-20	AC-20b	USE OF EXTERNAL INFORMATION SYSTEMS	Process, store, or transmit organization-controlled information using external information systems.
#####	ACCESS CONTROL	AC-20 (1)	AC-20 (1)	LIMITS ON AUTHORIZED USE	The organization permits authorized individuals to use an external information system to access the information system or to process, store, or transmit organization-controlled information only when the organization:

#####	ACCESS CONTROL	AC-20 (1)	AC-20 (1)(a)	LIMITS ON AUTHORIZED USE	Verifies the implementation of required security controls on the external system as specified in the organization's information security policy and security plan; or
#####	ACCESS CONTROL	AC-20 (1)	AC-20 (1)(b)	LIMITS ON AUTHORIZED USE	Retains approved information system connection or processing agreements with the organizational entity hosting the external information system.
#####	ACCESS CONTROL	AC-20 (2)	AC-20 (2)	PORTABLE STORAGE DEVICES	The organization [Selection: restricts; prohibits] the use of organization-controlled portable storage devices by authorized individuals on external information systems.
#####	ACCESS CONTROL	AC-20 (3)	AC-20 (3)	NON-ORGANIZATIONALLY OWNED SYSTEMS / COMPONENTS / DEVICES	The organization [Selection: restricts; prohibits] the use of non-organizationally owned information systems, system components, or devices to process, store, or transmit organizational information.
#####	ACCESS CONTROL	AC-20 (4)	AC-20 (4)	NETWORK ACCESSIBLE STORAGE DEVICES	The organization prohibits the use of [Assignment: organization-defined network accessible storage devices] in external information systems.
#####	ACCESS CONTROL	AC-21	AC-21	INFORMATION SHARING	The organization:
#####	ACCESS CONTROL	AC-21	AC-21a	INFORMATION SHARING	Facilitates information sharing by enabling authorized users to determine whether access authorizations assigned to the sharing partner match the access restrictions on the information for [Assignment: organization-defined information sharing circumstances where user discretion is required]; and
#####	ACCESS CONTROL	AC-21	AC-21b	INFORMATION SHARING	Employs [Assignment: organization-defined automated mechanisms or manual processes] to assist users in making information sharing/collaboration decisions.

#####	ACCESS CONTROL	AC-21 (1)	AC-21 (1)	AUTOMATED DECISION SUPPORT	The information system enforces information-sharing decisions by authorized users based on access authorizations of sharing partners and access restrictions on information to be shared.
#####	ACCESS CONTROL	AC-21 (2)	AC-21 (2)	INFORMATION SEARCH AND RETRIEVAL	The information system implements information search and retrieval services that enforce [Assignment: organization-defined information sharing restrictions].
#####	ACCESS CONTROL	AC-22	AC-22	PUBLICLY ACCESSIBLE CONTENT	The organization:
#####	ACCESS CONTROL	AC-22	AC-22a	PUBLICLY ACCESSIBLE CONTENT	Designates individuals authorized to post information onto a publicly accessible information system;
#####	ACCESS CONTROL	AC-22	AC-22b	PUBLICLY ACCESSIBLE CONTENT	Trains authorized individuals to ensure that publicly accessible information does not contain nonpublic information;
#####	ACCESS CONTROL	AC-22	AC-22c	PUBLICLY ACCESSIBLE CONTENT	Reviews the proposed content of information prior to posting onto the publicly accessible information system to ensure that nonpublic information is not included; and
#####	ACCESS CONTROL	AC-22	AC-22d	PUBLICLY ACCESSIBLE CONTENT	Reviews the content on the publicly accessible information system for nonpublic information [Assignment: organization-defined frequency] and removes such information, if discovered.
#####	ACCESS CONTROL	AC-23	AC-23	DATA MINING PROTECTION	The organization employs [Assignment: organization-defined data mining prevention and detection techniques] for [Assignment: organization-defined data storage objects] to adequately detect and protect against data mining.

#####	ACCESS CONTROL	AC-24	AC-24	ACCESS CONTROL DECISIONS	The organization establishes procedures to ensure [Assignment: organization-defined access control decisions] are applied to each access request prior to access enforcement.
#####	ACCESS CONTROL	AC-24 (1)	AC-24 (1)	TRANSMIT ACCESS AUTHORIZATION INFORMATION	The information system transmits [Assignment: organization-defined access authorization information] using [Assignment: organization-defined security safeguards] to [Assignment: organization-defined information systems] that enforce access control decisions.
#####	ACCESS CONTROL	AC-24 (2)	AC-24 (2)	NO USER OR PROCESS IDENTITY	The information system enforces access control decisions based on [Assignment: organization-defined security attributes] that do not include the identity of the user or process acting on behalf of the user.
#####	ACCESS CONTROL	AC-25	AC-25	REFERENCE MONITOR	The information system implements a reference monitor for [Assignment: organization-defined access control policies] that is tamperproof, always invoked, and small enough to be subject to analysis and testing, the completeness of which can be assured.