

#####	AUDIT AND ACCOUNTABILITY	AU-1	AU-1	AUDIT AND ACCOUNTABILITY POLICY AND PROCEDURES	The organization:
-------	-----------------------------	------	------	---	-------------------

#####	AUDIT AND ACCOUNTABILITY	AU-1	AU-1a	AUDIT AND ACCOUNTABILITY POLICY AND PROCEDURES	Develops, documents, and disseminates to [Assignment: organization-defined personnel or roles]:
-------	-----------------------------	------	-------	---	---

#####	AUDIT AND ACCOUNTABILITY	AU-1	AU-1a.1	AUDIT AND ACCOUNTABILITY POLICY AND PROCEDURES	An audit and accountability policy that addresses purpose, scope, roles, responsibilities, management commitment, coordination among organizational entities, and compliance; and
-------	-----------------------------	------	---------	---	---

#####	AUDIT AND ACCOUNTABILITY	AU-1	AU-1a.2	AUDIT AND ACCOUNTABILITY POLICY AND PROCEDURES	Procedures to facilitate the implementation of the audit and accountability policy and associated audit and accountability controls; and
-------	-----------------------------	------	---------	---	--

#####	AUDIT AND ACCOUNTABILITY	AU-1	AU-1b	AUDIT AND ACCOUNTABILITY POLICY AND PROCEDURES	Reviews and updates the current:
-------	-----------------------------	------	-------	---	----------------------------------

#####	AUDIT AND ACCOUNTABILITY	AU-1	AU-1b.1	AUDIT AND ACCOUNTABILITY POLICY AND PROCEDURES	Audit and accountability policy [Assignment: organization-defined frequency]; and
-------	-----------------------------	------	---------	---	--

#####	AUDIT AND ACCOUNTABILITY	AU-1	AU-1b.2	AUDIT AND ACCOUNTABILITY POLICY AND PROCEDURES	Audit and accountability procedures [Assignment: organization-defined frequency].
#####	AUDIT AND ACCOUNTABILITY	AU-2	AU-2	AUDIT EVENTS	The organization:

#####	AUDIT AND ACCOUNTABILITY	AU-2	AU-2a	AUDIT EVENTS	Determines that the information system is capable of auditing the following events: [Assignment: organization-defined auditable events];
#####	AUDIT AND ACCOUNTABILITY	AU-2	AU-2b	AUDIT EVENTS	Coordinates the security audit function with other organizational entities requiring audit-related information to enhance mutual support and to help guide the selection of auditable events;
#####	AUDIT AND ACCOUNTABILITY	AU-2	AU-2c	AUDIT EVENTS	Provides a rationale for why the auditable events are deemed to be adequate to support after-the-fact investigations of security incidents; and

#####	AUDIT AND ACCOUNTABILITY	AU-2	AU-2d	AUDIT EVENTS	Determines that the following events are to be audited within the information system: [Assignment: organization-defined audited events (the subset of the auditable events defined in AU-2 a.) along with the frequency of (or situation requiring) auditing for each identified event].
#####	AUDIT AND ACCOUNTABILITY	AU-2 (1)	AU-2 (1)	COMPILATION OF AUDIT RECORDS FROM MULTIPLE SOURCES	[Withdrawn: Incorporated into AU-12].
#####	AUDIT AND ACCOUNTABILITY	AU-2 (2)	AU-2 (2)	SELECTION OF AUDIT EVENTS BY COMPONENT	[Withdrawn: Incorporated into AU-12].
#####	AUDIT AND ACCOUNTABILITY	AU-2 (3)	AU-2 (3)	REVIEWS AND UPDATES	The organization reviews and updates the audited events [Assignment: organization-defined frequency].
#####	AUDIT AND ACCOUNTABILITY	AU-2 (4)	AU-2 (4)	PRIVILEGED FUNCTIONS	[Withdrawn: Incorporated into AC-6 (9)].

#####	AUDIT AND ACCOUNTABILITY	AU-3	AU-3	CONTENT OF AUDIT RECORDS	The information system generates audit records containing information that establishes what type of event occurred, when the event occurred, where the event occurred, the source of the event, the outcome of the event, and the identity of any individuals or subjects associated with the event.
-------	-----------------------------	------	------	-----------------------------	--

#####	AUDIT AND ACCOUNTABILITY	AU-3 (1)	AU-3 (1)	ADDITIONAL AUDIT INFORMATION	The information system generates audit records containing the following additional information: [Assignment: organization-defined additional, more detailed information].
#####	AUDIT AND ACCOUNTABILITY	AU-3 (2)	AU-3 (2)	CENTRALIZED MANAGEMENT OF PLANNED AUDIT RECORD CONTENT	The information system provides centralized management and configuration of the content to be captured in audit records generated by [Assignment: organization-defined information system components].

#####	AUDIT AND ACCOUNTABILITY	AU-4	AU-4	AUDIT STORAGE CAPACITY	The organization allocates audit record storage capacity in accordance with [Assignment: organization-defined audit record storage requirements].
#####	AUDIT AND ACCOUNTABILITY	AU-4 (1)	AU-4 (1)	TRANSFER TO ALTERNATE STORAGE	The information system off-loads audit records [Assignment: organization-defined frequency] onto a different system or media than the system being audited.
#####	AUDIT AND ACCOUNTABILITY	AU-5	AU-5	RESPONSE TO AUDIT PROCESSING FAILURES	The information system:
#####	AUDIT AND ACCOUNTABILITY	AU-5	AU-5a	RESPONSE TO AUDIT PROCESSING FAILURES	Alerts [Assignment: organization-defined personnel or roles] in the event of an audit processing failure; and
#####	AUDIT AND ACCOUNTABILITY	AU-5	AU-5b	RESPONSE TO AUDIT PROCESSING FAILURES	Takes the following additional actions: [Assignment: organization-defined actions to be taken (e.g., shut down information system, overwrite oldest audit records, stop generating audit records)].

#####	AUDIT AND ACCOUNTABILITY	AU-5 (1)	AU-5 (1)	AUDIT STORAGE CAPACITY	The information system provides a warning to [Assignment: organization-defined personnel, roles, and/or locations] within [Assignment: organization-defined time period] when allocated audit record storage volume reaches [Assignment: organization-defined percentage] of repository maximum audit record storage capacity.
#####	AUDIT AND ACCOUNTABILITY	AU-5 (2)	AU-5 (2)	REAL-TIME ALERTS	The information system provides an alert in [Assignment: organization-defined real-time period] to [Assignment: organization-defined personnel, roles, and/or locations] when the following audit failure events occur: [Assignment: organization-defined audit failure events requiring real-time alerts].
#####	AUDIT AND ACCOUNTABILITY	AU-5 (3)	AU-5 (3)	CONFIGURABLE TRAFFIC VOLUME THRESHOLDS	The information system enforces configurable network communications traffic volume thresholds reflecting limits on auditing capacity and [Selection: rejects; delays] network traffic above those thresholds.
#####	AUDIT AND ACCOUNTABILITY	AU-5 (4)	AU-5 (4)	SHUTDOWN ON FAILURE	The information system invokes a [Selection: full system shutdown; partial system shutdown; degraded operational mode with limited mission/business functionality available] in the event of [Assignment: organization-defined audit failures], unless an alternate audit capability exists.

#####	AUDIT AND ACCOUNTABILITY	AU-6	AU-6	AUDIT REVIEW, ANALYSIS, AND REPORTING	The organization:
#####	AUDIT AND ACCOUNTABILITY	AU-6	AU-6a	AUDIT REVIEW, ANALYSIS, AND REPORTING	Reviews and analyzes information system audit records [Assignment: organization-defined frequency] for indications of [Assignment: organization-defined inappropriate or unusual activity]; and
#####	AUDIT AND ACCOUNTABILITY	AU-6	AU-6b	AUDIT REVIEW, ANALYSIS, AND REPORTING	Reports findings to [Assignment: organization-defined personnel or roles].

#####	AUDIT AND ACCOUNTABILITY	AU-6 (1)	AU-6 (1)	PROCESS INTEGRATION	The organization employs automated mechanisms to integrate audit review, analysis, and reporting processes to support organizational processes for investigation and response to suspicious activities.
#####	AUDIT AND ACCOUNTABILITY	AU-6 (2)	AU-6 (2)	AUTOMATED SECURITY ALERTS	[Withdrawn: Incorporated into SI-4].
#####	AUDIT AND ACCOUNTABILITY	AU-6 (3)	AU-6 (3)	CORRELATE AUDIT REPOSITORIES	The organization analyzes and correlates audit records across different repositories to gain organization-wide situational awareness.
#####	AUDIT AND ACCOUNTABILITY	AU-6 (4)	AU-6 (4)	CENTRAL REVIEW AND ANALYSIS	The information system provides the capability to centrally review and analyze audit records from multiple components within the system.
#####	AUDIT AND ACCOUNTABILITY	AU-6 (5)	AU-6 (5)	INTEGRATION / SCANNING AND MONITORING CAPABILITIES	The organization integrates analysis of audit records with analysis of [Selection (one or more): vulnerability scanning information; performance data; information system monitoring information; [Assignment: organization-defined data/information collected from other sources]] to further enhance the ability to identify inappropriate or unusual activity.
#####	AUDIT AND ACCOUNTABILITY	AU-6 (6)	AU-6 (6)	CORRELATION WITH PHYSICAL MONITORING	The organization correlates information from audit records with information obtained from monitoring physical access to further enhance the ability to identify suspicious, inappropriate, unusual, or malevolent activity.

#####	AUDIT AND ACCOUNTABILITY	AU-6 (7)	AU-6 (7)	PERMITTED ACTIONS	The organization specifies the permitted actions for each [Selection (one or more): information system process; role; user] associated with the review, analysis, and reporting of audit information.
#####	AUDIT AND ACCOUNTABILITY	AU-6 (8)	AU-6 (8)	FULL TEXT ANALYSIS OF PRIVILEGED COMMANDS	The organization performs a full text analysis of audited privileged commands in a physically distinct component or subsystem of the information system, or other information system that is dedicated to that analysis.
#####	AUDIT AND ACCOUNTABILITY	AU-6 (9)	AU-6 (9)	CORRELATION WITH INFORMATION FROM NONTECHNICAL SOURCES	The organization correlates information from nontechnical sources with audit information to enhance organization-wide situational awareness.
#####	AUDIT AND ACCOUNTABILITY	AU-6 (10)	AU-6 (10)	AUDIT LEVEL ADJUSTMENT	The organization adjusts the level of audit review, analysis, and reporting within the information system when there is a change in risk based on law enforcement information, intelligence information, or other credible sources of information.
#####	AUDIT AND ACCOUNTABILITY	AU-7	AU-7	AUDIT REDUCTION AND REPORT GENERATION	The information system provides an audit reduction and report generation capability that:
#####	AUDIT AND ACCOUNTABILITY	AU-7	AU-7a	AUDIT REDUCTION AND REPORT GENERATION	Supports on-demand audit review, analysis, and reporting requirements and after-the-fact investigations of security incidents; and
#####	AUDIT AND ACCOUNTABILITY	AU-7	AU-7b	AUDIT REDUCTION AND REPORT GENERATION	Does not alter the original content or time ordering of audit records.
#####	AUDIT AND ACCOUNTABILITY	AU-7 (1)	AU-7 (1)	AUTOMATIC PROCESSING	The information system provides the capability to process audit records for events of interest based on [Assignment: organization-defined audit fields within audit records].

#####	AUDIT AND ACCOUNTABILITY	AU-7 (2)	AU-7 (2)	AUTOMATIC SORT AND SEARCH	The information system provides the capability to sort and search audit records for events of interest based on the content of [Assignment: organization-defined audit fields within audit records].
#####	AUDIT AND ACCOUNTABILITY	AU-8	AU-8	TIME STAMPS	The information system:
#####	AUDIT AND ACCOUNTABILITY	AU-8	AU-8a	SYNCHRONIZATION WITH AUTHORITATIVE TIME SOURCE	Uses internal system clocks to generate time stamps for audit records; and
#####	AUDIT AND ACCOUNTABILITY	AU-8	AU-8b	SYNCHRONIZATION WITH AUTHORITATIVE TIME SOURCE	Records time stamps for audit records that can be mapped to Coordinated Universal Time (UTC) or Greenwich Mean Time (GMT) and meets [Assignment: organization-defined granularity of time measurement].
#####	AUDIT AND ACCOUNTABILITY	AU-8 (1)	AU-8 (1)	SYNCHRONIZATION WITH AUTHORITATIVE TIME SOURCE	The information system:

#####	AUDIT AND ACCOUNTABILITY	AU-8 (1)	AU-8 (1)(a)	SYNCHRONIZATION WITH AUTHORITATIVE TIME SOURCE	Compares the internal information system clocks [Assignment: organization-defined frequency] with [Assignment: organization-defined authoritative time source]; and
#####	AUDIT AND ACCOUNTABILITY	AU-8 (1)	AU-8 (1)(b)	SYNCHRONIZATION WITH AUTHORITATIVE TIME SOURCE	Synchronizes the internal system clocks to the authoritative time source when the time difference is greater than [Assignment: organization-defined time period].
#####	AUDIT AND ACCOUNTABILITY	AU-8 (1)	AU-8 (2)	SECONDARY AUTHORITATIVE TIME SOURCE	The information system identifies a secondary authoritative time source that is located in a different geographic region than the primary authoritative time source.

#####	AUDIT AND ACCOUNTABILITY	AU-9	AU-9	PROTECTION OF AUDIT INFORMATION	The information system protects audit information and audit tools from unauthorized access, modification, and deletion.
#####	AUDIT AND ACCOUNTABILITY	AU-9 (1)	AU-9 (1)	HARDWARE WRITE-ONCE MEDIA	The information system writes audit trails to hardware-enforced, write-once media.
#####	AUDIT AND ACCOUNTABILITY	AU-9 (2)	AU-9 (2)	AUDIT BACKUP ON SEPARATE PHYSICAL SYSTEMS / COMPONENTS	The information system backs up audit records [Assignment: organization-defined frequency] onto a physically different system or system component than the system or component being audited.
#####	AUDIT AND ACCOUNTABILITY	AU-9 (3)	AU-9 (3)	CRYPTOGRAPHIC PROTECTION	The information system implements cryptographic mechanisms to protect the integrity of audit information and audit tools.
#####	AUDIT AND ACCOUNTABILITY	AU-9 (4)	AU-9 (4)	ACCESS BY SUBSET OF PRIVILEGED USERS	The organization authorizes access to management of audit functionality to only [Assignment: organization-defined subset of privileged users].
#####	AUDIT AND ACCOUNTABILITY	AU-9 (5)	AU-9 (5)	DUAL AUTHORIZATION	The organization enforces dual authorization for [Selection (one or more): movement; deletion] of [Assignment: organization-defined audit information].
#####	AUDIT AND ACCOUNTABILITY	AU-9 (6)	AU-9 (6)	READ ONLY ACCESS	The organization authorizes read-only access to audit information to [Assignment: organization-defined subset of privileged users].

#####	AUDIT AND ACCOUNTABILITY	AU-10	AU-10	NON-REPUDIATION	The information system protects against an individual (or process acting on behalf of an individual) falsely denying having performed [Assignment: organization-defined actions to be covered by non-repudiation].
#####	AUDIT AND ACCOUNTABILITY	AU-10 (1)	AU-10 (1)	ASSOCIATION OF IDENTITIES	The information system:
#####	AUDIT AND ACCOUNTABILITY	AU-10 (1)	AU-10 (1)(a)	ASSOCIATION OF IDENTITIES	Binds the identity of the information producer with the information to [Assignment: organization-defined strength of binding]; and
#####	AUDIT AND ACCOUNTABILITY	AU-10 (1)	AU-10 (1)(b)	ASSOCIATION OF IDENTITIES	Provides the means for authorized individuals to determine the identity of the producer of the information.
#####	AUDIT AND ACCOUNTABILITY	AU-10 (2)	AU-10 (2)	VALIDATE BINDING OF INFORMATION PRODUCER IDENTITY	The information system:
#####	AUDIT AND ACCOUNTABILITY	AU-10 (2)	AU-10 (2)(a)	VALIDATE BINDING OF INFORMATION PRODUCER IDENTITY	Validates the binding of the information producer identity to the information at [Assignment: organization-defined frequency]; and
#####	AUDIT AND ACCOUNTABILITY	AU-10 (2)	AU-10 (2)(b)	VALIDATE BINDING OF INFORMATION PRODUCER IDENTITY	Performs [Assignment: organization-defined actions] in the event of a validation error.
#####	AUDIT AND ACCOUNTABILITY	AU-10 (3)	AU-10 (3)	CHAIN OF CUSTODY	The information system maintains reviewer/releaser identity and credentials within the established chain of custody for all information reviewed or released.

#####	AUDIT AND ACCOUNTABILITY	AU-10 (4)	AU-10 (4)	VALIDATE BINDING OF INFORMATION REVIEWER IDENTITY	The information system:
#####	AUDIT AND ACCOUNTABILITY	AU-10 (4)	AU-10 (4)(a)	VALIDATE BINDING OF INFORMATION REVIEWER IDENTITY	Validates the binding of the information reviewer identity to the information at the transfer or release points prior to release/transfer between [Assignment: organization-defined security domains]; and
#####	AUDIT AND ACCOUNTABILITY	AU-10 (4)	AU-10 (4)(b)	VALIDATE BINDING OF INFORMATION REVIEWER IDENTITY	Performs [Assignment: organization-defined actions] in the event of a validation error.
#####	AUDIT AND ACCOUNTABILITY	AU-10 (5)	AU-10 (5)	DIGITAL SIGNATURES	[Withdrawn: Incorporated into SI-7].

#####	AUDIT AND ACCOUNTABILITY	AU-11	AU-11	AUDIT RECORD RETENTION	The organization retains audit records for [Assignment: organization-defined time period consistent with records retention policy] to provide support for after-the-fact investigations of security incidents and to meet regulatory and organizational information retention requirements.
#####	AUDIT AND ACCOUNTABILITY	AU-11 (1)	AU-11 (1)	LONG-TERM RETRIEVAL CAPABILITY	The organization employs [Assignment: organization-defined measures] to ensure that long-term audit records generated by the information system can be retrieved.

#####	AUDIT AND ACCOUNTABILITY	AU-12	AU-12	AUDIT GENERATION	The information system:
#####	AUDIT AND ACCOUNTABILITY	AU-12	AU-12a	AUDIT GENERATION	Provides audit record generation capability for the auditable events defined in AU-2 a. at [Assignment: organization-defined information system components];
#####	AUDIT AND ACCOUNTABILITY	AU-12	AU-12b	AUDIT GENERATION	Allows [Assignment: organization-defined personnel or roles] to select which auditable events are to be audited by specific components of the information system; and

#####	AUDIT AND ACCOUNTABILITY	AU-12	AU-12c	AUDIT GENERATION	Generates audit records for the events defined in AU-2 d. with the content defined in AU-3.
#####	AUDIT AND ACCOUNTABILITY	AU-12 (1)	AU-12 (1)	SYSTEM-WIDE / TIME CORRELATED AUDIT TRAIL	The information system compiles audit records from [Assignment: organization-defined information system components] into a system-wide (logical or physical) audit trail that is time-correlated to within [Assignment: organization-defined level of tolerance for the relationship between time stamps of individual records in the audit trail].

#####	AUDIT AND ACCOUNTABILITY	AU-12 (2)	AU-12 (2)	STANDARDIZED FORMATS	The information system produces a system-wide (logical or physical) audit trail composed of audit records in a standardized format.
#####	AUDIT AND ACCOUNTABILITY	AU-12 (3)	AU-12 (3)	CHANGES BY AUTHORIZED INDIVIDUALS	The information system provides the capability for [Assignment: organization-defined individuals or roles] to change the auditing to be performed on [Assignment: organization-defined information system components] based on [Assignment: organization-defined selectable event criteria] within [Assignment: organization-defined time thresholds].

#####	AUDIT AND ACCOUNTABILITY	AU-13	AU-13	MONITORING FOR INFORMATION DISCLOSURE	The organization monitors [Assignment: organization-defined open source information and/or information sites] [Assignment: organization-defined frequency] for evidence of unauthorized disclosure of organizational information.
#####	AUDIT AND ACCOUNTABILITY	AU-13 (1)	AU-13 (1)	USE OF AUTOMATED TOOLS	The organization employs automated mechanisms to determine if organizational information has been disclosed in an unauthorized manner.
#####	AUDIT AND ACCOUNTABILITY	AU-13 (2)	AU-13 (2)	REVIEW OF MONITORED SITES	The organization reviews the open source information sites being monitored [Assignment: organization-defined frequency].
#####	AUDIT AND ACCOUNTABILITY	AU-14	AU-14	SESSION AUDIT	The information system provides the capability for authorized users to select a user session to capture/record or view/hear.
#####	AUDIT AND ACCOUNTABILITY	AU-14 (1)	AU-14 (1)	SYSTEM START-UP	The information system initiates session audits at system start-up.
#####	AUDIT AND ACCOUNTABILITY	AU-14 (2)	AU-14 (2)	CAPTURE/RECORD AND LOG CONTENT	The information system provides the capability for authorized users to capture/record and log content related to a user session.
#####	AUDIT AND ACCOUNTABILITY	AU-14 (3)	AU-14 (3)	REMOTE VIEWING / LISTENING	The information system provides the capability for authorized users to remotely view/hear all content related to an established user session in real time.
#####	AUDIT AND ACCOUNTABILITY	AU-15	AU-15	ALTERNATE AUDIT CAPABILITY	The organization provides an alternate audit capability in the event of a failure in primary audit capability that provides [Assignment: organization-defined alternate audit functionality].

#####	AUDIT AND ACCOUNTABILITY	AU-16	AU-16	CROSS- ORGANIZATIONAL AUDITING	The organization employs [Assignment: organization-defined methods] for coordinating [Assignment: organization-defined audit information] among external organizations when audit information is transmitted across organizational boundaries.
#####	AUDIT AND ACCOUNTABILITY	AU-16 (1)	AU-16 (1)	IDENTITY PRESERVATION	The organization requires that the identity of individuals be preserved in cross-organizational audit trails.
#####	AUDIT AND ACCOUNTABILITY	AU-16 (2)	AU-16 (2)	SHARING OF AUDIT INFORMATION	The organization provides cross-organizational audit information to [Assignment: organization-defined organizations] based on [Assignment: organization-defined cross-organizational sharing agreements].