## \*Ophthalmology Test\*

## (A1+2)

- conjunctivitis
- 1. follicles in fornyx
- 2. sister first then pt ko conjunctivitis hua... btao konsa conjunctivitis hai3. purulent conjunctivitis ka most
- common cause

## cornea

- 1. pt with repeatedly changing refractive errors... oil droplet sign...
- scissor reflex... keratoconus
- 2. relative contraindication of keratorefractive surgery
- 3. keratitis due to vegetative trauma
- 4. which is not feature of infective keratitis

## scleritis

 RA women having inflammation of part of sclera and ON involvement 2. rb best treatment option strabismus 1. esotropia corrected with glasses 2. up and to the right movement of both eyes .... btao konsay muscles use ho rhay refractive error 1. hypermetropia 2. how much stroma is left in LASIK catract 1. iol used in astigmatic eye 2. anterior capsulotomy diameter of flap taken Neuroopthalmology 1. RAPD+ve, normal fundus, pain of eve movement, vision loss

Paediatric opthalmology

1. rb scan to check EOM involvement

- RAPD+ve , normal tundus, pain of eye movement, vision loss (retrobulbar neuritis)
  anterior uveitis ka maybe tha eik
- Retina
- 1. retinal tear best treatment
- 2. posterior vitreous detachment
- 3. white retina with attenuation of vessels
- ocular trauma

treatment

- cricket ball injury
  hyphaema treatment best way to decrease secondary hemorhage
- 3. Inf orbital wall fracture
  - eyelid
  - 1. upper lid painless mass... turns painful few months after
- 2. ptosis surgery of 6yo... most important thing to decide for surgery