Psychiatry ward Test

47.	
VI	va
\bigcirc	Scenario about brief psychiatric disorder
\bigcirc	Identify?
	Kya Kya hai scenario ma? delusions aur hallucinations the ,aur brief psychiatric disorder kyon hai poucha?
\bigcirc	Because time period was 15 days given in scenario
0	delusions types, about hallucinations (conceptual)
Os	pe:
Sc	enario 1 :
\bigcirc	Q1identify disorder?conversion disorder

Other mental condition?

\bigcirc	Q3 treatment?					
Scanario2						
\bigcirc	Q1identify					
\bigcirc	Mani ka disorder tha					
\bigcirc	Q2Treatment?					
\bigcirc	Q3 managing?					
Sc	canario3					
\bigcirc	Q1 identify					
\bigcirc	Major depressive disorder					
•	Major depressive disorder Q2 other mental conditions					
\bigcirc						
0	Q2 other mental conditions					
*S	Q2 other mental conditions Q3 treatment					
S	Q2 other mental conditions Q3 treatment canario4					
S	Q2 other mental conditions Q3 treatment canario4 Q1identify					

Date: 22-02-2024



DEPARTMENT OF PSYCHIATRY AND BEHAVIORAL SCIENCES BILAWAL MEDICAL COLLAGE FOR BOYS LIAQUAT UNIVERSITY OF MEDICAL & HEALTH SCIENCES JAMSHORO 4th Year MBBS 2024 Group GH

Name:	Group	Roll No					
Total Marks: 100	•						
✓ Tick the Correct Answers							
1 Which of the following is not the type of prim	ury delusion?						
(a)Delusion of love	(b) delusional percep	tion					
(c) Delusional memory	(d) delusional mood		(e) none of the above				
2 Which of the following is not the type of seco	ndary defusion?						
(a) Delusion of infidelity	(b) delusion of love						
(c) Delusional perception	(d) delusion of cont	rol					
(e) Persecutory delusion							
3. A 28 year old male, single, unemployed, fro to enjoy. His sleep and appetite is also disturb	ed and from last few						
thoughts, which of the following is most likel (a) Generalized anxiety disorder	(b) Bipolar affective	disorder					
(c) dysthymia	(d) cyclothymia		ajor depressive disorder				
(c) dystnymia	(a) cyclomymia	(0),	ajor depressive districti				
생 보다 그리게 하는 것이 없는 것이었다면 없는 것이었다면 없어요.	hich of the following symptom is most likely to be present only in schizophrenia?						
(a) Command hallucinations	(b) persecutory ideas						
(c) Delusional perception	(d) persecutory del	usions	(e) both A and C				
A patient come with complaints of repeated be routine is disturbed due to these symptoms, v	what is the most likely	y diagnosis					
(a) Obsessive compulsive disorder	(b) major depressiv	e disorder					
(c) Schizophrenia	(d) psychosis		(e) none of the above				
A patient has firm belief that he has unlimited		, he can ale	one help every single				
(a) Persecutory delusion	(b) delusio	n of contr	ol				
(c) Delusion of grandeur (Grandiosity)	(d) delusio	on of refere	ence				
(e) None of the above							
Cluster B PERSONALITY disorders consist	of all of the followi	ne excent					
		The second second	isorder				
	(b) narcissistic personality disorder (d) antisocial personality disorder						
	(u) antisociai pers	chanty dis	Ciuci				
(e) · Histrionic personality disorder							
A female has history of inflicting repeated or	uts on her forearms,	she had h	istory of recurrent				
suicidal attempts, she also has complaints of	chronic feeling of e	mptiness	what is most likely				
diagnosis	(h) 11						
(a) Borderline personality disorder	(b) dependent per						
(c) Anxious personality disorder	(d) obsessive con	ipulsive di	isorder				

(c) Anxious personality disorder

(e) None of the above

(a) dependent personality disorder (c) schizotypal personality disorder (e) none of the above			(b) schizoid personality disorder (d) paranoid personality disorder			
10	Typical antipsychotic	s block which of the	following recentors			
10	(a) Scrotonin re		(b) acetylcholine			
	(c) nor epinephr		(d) D2 receptors		f the above.	
11	All of the following i	s different types of d	elusions except			
	(a) delusional of		(b) delusion of l			
	(c) delusion of c	ontrol	(d) nihilistic del	usion (e) runn	ing commentary	
12	All of the following a	ire symptoms of Maj	or depressive disor	der except		
	(a) lack of pleast		(b) feeling low			
	(e) suicidal ideation		(d) inflated self esteem (e) psychomotor retardation			
13.	All of the following a	The state of the s				
	(a) decrease need		(b) excessive spending			
	(c) over talkative	eness	(d) increase lib	ido (e) dec	rease energy	
1.4.	All of the following a	ire antidepressants e	The state of the s			
	(a) sertraline	b) haloperidol	(c) fluoxetine	(d) peroxetine	(e) vortioxetine	
15.	Recurrent, repetitive	, intrusive thoughts of	or images which ar	e ego dystonic i	s defined as	
	(a) obsessions		(c) mood	(d) affect	(e) none of the above	
16.	Allah of the followin	g symptoms are mo	stly likely to be pro	esent in General	ized anxiety disorder	
	(a) decrease heart rate		(b) increase he	art rate		
	(c) dryness of mouth		(d) apprehension		(e) irritability	
17.	Which of the following	ng is not an antidep	ressant			
	(a) trifluperazine		one (c) fluoxetine	(d) sertraline	(e) both a and b	
18.	A male patient has fi cousin, although the (a) delusion of in	ere is no evidence to		, the patient is t	relationships with his nost likely to have	
	(c) delusional per		(d) delusional		(e) nihilistic delusio	
		g anonymous emails			ove with him , he writes ere ever she goes , this	
			(b) delucion a	CCdissipa		
	(a) delusion of lo			of Grandiosity		
	(c) delusion of gu		(d) delusiona	perception		
	(e) persecutory de	elusion				
		g, she believes that	지어야 하는데 없어요? 그렇게 되는 이 트웨어지면 그 1000kg (1997) 100 mg		pitations, sweating. ing to die, her ECG is	
ų.	Unremarkable, most	likely diagnosis is				
	(a) Panie attack		(b) delusiona			
	(c) depressive dis(e) post traumatic		(d) obsessive	compulsive di	sorder	