then of them is not a part of ACS? DOF HMAN ALE **NSTEMI** Chronic coronary syndrome None of the above ECG leads have bipolar leads, 6 Severely reduced EF in heart failure means d. 40 Which of is a mortality benefit drug of heart failure. Ranolazine Trimetazidine Which of this drug is a part of treatment of stable angina. b.) Clopidogrel c. Heparin d. None of the above The dose of Enoxaparinin CKD is 1mg/kg BD 1mg/kg OD 0.5mg/kg OD d. 0.3mg/kg BD Murmur of AorticStenosis radiate to Neck Axilla Back Below scapula Which of them is a Signs of Severe Aortic Regurgitation Low volume pulse Wide pulse pressure S1 loud Displaced Apex beat Raised JVP is the sign of Severe AR Left sided heart failure Severe MR

d. None of the above

| 10. Left axis deviation is due to |
|---|
| (a) Left Anterior Fascicle |
| b. Left Posterior Fascicle |
| c. Right ventricular hypertrophy |
| d. Purkunji fibers |
| 11. Wide QRS means more thanPR |
| a. 100 |
| b. 120 c. 150 |
| d. 200 |
| 12 Museum of Aortic stenosis is |
| a Fiection Systolic Indiana |
| b Pan systolic Murmur |
| Holosystolic Murmui |
| d. Early Diastolic Murmur |
| CASDIS |
| Election System |
| Mid Diastolic Mullium |
| Transport of the Murinus |
| Forly Diastolic Mulling |
| a sign's Pulse is the sign |
| a Aortic regard |
| h Aortic stenosis |
| c. Mitral regurgitation |
| d. Mitral stenosis |
| d. Mitral stenosis 15. Which of these drugs is not a part of ACS protocol? |
| a. Clopidogrel |
| b. Ticagrelor |
| c. Warfarin |
| |
| d. Aspirin 16. Which of them is not a cyanotic heart disease |
| 16. Which of them is not |
| a. TOF |
| b. Transposition of Great Arteries |
| c. Tricuspid atresia |
| d. None of the above |
| 17. Which of them is not a sign of Aortic stenosis |
| COD |
| a. SOB |
| b. None of the above |
| e. Chest pain |
| |
| d. Syncope |
| |

| AV Dissociation PR prolongation Sudden drop of QRS Gradual increase OF PR apex beat is a sign of Mitral regurgitation /SD Mitral Stenosis For Aortic Stenosis of Aorticstenosisincreased at Left lateral position Leaning forward |
|---|
| PR prolongation Sudden drop of QRS Gradual increase OF PR apex beat is a sign of Mitral regurgitation /SD Mitral Stenosis of Aorticstenosisincreased at theft lateral position the eaning forward |
| Sudden drop of QRS Gradual increase OF PR apex beat is a sign of Mitral regurgitation /SD Mitral Stenosis For Aortic Stenosis of Aorticstenosisincreased at Left lateral position Leaning forward |
| Gradual increase OF PR apex beat is a sign of Mitral regurgitation /SD Mitral Stenosis of Aorticstenosisincreased at eft lateral position leaning forward |
| apex beat is a sign of Mitral regurgitation /SD Mitral Stenosis Aortic Stenosis of Aorticstenosisincreased at eft lateral position leaning forward |
| Mitral regurgitation /SD Mitral Stenosis Aortic Stenosis of Aorticstenosisincreased at Left lateral position Leaning forward |
| Aitral Stenosis Nortic Stenosis Of Aorticstenosisincreased at Left lateral position Leaning forward |
| Mitral Stenosis Nortic Stenosis Of Aorticstenosisincreased at Left lateral position Leaning forward |
| Aortic Stenosis of Aorticstenosisincreased at eft lateral position ceaning forward |
| of Aorticstenosisincreased at left lateral position leaning forward |
| eaning forward |
| eaning forward |
| |
| |
| Deep inspiration |
| quanting eans ST elevation in |
| 1-V2 |
| 73-V4 |
| 75-V6 |
| lone of the above |
| these drugsshould not be given in RV Myocardial Infarction |
| ilyceryl trinitrate |
| eta Blocker |
| RNI |
| RB |
| hoice in metallic prosthetic heart valve |
| spirin |
| paxiban |
| eparin |
| one of the above |
| itching from ARNI to ACEi there should be a wait of |
| 6 hours |
|) hours |
| 4 hours |
| o need |
| |
| the ECG means |
| A dilated |
| V dilated |
| A dilated |
| V dilated |
| V ATTAINED |
| |